Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1237646

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:
OG GSW Temp. Abd. CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #: Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	Location of huid disposal if hadred offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Page Two	1237646
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East _ West	County:	
INCTRUCTIONS, Chow important tang of formations populated	Datail all cores Report all	final conject of drill stome tasts giving interval tasted, time tool

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	eets)	Yes No		-	on (Top), Depth a		Sample
Samples Sent to Geolog	gical Survey	Yes No	Nam	Э		Тор	Datum
Cores Taken Electric Log Run		Yes No Yes No					
List All E. Logs Run:							
			RECORD Ne Ne conductor, surface, inte		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONA	L CEMENTING / SQU	EEZE RECORD			
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used		Type and F	Percent Additives	

 Purpose:
 Depth Top Bottom
 Type of Cement
 # Sacks Used
 Type and Percent Additives

 _____Protect Casing
 _____Protect Casing

 _____Plug Back TD

 _____Plug Off Zone

Did you perform a hydraulic fracturing treatment on this well?	Yes
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes

(If No, skip questions 2 and 3) (If No, skip question 3)

No

No

No

(If No, fill out Page Three of the ACO-1)

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated							ement Squeeze Record d of Material Used)	Depth	
TUBING RECORD:	Siz	ze:	Set At:		Packe	r At:	Liner F	lun:	No	
Date of First, Resumed	I Product	ion, SWD or ENH	٦.	Producing N	lethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wat	ər	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITI		345.			METHOD	OF COMPLE			PRODUCTION IN	
Vented Solo	d 🗌	Used on Lease		Open Hole	Perf.	_	Comp.	Commingled (Submit ACO-4)		
(If vented, Su	bmit ACC)-18.)		Other (Specify)						

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	Light A&B 13-14
Doc ID	1237646

Tops

Name	Тор	Datum
Soil/clay	0	15
Shale	15	36
Lime	36	80
Shale	80	100
Lime	100	110
Shale	110	160
Lime	160	312
Black Shale	312	314
Lime	314	320
Shale	320	335
Lime	335	350
Shale	350	380
Lime	380	530
Big Shale	530	560
Shale	560	650
Lime	650	870
Black Shale	870	872
5' Lime	872	877
Black Shale	877	880
Shale	880	895
Lower Squirrel Sand	895	905
Shale	905	1264
Mississippi Lime	1264	1268
Mississippi sand	1268	1278

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	Light A&B 13-14
Doc ID	1237646


Tops

Name	Тор	Datum
Lime	1278	1330

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	Light A&B 13-14
Doc ID	1237646

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set		Setting Depth	Type Of Cement		Type and Percent Additives
Surface	10.2500	8.6250	24	40	portland	10	
Production	6.1250	4.5	10	1320	common	240	



Sep 30 14 04:35p Klein Lumber

TOTAL AMOU SUT

6203657542

p.1

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

15 Days

Payless Concrete Products, Inc.

NOTICE TO OWNER Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LIGHT:自我自

CONDITIONS Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains corred water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

1214

54 W TO QUALL RD 5 IMI TO 100TH

The

长宫 他在了5日

4

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #	
2:28 PM	WELL	15.00	24.00		35		NOOCO.	
	PO NUMBER	ł						
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER	
-11/21/1	*13-14		15.00		0.00	4.00 in	30348	
Contains Portland Cemen CAUSE BURNS. Avoid C Contact With Skin or Eye Attention. KEEP CHILDRE CONCRETE is a PERISHABLI	E COMMODITY and BECOMES the PROPI	IOLONGED CONTACT MAY ntact With Skin. In Case of itation Persists, Get Medical	PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if places the material in this load where, you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE releving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks,		Excessive Water is Detrimental to Concrete Performance H ₂ 0 Added By Request/Authorized By GAL X WEIGHMASTER			
LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undestigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed. All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.			b) the prenerse and/or appendix property of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnity and hold harmless the driver of this truck and this supplier for any and all damage to the premises analor adjacent property which may be claimed by anyone to have arisin out of delivery of this order.			OW INDICATES THAT I HAVE F LL NOT BE RESPONSIBLE F JRB LINE.		
	Loss of the Cash Discount will be collect	ed on all Returned Checks.	X		× Milla	Tonin		
QUANTITY	CODE	DESCRIPTION				UNIT PRICE	EXTENDED PRICE	
15.00	WELL	WELL (1)	Ø SACKS PEI G CHARGE	K UNITO	15.00			
2.50	TRUCKIN	3 TRUCKIN	2.50					
	1.00 WC WINTER CHARGE.							
15.00	MIX&HAU	_ MIXING	B AND S AND	15.00				
*								
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/C	YLINDER TEST TAKEN	TIME ALLOWED	TAX 7.15		
		401	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	7.	IMA 7.210		
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 5. ADDED WATER		TIME DUE			
305	328					ADDITIONAL CHARGE	I <u></u>	
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME	E and the state of the second		DELAY TIME	ADDITIONAL CHARGE	2	
						GRAND TOTAL		

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

TIME

Payless Concrete Products, Inc.

NOTICE TO OWNER Failure of this contractor to pay those persons supplying material or services to complete this contract can nesult in the filing of a mechanic's lien on the property which is the subject of this contract.

LA005

LAYMON OIL II, L.L.C. 1998 SQUIRREL RD.

CONDITIONS
 Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yaid. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
 Contractor must provide place for truck to wash out. A \$30 charge will be added puty is responsibility.

LIGHT A&

The state of

A.

NEOSHO FALLS

KS 66758

FORMULA LOAD SIZE VARDS ORDERED

54 W TO QUAIL RD S IMI TO 100TH E 1/4MI N SD

% Air

GRAND TOTAL

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #	
2:40 PM	WELL	9.00	24.00	16 /	31		WOODOK -	
143 M	PO NUMBE	R	1			1	2 9 June and South State	
DATE	and an all a second and	LOAD #	YARDS DEL	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER	
1 1/21/1	413-14	2	24.00	1 12	0.00,	4.00 in.	38349	
CAUSE BUHNS Avoid C	WARNING ING TO THE SKINA Wear Rubber Boots and Shows of and With Eyes and Protonged Co s. Rush Thoroughly With Water, the on away.	intact With Skin. In Case of	PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Dear Customer-The driver of this truck-in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in early way that we can, but in order to do this the driver is requesting that you sign this RELEASE releving him and		Excessive Water is Detrimental to Concrete Performance H ₂ 0 Added By Request/Authorized By GAL_X			
The undersigned promises to any sums owed.	E COMMODITY and BECOMES the PROP CHANGES OR CANCELLATION of ORIG BEFORE LOADING STARTS, I pay all costs, including reasonable after days of delivery will bear interest at the rate	neys' fees, incurred in collecting	this supplier from any reconsibility to the premises and/or adjacent dimension, curbs, etc., by the delive also agree to help him remove mud- that he will not litter the public street tion, the undersigned agrees to inder of this truck and this supplier for an and/or adjacent properly which may	from any damage that may occur property, buildings, sidewalks, any of this material, and that you from the wheels of his vehicle so i. Further, as additional considera- matik and held homelees the deiment	NOTICE: MY SIGNATURE BEL NOTICE AND SUPPLIER WI	OW INDICATES THAT I HAVE RE LL NOT BE RESPONSIBLE FO	AD THE HEALTH WARNING	
Not Responsible for Reactive Material is Délivered.	Aggregate or Color Quality. No Claim	Allowed Uniess Made at Time	be claimed by anyone to have	WHEN DELIVERING INSIDE CU LOAD RECEIVED BY:	JRB LINE.	// >		
A \$30 Service Charge and L Excess Delay Time Charged @	loss of the Cash Discount will be collect \$601HR.	ed on all Returned Checks.	X		X	11/1/		
QUANTITY	CODE	DESCRIPTION			1	UNIT PRICE	EXTENDED PRICE	
· 9. 69	WELL	WELL (1	O SACKS PER	UNIT	24.00	UNITPRICE	EXTENDED PRICE	
2.50	TRUCKING	TRUCKIN	G CHARGE		5.00			
1.00 /	WC	WINTER	CHARGE	1	2.00	y.		
9.00/	MIX8HAUL	MIXING	AND HAULING		24,00	1 1 1		
T. A.	A AD		The state of the s	fr ~ .	Sere - T y She She			
it in for	S. S. Standard		1.00					
the second se		1	in the states.					
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYL	INDER TEST TAKEN	TIME ALLOWED			
- A proved	LEFT.JOB	FINISH UNLOADING	1. JOB NOT'READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB	INDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	TIME ALLOWED	TAX 7.15		
RETURNED TO PLANT	LEFT JOB ARRIVED JOB	FINISH UNLOADING	1. JOB NOT READY 2. SLOW POUR OR PUMP	6. TRUCK BROKE DOWN 7. ACCIDENT	TIME ALLOWED	TAX 7.15		
- A proved	- Time		1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION		TAX 7.15		
- A proved	- Time		JOB NOTREADY SLOW POUR OR PUMP TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN ADDED WATER	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION			1	

.

invat

Aleim