

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION 1238634
OIL & GAS CONSERVATION DIVISION

Form ACO-1

August 2013

Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Plug Back Conv. to GSW Conv. to Producer
- Commingled Permit #: _____
- Dual Completion Permit #: _____
- SWD Permit #: _____
- ENHR Permit #: _____
- GSW Permit #: _____

Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date
-----------------------------------	-----------------	---

API No. 15 - _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

GPS Location: Lat: _____, Long: _____
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum: NAD27 NAD83 WGS84

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Vertical Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Confidentiality Requested
Date: _____
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: _____ Date: _____

1238634

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input type="checkbox"/> No			
Electric Log Run	<input type="checkbox"/> Yes <input type="checkbox"/> No			
List All E. Logs Run:				

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well? Yes No *(If No, skip questions 2 and 3)*

Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Yes No *(If No, skip question 3)*

Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No *(If No, fill out Page Three of the ACO-1)*

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR. _____ Producing Method:
 Flowing Pumping Gas Lift Other *(Explain)* _____

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____	PRODUCTION INTERVAL: _____ _____
--	---	---



REMIT TO
 Consolidated Oil Well Services, LLC
 Dept:970
 P.O.Box 4346
 Houston, TX 77210-4346

MAIN OFFICE

P.O.Box884
 Chanute, KS 66720
 620/431-9210, 1-800/467-8676
 Fax 620/431-0012

Invoice

Invoice#

802344

Invoice Date: 11/30/14

Terms: Net 30

Page 1

D & Z EXPLORATION

901 N. ELM ST.
 ST. ELMO IL 62458
 USA
 6188293274

MEYERS #29

Part No	Description	Quantity	Unit Price	Discount(%)	Total
5401	Cement Pumper	1.000	1,085.0000	0.000	1,085.00
5406	Mileage Charge	1.000	0.0000	0.000	0.00
5402	Casing Footage	901.000	0.0000	0.000	0.00
5407	Min. Bulk Delivery Charge	0.500	368.0000	0.000	184.00
5502C	80 Vacuum Truck Cement	1.500	100.0000	0.000	150.00
1124	Poz Cement Mix	119.000	11.5000	30.000	957.95
1118B	Premium Gel / Bentonite	400.000	0.2200	30.000	61.60
1111	Sodium Chloride (Granulated Salt)	250.000	0.3900	30.000	68.25
1110A	Kol Seal (50# BAG)	595.000	0.4600	30.000	191.59
4402	2 1/2 Rubber Plug	1.000	29.5000	0.000	29.50

Subtotal 3,276.20

Discounted Amount 548.31

SubTotal After Discount 2,727.89

Amount Due 3,413.17 If paid after 12/30/14

Tax: 96.53

Total: 2,824.42



CONSOLIDATED
Oil Well Services, LLC

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

Invoice # 802344

FIELD TICKET & TREATMENT REPORT

CEMENT

TICKET NUMBER 50671

LOCATION Chanute, KS

FOREMAN Casey Kennedy

1200
1012

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY			
11/21/14	3392	Meyers # 29	SE 28	14	22	JO			
CUSTOMER Dt 7 Exploration									
MAILING ADDRESS 901 N. Elm St.									
CITY St Elmo		STATE KS	ZIP CODE						
		TRUCK #		DRIVER		TRUCK #		DRIVER	
		729		Casper		✓ Safety Meeting			
		6660		Kei Car		✓			
		510		DurtWeb		✓			
		370		Mik Fox		✓			

JOB TYPE long string HOLE SIZE 5 7/8" EUE HOLE DEPTH 950' CASING SIZE & WEIGHT 2 7/8" EUE
 CASING DEPTH 90' DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT _____ SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING _____
 DISPLACEMENT 5.22 lb/l DISPLACEMENT PSI _____ MIX PSI _____ RATE 4.5 bpm

REMARKS: held safety meeting, established circulation, mixed & pumped 200 # Premium Gel followed by 10 bbls fresh water, mixed & pumped 119 sks 5% Pozmix cement w/ 2% gel, 5% salt, + 5 # Kalsol per sk, cement to surface, flushed pump clean, pumped 2 1/2" rubber plug to casing TD w/ 5.22 lbs fresh water, pressured to 800 PSI, released pressure, shut in casing.

AKG

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE		1085.00
5406	on lease	MILEAGE		
5402	901'	casing footage		
5407	1/2 min	van mileage		184.00
5502c	1.5 hrs	80 vac		150.00
1124	119 sks	5% Pozmix cement	1368.50	
118B	400 #	Premium Gel	88.00	
1111	250 #	Salt	97.50	
1110A	595 #	Kalsol	273.70	
		materials	1827.70	
		- 30%	548.31	
		Subtotal		1279.39
4402	1	2 1/2" rubber plug		29.50
				3413.17
			2325.00	96.53
			ESTIMATED TOTAL	2824.42

completed

Ravin 9737

AUTHORIZATION _____ TITLE _____ DATE _____

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

TERMS

In consideration of the prices to be charged for Consolidated Oil Well Services, LLC (COWS) services, equipment and products and for the performance of services and supplying of materials, Customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices are payable within 30 days of the invoice date. On all invoices not paid within 30 days, Customer agrees to pay COWS interest at the rate of 18% per annum or the maximum rate allowed by law, whichever is higher. In the event COWS retains an attorney to pursue collection of any account, Customer agrees to pay all collection costs and attorney's fees incurred by COWS.

Any applicable federal, state or local sales, use occupation, consumer's or emergency taxes shall be added to the quoted price. All process license fees required to be paid to others will be added to the scheduled prices.

All COWS' prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products and materials to be supplied by COWS. The Customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the Customer shall be present to specify depths, pressures, or materials used for any service which is to be performed.

(a) COWS shall not be responsible for any claim, cause of action or demand (hereinafter referred to as a "claim") for damage to property, or injury to or death of employees and representatives, of Customer or the well owner (if different from Customer), unless such damage, injury or death is caused by the willful misconduct or gross negligence of COWS, including but not limited to sub-surface damage and surface damage arising from sub-surface damage.

(b) Unless a claim is the result of the sole willful misconduct or gross negligence of COWS, Customer shall be responsible for and indemnify and hold COWS harmless from any claim for: (1) reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout; (2) damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS; (3) injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole; and (4) well damage or reservoir damage caused by (i) loss of circulation, cement invasion, cement misplacement, pumping cement or cement plugs on wells with loss of circulation, including the failure to displace plug to proper depth, (ii) sub-surface pressure and resulting failure to complete pumping of cement or cement plug, including dehydration of cement slurry or flashing, plugged float shoe, annulus bridging or plugging, or (iii) down hole tools being lost or left in the well, or becoming stuck in the well for any reason and by any cause. COWS may furnish down hole tools and may supply supervision for the running and placement of such tools but will not be liable for any damage, loss or result caused by the use of such tools.

Furthermore, Customer will be responsible for the cost to replace such tools if they are lost or left in the well.

(c) COWS makes no guarantee of the effectiveness of any COWS' products, supplies or materials, or the results of any COWS' treatment or services.

(d) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS' personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS' gross negligence or willful misconduct in the preparation or furnishing of it.

(e) COWS may buy and re-sell to Customer down hole equipment, including but not limited to float equipment, DV tools, port collars, type A & B packers, and Customer agrees that COWS is not an agent or dealer for the companies who manufacture such items, and further agrees that Customer shall be solely responsible for and indemnify COWS against any claim with regard to the effectiveness, malfunction of, or functionality of such items.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants title to the products, supplies and materials, and that the same are free from defects in workmanship and materials. THERE ARE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, NOR ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR PURPOSE, WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and Customer's exclusive remedy in any claim (whether in contract, tort, breach of warranty or otherwise,) arising out of the sale or use of any COWS' products, supplies, materials or services is expressly limited to the replacement of such products, supplies, materials or services or their return to COWS, or, at COWS' option, an allowance to Customer of credit for the cost of such items.

Customer waives and releases all claims against COWS for any special, incidental, indirect, consequential or punitive damages.

Johnson County, KS
Well: Meyer 29
Lease Owner: DZ Exploration

Town Oilfield Service, Inc.
(913) 837-8400

Commenced Spudding:
11-20-2014

WELL LOG

Thickness of Strata	Formation	Total Depth
0 - 12	Soil & Clay	12
8	Shale	20
5	Lime	25
8	Shale	33
16	Lime	49
8	Shale	57
10	Lime	67
7	Shale	74
26	Lime	100
7	Shale	107
28	Lime	135
15	Shale	150
15	Lime	165
15	Shale	180
29	Lime	209
15	Shale	224
9	Lime	233
22	Shale	255
7	Lime	262
3	Shale	265
8	Lime	273
35	Shale	308
1	Lime	309
11	Shale	320
25	Lime	345
11	Shale	356
22	Lime	378
3	Shale	381
3	Lime	384
6	Shale	390
7	Lime	397
176	Shale	573
5	Lime	578
12	Shale	590
9	Lime	599
15	Shale	614
3	Lime	617
123	Shale	740
5	Brown Sand	745
10	Sandy Shale	755

Short Cuts

TANK CAPACITY

BBLS. (42 gal.) equals $D^2 \times 14 \times h$

D equals diameter in feet.

h equals height in feet.

BARRELS PER DAY

Multiply gals. per minute x 34.2

HP equals $BPH \times PSI \times .0004$

BPH - barrels per hour

PSI - pounds square inch

TO FIGURE PUMP DRIVES

* D - Diameter of Pump Sheave

* d - Diameter of Engine Sheave

SPM - Strokes per minute

RPM - Engine Speed

R - Gear Box Ratio

*C - Shaft Center Distance

D - $RPM \times d$ over $SPM \times R$

d - $SPM \times R \times D$ over RPM

SPM - $RPM \times D$ over $R \times D$

R - $RPM \times D$ over $SPM \times d$

BELT LENGTH - $2C + 1.57(D + d) + \frac{(D-d)^2}{4C}$

* Need these to figure belt length

TO FIGURE AMPS: $\frac{WATTS}{VOLTS} = AMPS$

746 WATTS equal 1 HP

Log Book

Well No. 29

Farm Meyer

Kansas
(State)

Johnson
(County)

28
(Section)

14
(Township)

22
(Range)

For D & Z Exploration
(Well Owner)

Town Oilfield Services, Inc.

1207 N. 1st East

Louisburg, KS 66053

913-710-5400

Thickness of Strata	Formation	Total Depth	Remarks
12	soil + clay	12	
8	shale	20	
5	lime	25	
8	shale	33	
16	lime	49	
8	shale	57	
10	lime	67	
7	shale	74	
26	lime	100	
7	shale	105 107	
28	lime	135	
15	shale	150	
15	lime	165	
15	shale	180	
29	lime	209	
15	shale	224	
9	lime	233	
22	shale	255	
7	lime	262	
3	shale	265	
8	lime	273	
35	shale	308	
1	lime	309	
11	shale	320	
25	lime	345	
11	shale	356	
22	lime	378	

NOTES:

960 TD
 5 5/8 hole
 926.25 2 7/8
 20' 7" surface
 3 sacks cement
 Bonus Well

Rules of Thumb

CEMENTING ANNULUS

2" ID - 6 1/4"	- 1 Sack	5.8'
2" ID - 8"	- 1 Sack	3.1'
3" ID - 8"	- 1 Sack	3.5'
4" ID - 8"	- 1 Sack	4.0'

CAPACITY

2"	- 1 BBL.	equals.....	256'
2 1/2"	- 1 BBL.	equals.....	164'
3"	- 1 BBL.	equals.....	115'
4"	- 1 BBL.	equals.....	64'
4 7/8"	- 1 BBL.	equals.....	43'
6 1/4"	- 1 BBL.	equals.....	26'
8"	- 1 BBL.	equals.....	16'

WATER - CEMENT RATIO

5.5 gals. to 1 sack - 2 1/2 hours
 to thicken slurry
 7.7 gals. to 1 sack - 2 hours
 to thicken slurry