Confidentiality Requested:

Yes No

### Kansas Corporation Commission Oil & Gas Conservation Division

1239068

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R 🗌 East 🗌 West
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
☐ Oil ☐ WSW ☐ SWD ☐ SIOW	Producing Formation:
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Elevation: Ground: Kelly Bushing:
☐ OG ☐ GSW ☐ Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Paymit #:	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	·
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date Recompletion Date	County: Permit #:

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
Wireline Log Received				
Geologist Report Received				
UIC Distribution				
ALT I II Approved by: Date:				

	Page Two			
	rage Iwo	1239068		
Operator Name:	Lease Name:	Well #:		
Sec TwpS. R	County:			
NSTRUCTIONS: Show important tops of formations penetrated. Delegation and closed, flowing and shut-in pressures, whether shut-in pressured flow rates if gas to surface test, along with final chart(s). Attach expenses the surface test, along with final chart(s).	sure reached static level, hyd	rostatic pressures, bottom hole temperature, fluid recover		

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF). Log Formation (Top), Depth and Datum Sample **Drill Stem Tests Taken** Yes No (Attach Additional Sheets) Name Top Datum Samples Sent to Geological Survey Yes No Yes ☐ No Cores Taken Yes ☐ No Electric Log Run List All E. Logs Run: CASING RECORD New Used Report all strings set-conductor, surface, intermediate, production, etc. Size Casing Type and Percent Size Hole Weight Setting Type of # Sacks Purpose of String Drilled Set (In O.D.) Lbs. / Ft. Depth Cement Used Additives ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Depth Type of Cement # Sacks Used Type and Percent Additives Top Bottom Perforate **Protect Casing** Plug Back TD Plug Off Zone Did you perform a hydraulic fracturing treatment on this well? Yes No (If No, skip questions 2 and 3) Yes Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? No (If No, skip question 3) Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes (If No, fill out Page Three of the ACO-1) PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record Shots Per Foot Specify Footage of Each Interval Perforated Depth (Amount and Kind of Material Used) TUBING RECORD: Size: Set At: Packer At: Liner Run: No Yes Date of First, Resumed Production, SWD or ENHR. Producing Method:

		Flowing	ruiii	oling Gas Lill	Uner (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas	Mcf	Water	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITION OF (	BAS:		METHOD	OF COMPLETION:		PRODUCTION IN	NTERVAL:
Vented Sold	Used on Lease	Open Hole	Perf.	Dually Comp. (Submit ACO-5)	Commingled (Submit ACO-4)		
(If vented, Submit ACC	0-18.)	Other (Specify)			,		

Form	ACO1 - Well Completion
Operator	D & Z Exploration, Inc.
Well Name	East Gordon #I-6
Doc ID	1239068

## Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Cement		Type and Percent Additives
SURFACE	9.825	7	20	20	PORTLAN D	10	NONE
PRODUC TION	5.625	2.825	6.2	941	50/50 POZ	129	NONE



#### **REMIT TO**

Consolidated Oil Well Services, LLC Dept:970 P.O.Box 4346 Houston.TX 77210-4346

MAIN OFFICE

P.O.Box884 Chanute.KS 66720 620/431-9210.1-800/467-8676 Fax 620/431-0012

Page

802351 Invoice# Invoice

Invoice Date: 11/30/14 Net 30 1 Terms:

D & Z EXPLORATION

901 N. ELM ST. ST. ELMO IL 62458 USA

6188202274

E. Gordon #I-6

Part No	Description	Quantity	Unit Price D	iscount(%)	Total
5401	Cement Pumper	1.000	1,085.0000	0.000	1,085.00
5402	Casing Footage	942.000	0.2300	100.000	0.00
5407	Min. Bulk Delivery Charge	0.500	368.0000	0.000	184.00
5502C	80 Vacuum Truck Cement	1.500	100.0000	0.000	150.00
1124	Poz Cement Mix	129.000	11.5000	30.000	1,038.45
1118B	Premium Gel / Bentonite	417.000	0.2200	30.000	64.22
1111	Sodium Chloride (Granulated Salt)	271.000	0.3900	30.000	73.98
1110A	Kol Seal (50# BAG)	645.000	0.4600	30.000	207.69
4402	2 1/2 Rubber Plug	1.000	29.5000	0.000	29.50
				Subtotal	3,642.79
			Discounted A	Amount	809.95
			SubTotal After D	viscount	2,832.84
			Amount Du	e 3,790.82 If paid	d after 12/30/14

\_\_\_\_\_\_

Tax:

Total:

104.27

2,937.11



1906

DATE	Or 800-467-8676	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
	3392		SW 27	19	22	Jo
25/14 TOMER	5392	E. Gordon # I-lo	1000			
D7 3	2 Exderas	hion	TRUCK#	DRIVER	TRUCK#	DRIVER
ING ADDRE	ESS		729	casten	Satisfy	reeti-
901	N. Elu S	S+	Globe	KeiCar	V	_
		STATE ZIP CODE	SYR	Dankha		
Flu		162458	1075	KeiDet	2	1.2
TYPE (A.	paintrea		EPTH 980'	CASING SIZE &	WEIGHT 2 7/8"	EUE
ING DEPTH	7	DRILL PIPE TUBING			OTHER	11.
RRY WEIGH		SLURRY VOL WATER		CEMENT LEFT I	n CASING	ALC TO
	C10011	DISPLACEMENT PSI MIX PSI		RATE 4,56		
ARKS: Le	A . A .	1. 1.1.1 1	eption, neite	4 700	al 200 #	col
ARNS. ~	a xasac me	1- 21	12	4 Course	d . 59/2	5~
weg	64 10 66		ed Toumpe	a ob a	365	C
new	10/26	col, So sett, + S	# Kalson	per sk. c	men To	A Lile
shed po	sup clear	a, proped a 12 " No	at play to	7 miss	Dan / 2 19	2 666
28h y		wired to 800 PSI	uses held	bezzne	Yar SO V	unu
lassed l	aessi re	, short m Casing . "		1		
	V			1		
				11/1/		
				Y		
			1	/		
CCOUNT	QUANITY	or UNITS DESCRIPTION	ON of SERVICES or Pi	RODUCT	UNIT PRICE	TOTAL
401	,	PUMP CHARGE				1085.9
406	ou lea	Se MILEAGE				
		rasing foots				
to 2 -	942		)		-	124 00
10+	13 Mil	ton uilea	ge			150 9
2050	1.5 hr	80 Vac				150.
124	129 5	5 5%0 Po74	uix coneu	L —	1483,50	
118B	417 4	= Premion			91.79	
	4					-
	271 7				105.69	
	645 ±	=  Colseal			296.70	1
		to the second se	nat	oriati	1977,63	
				200	593, 29	
			-3	000		1 5 / 11/
104				subtotal		1384.
104		215" Whor		latotale		1384.5
1104	1	25" Neser		latotoles		29.50
1104	1	2%" Nbor		Subtotal		1384.
1104	1	2%" Nor		Subtotal	3574.16	1384.
110A -		25" Neser		sebtotal	3574.16	1384.
104		215" Neser		7.375%		1384. 28.50 104.2 2934.

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

In consideration of the prices to be charged for Consolidated Oil Well Services, LLC (COWS) services, equipment and products and for the performance of services and supplying of materials, Custome, agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices are payable within 30 days of the invoice date. On all invoices not paid within 30 days. Customer agrees to pay COWS interest at the rate of 18% per annum or the maximum rate allowed by law, whichever is higher. In the event COWS retains an attorney to pursue collection of any account, Customer agrees to pay all collection costs and atterney's fees incurred by COWS.

Any applicable federal, state or local-sales, use occupation, consumer's or emergency taxes shall be added to the outsted price. All process ficense fees required to be paid to others, will be added to the scheduled prices.

All COWS' prices are subject to change without notice.

#### SERVICE CONDITIONS

Customer currents that the well is in proper condition to receive the services, equipment, products and materials to be sopplied by COWS. The Customer shall at all time have complete care, sustody, and control of the well, the drifting and production compraised at the well, and the premises about the well. A responsible representative of the Customer shall be present to specify depths, pressures, or materials used for any service which is to be performed.

- (a) COWS shall not be responsible for any clause, cause of action or demand (hereinalter referred to as a 'claim') for damage to property, or injury to or death of employees and representatives, of Customer or the well owner (if different from Customer), unless such damage, injury or death is caused by the willful misconduct or gross negligence of COWS, including but not limited to sub-surface damage and surface damage arising from sub-surface damage.
- (b) Unless a claim is the result of the sole will ful misconduct or gross negligence of COWS. Customer shall be responsible for and indemnify and hold COWS harmless from any claim for: (1) reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout; (2) damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS; (3) injury to or death of persons, other than employees of COWS, or damage to properly (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole; and (4) well damage or reservoir damage caused by (i) loss of circulation, cement invasion, cement misplacement, pumping cement or cement plugs on wells with loss of circulation, including the failure to displace plug to proper depth. (ii) subsurface pressure and resulting failure to complete pumping of cement or cement plug, including dehydration of cement slurry or flashing, plugged float shoe, annulus bridging or plugging, or (iii) down hole tools being lost or left in the well, or becoming stuck in the well for any reason and by any cause. COWS may furnish down hole tools and may supply supervision for the running and placement of such tools but will not be liable for any damage, loss or result caused by the use of such tools.

Furthermore, Customer will be responsible for the cost to reptace such tools if they are lost or left in the well

- (c) COWS makes no guarantee of the effectiveness of any COWS products, supplies or materials, or the results of any COWS treatment or services.
- (d) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services firmished by others. COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it; but Customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.
- (e) COWS may buy and re-sell to Customer down hole equipment, including but not limited to float equipment, DV tools, port cellars, type A & B packers, and Customer agrees that COWS is not an agent or dealer for the companies who munufacture such items, and further agrees that Customer shall be solely responsible for and indemnify COWS against any claim with regard to the effectiveness, malfunction of, or functionality of such items.

#### WARRANTIES - LAMITATION OF LIABILITY

COWS warrants title to the products, supplies and materials, and that the same are from defects in workmanship and materials. THERE ARE NO OTHER WARRANTIES, EAPRESS OR IMPLIED, NOR ANY WARRANTY OF MLGCHANIABHITY OR FITNESS FOR PURPOSE. WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and Customer's exclusive remedy in any claim (whether in contract, tort, breach of warranty of otherwise,) arising out of the sale or use of any COWS' products, supplies, materials or services is expressly limited to the replacement of such products, supplies, materials or services or their return to COWS or, at COWS' option, an allowance to Customer of credit for the cost of such items.

Customer waives and releases all claims against COWS for any special, incidental, indirect, consequential or punitive damages.



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Phone: 913-557-9083

Fax: 913-557-9084

#### **WELL LOG**

Paola, KS 66071

D & Z Exploration, Inc. East Gordon # I-6 API # 15-091-24,355

November 24 - November 25, 2014

Thickness of Strata	<u>Formation</u>	Total
12	soil & clay	12
37	shale	49
4	lime	53
6	shale	59
17	lime	76
9	shale	85
8	lime	93
9	shale	102
26	lime	128
4	shale	132
2	lime	134
3	shale	137
20	lime	157
7	shale	164
59	lime	223
18	shale	241
8	lime	249
21	shale	270
6	lime	276
4	shale	280
6	lime	286
38	shale	324
3	lime	327
9	shale	336
25	lime	361
7	shale	368
24	lime	392
3	shale	395
16	lime	411 base of the Kansas City
175	shale	586
4	lime	590
14	shale	604
5	lime	609
18	shale	627
3	lime	630
95	shale	725
7	lime	732
19	shale	751
6	broken sand	757 brown & grey, light bleeding
34	shale	791

East Gordon # I-6		Page 2
5	lime	796
74	shale	870
3	limey sand	873 black & white, 90% lime, light oil show
5	limey sand	878 black & white, good bleeding
3	oil sand	881 black, good bleeding
1	limey sand	882 black & white, good bleeding
10	silty shale	892
88	shale	980 TD

Drilled a 9 7/8" hole to 24.2' Drilled a 5 5/8" hole to 980'

Set 24.2' of 7" surface casing, cemented with 5 sacks of cement.

Set 941.8' of 2 7/8" 8 round upset tubing including 3 centralizers, 1 float shoe, 1 clamp