Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1239075

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15				
Name:	Spot Description:				
Address 1:	SecTwpS. R East West				
Address 2:	Feet from North / South Line of Section				
City: State: Zip:+	Feet from _ East / _ West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()	□NE □NW □SE □SW				
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)				
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name:				
☐ Oil ☐ WSW ☐ SWD ☐ SIOW	Producing Formation:				
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Elevation: Ground: Kelly Bushing:				
☐ OG ☐ GSW ☐ Temp. Abd.	Total Vertical Depth: Plug Back Total Depth: Feet Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used? Yes No				
CM (Coal Bed Methane)					
Cathodic Other (Core, Expl., etc.):					
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet				
Operator:	If Alternate II completion, cement circulated from:				
Well Name:	feet depth to:w/sx cmt.				
Original Comp. Date: Original Total Depth:					
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Drilling Fluid Management Plan				
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)				
Commingled Paymit #:	Chloride content: ppm Fluid volume: bbls				
☐ Commingled Permit #: ☐ Dual Completion Permit #:	Dewatering method used:				
SWD Permit #:	Location of fluid disposal if hauled offsite:				
ENHR Permit #:	·				
GSW Permit #:	Operator Name:				
	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R				
Recompletion Date Recompletion Date	County: Permit #:				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I II III Approved by: Date:					

Operator Name:			Lease	Name:			Well #:	
Sec Twp	S. R	East West	Count	y:				
open and closed, flow and flow rates if gas t	now important tops of fo ving and shut-in pressu to surface test, along w	res, whether shutith final chart(s). A	in pressure rea Attach extra she	ched static et if more s	level, hydrosta space is neede	tic pressures, t d.	oottom hole temp	erature, fluid recovery,
	og, Final Logs run to ob ed in LAS version 2.0 o				gs must be ema	iled to kcc-well	-logs@kcc.ks.go	v. Digital electronic log
Drill Stem Tests Taker (Attach Additional		Yes n	No					Sample
Samples Sent to Geo	ological Survey	Yes N	No	Name)		Тор	Datum
Cores Taken Electric Log Run			lo lo					
List All E. Logs Run:								
			SING RECORD	Nev		ion etc		
Durance of Ctring	Size Hole	Size Casing		ight	Setting	Type of	# Sacks	Type and Percent
Purpose of String	Drilled	Set (In O.D.)		/Ft.	Depth	Cement	Used	Additives
		ADDITI	ONAL CEMENT	ING / SQUE	EEZE RECORD			
Purpose:	Depth Top Bottom	Type of Cemen	t # Sack	Sacks Used Type and Percent Additives				
Perforate Protect Casing								
Plug Back TD Plug Off Zone								
Did you perform a hydra	ulic fracturing treatment or	n this well?			Yes	No (If No,	skip questions 2 ar	nd 3)
	total base fluid of the hydra	=		_	= =		skip question 3)	
Was the hydraulic fractur	ring treatment information	submitted to the che	mical disclosure r	egistry?	Yes	No (If No,	fill out Page Three	of the ACO-1)
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth			
TUBING RECORD:	Size:	Set At:	Packer /	At:	Liner Run:	Yes	No	
Date of First, Resumed	Production, SWD or ENH		g Method:	ng 🗆	Gas Lift C	Other (Evalois)		
Estimated Production Per 24 Hours	Oil B	bls. Gas	Mcf	Wate		Other (Explain) bls.	Gas-Oil Ratio	Gravity
	ON OF GAS:	Open Hole	METHOD O Perf.	F COMPLET Dually		mmingled	PRODUCTION	ON INTERVAL:
Vented Sold			_	(Submit A		mit ACO-4)		
(ii ventea, Su	bmit ACO-18.)	Other (Spec	cify)			-		

Form	ACO1 - Well Completion			
Operator	D & Z Exploration, Inc.			
Well Name	East Gordon #I-14			
Doc ID	1239075			

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
SURFACE	9.825	7	20	20	PORTLAN D	10	NONE
PRODUC TION	5.625	2.825	6.2	945	50/50 POZ	114	NONE



REMIT TO

MAIN OFFICE

P.O.Box884 Chanute, KS 66720 620/431-9210,1-800/467-8676

Consolidated Oil Well Services, LLC Dept:970 P.O.Box 4346 Houston, TX 77210-4346

Fax 620/431-0012

802360 Invoice# Invoice

Invoice Date: 11/30/14 Net 30 Terms: 1 Page

D & Z EXPLORATION

901 N. ELM ST. ST. ELMO IL 62458 USA

6188293274

E GORDON I-14

Part No	Description	Quantity	Unit Price I	Discount(%)	Total
5401	Cement Pumper	1.000	1,085.0000	0.000	1,085.00
5406	Mileage Charge	30.000	4.2000	0.000	126.00
5402	Casing Footage	945.000	0.0000	0.000	0.00
5407	Min. Bulk Delivery Charge	1.000	368.0000	0.000	368.00
5502C	80 Vacuum Truck Cement	2.000	100.0000	0.000	200.00
1124	Poz Cement Mix	114.000	11.5000	30.000	917.70
1118B	Premium Gel / Bentonite	292.000	0.2200	30.000	44.97
1111	Sodium Chloride (Granulated Salt)	220.000	0.3900	30.000	60.06
1110A	Kol Seal (50# BAG)	570.000	0.4600	30.000	183.54
4402	2 1/2 Rubber Plug	1.000	29.5000	0.000	29.50
				Subtotal	3,531.74
			Discounted	d Amount	516.97
			SubTotal After	Discount	3,014.77

Amount Due 3,661.00 If paid after 12/30/14 _____

Tax:

91.14

Total: 3,105.91



Invoice #802360

PO Box 884, Chanute, KS 66720

AUTHORIZTION

FIELD TICKET & TREATMENT REPORT

620-431-9210 or	800-467-8676			CEMEN		A12 10 10 10 10 10 10 10 10 10 10 10 10 10		1 1 1 1 1 1
	CUSTOMER#		ME & NUME	SER	SECTION		RANGE	COUNTY
11 1/2 10 1 1	3392	E Gorde	20	1-14	SW 2	8 14	1 22	VD
CUSTOMER '	Expla	ration			TRUCK :	# DRIVER	TRUCK#	DRIVER
MAILING ADDRES	S	, 0, , , , ,		27.10	730	Ala Ma	& Sofe.	y Me
901 N	Elm				368	AnlMal		, ,
CITY	S		CODE		369	M:161/9	7	7 27
St El	MO	II 6.	2458		558	BryBir		
JOB TYPE OK	25 StringH	IOLE SIZE	7/8	HOLE DEPT	H_980	CASING SIZE &	WEIGHT 2	18
CASING DEPTH_	945	RILL PIPE		TUBING			OTHER	
SLURRY WEIGHT	s	LURRY VOL		WATER gal		CEMENT LEFT	CASING 1/8	
DISPLACEMENT_	3/2 0	SPLACEMENT PS		MIX PSI	100	RATE76	an	
REMARKS: He	1d nee	ting to	5156	lishe	2 rate	NI Xed	* fung	280
100 # S	e) 1011.	eu th	by	114 9	501	50 come	nt ply	5 2%
90, 5	10 5,5/	- d 5 =	HO!	segl	per	Sack.	Circula	+od
(rement	F/4	5 hed po	amp,	fun	per	199 40	casir	5 10.
1001	held	300 13	L tor	30	minyto	2 11-4	1 1	
							Λ	
E	7	1, 2			11	10.1	la	52 62 52 6
E1/4/13	, Trav.	.0			All	on Ness		
ACCOUNT	QUANITY o	or UNITS	DE	SCRIPTION	of SERVICES of		UNIT PRICE	TOTAL
5401	1	PU	MP CHARG	E		368	19 14 19	1085
5406	· Louis	37) MII	LEAGE			368	100	1260
5402	945		casin	15 100	TERP	368		-
5407	. n:n		to a	n: 18	5	558	}	368
55026	2		80 1	ihe.		369		20000
					1		14.	
2757			11 11	1:1:	in the			
1124	114		50/50	o cen	neut		131100.	
11188	290	2	sel				64.24	
1111 . 1	220		salt	- 1			85.80	
VIDA X	3	70	Kal 91	eal			2102.20	
7/10/3					rater: a	il sub	1723.24	1
4 1 17	1	1,000	1,	1000	hes	30 g	+516,97	
				-		aterial.	10/4/	29,50
4402		1 2	1/2 /	las			3	29,50
1001								
			T				31do 1.00	
		ACCOUNTS POLICIAL POLICIA POLICIAL POLICIAL POLICIAL POLICIAL POLICIAL POLICIAL POLICIA PO	1.7		and the same and	27		1
7		222		,	Carlo de la carlo		SALES TAX	91.14
Ravin 3737		-	-)	,			ESTIMATED	310591

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

TERMS

In consideration of the prices to be charged for Consolidated Oil Well Services, LLC (COWS) services, equipment and products and for the performance of services and supplying of materials, Customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices are payable within 30 days of the invoice date. On all invoices not paid within 30 days. Customer agrees to pay COWS interest at the rate of 18% per annum or the maximum rate allowed by law, whichever is higher. In the event COWS retains an attorney to pursue collection of any account, Customer agrees to pay all collection costs and attorney's fees incurred by COWS.

Any applicable federal, state or local sales, use occupation, consumer's or emergency taxes shall be added to the quoted price. All process license fees required to be part to others will be added to the scheduled prices.

All COWS' prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products and materials to be supplied by COWS. The Customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premites about the well. A responsible representative of the Customer shall be present to specify depths, pressures, or materials used for any service which is to be performed.

- (a) COWS shall not be responsible for any claim, cause of action or demand (herematter referred to as a "claim") for damage to property, or injury to or death of employees and representatives, of Customer or the well owner (if different from Customer), unless such damage, injury or death is caused by the willful misconduct or gross negligence of COWS, including but not limited to sub-surface damage and surface damage arising from sub-surface damage.
- (b) Unless a claim is the result of the sole willful misconduct or gross negligence of COWS, Customer shall be responsible for and indemnify and hold COWS harmless from any claim for: (1) reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout; (2) damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS; (3) injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole; and (4) well damage or reservoir damage caused by (i) loss of circulation, cement invasion, cement misplacement, pumping cement or cement plugs on wells with loss of circulation, including the failure to displace plug to proper depth, (ii) subsurface pressure and resulting failure to complete pumping of cement or cement plug, including dehydration of cement slurry or flashing, plugged float shoe, annulus bridging or plugging, or (iii) down hole tools being lost or left in the well, or becoming stuck in the well for any reason and by any cause. COWS may furnish down hole tools and may supply supervision for the running and placement of such tools but will not be liable for any damage, loss or result caused by the use of such tools.


Furthermore, Customer will be responsible for the cost to replace such tools if they are lost or left in the well.

- (c) COWS makes no guarantee of the effectiveness of any COWS products, supplies or materials, or the results of any COWS treatment or services.
- (d) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COVS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS' personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS' gross negligence or willful misconduct in the preparation or furnishing of it.
- (a) COWS may buy and re-sell to Customer down hole equipment, including but not limited to float equipment. DV tools, port collars, type A & B packers, and Customer agrees that COWS is not an agent or dealer for the companies who manufacture such items, and further agrees that Customer shall be solely responsible for and indemnify COWS against any claim with regard to the effectiveness, malfunction of, or functionality of such items.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants title to the products, supplies and materials, and that the same are free from defects in workmanship and materials. THERE ARE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, NOR ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR PURPOSE. WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and Customer's exclusive remedy in any claim (whether in contract, tort, breach of warranty or otherwise,) arising out of the sale or use of any COWS' products, supplies, materials or services is expressly limited to the replacement of such products, supplies, materials or services or their return to COWS or, at COWS' option, an allowance to Customer of credit for the cost of such items.

Customer waives and releases all claims against COWS for any special, incidental, indirect, consequential or punitive damages.



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Phone: 913-557-9083 Fax: 913-557-9084

Paola, KS 66071

WELL LOG

D & Z Exploration, Inc. East Gordon # I-14 API # 15-091-24,356

November 21 - November 24, 2014

Thickness of Strata	<u>Formation</u>	<u>Total</u>
6	soil & clay	6
12	sandstone	18
43	shale	61
3	lime	64
6	shale	70
17	lime	87
9	shale	96
9	lime	105
11	shale	116
17	lime	133
15	shale	148
19	lime	167
10	shale	177
57	lime	234
19	shale	253
5	lime	258
24	shale	282
6	lime	288
4	shale	292
11	lime	. 303
33	shale	336
3	lime	339
9	shale	348
24	lime	372
7	shale	379
25	lime	404
3	shale	407
17	lime	424 base of the Kansas City
174	shale	598
12	lime	610
5	shale	615
6	lime	621
18	shale	639
3	lime	642
7	shale	649
4	lime	653
90	shale	743
3	lime	746
19	shale	765
5	broken oil sand	770 brown & grey, light bleeding
24	shale	794

Page 2 East Gordon # I-14 5 limey sand 799 883 84 shale 884 black & white, good bleeding limey sand 1 890 black, good bleeding oil sand 6 895 black & white, good bleeding 5 limey sand 896 black & white, light bleeding limey sand 1 980 TD 84 shale

Drilled a 9 7/8" hole to 21.4' Drilled a 5 5/8" hole to 980'

Set 21.4' of 7" surface casing, cemented with 5 sacks of cement.

Set 945.45' of 2 7/8" 8 round upset tubing including 3 centralizers, 1 float shoe, 1 clamp