



**TRILOBITE  
TESTING, INC.**

# DRILL STEM TEST REPORT

Vincent Oil Corporation  
155 N Market Ste 700  
Wichita, KS 67202  
ATTN: Ken LeBlanc


**27-28S-23W Ford**  
**2-27 Sandy Land**  
Job Ticket: 57769 **DST#: 5**  
Test Start: 2014.09.27 @ 17:24:49

## GENERAL INFORMATION:

Formation: **Mississippi**  
Deviated: No Whipstock: ft (KB)  
Time Tool Opened: 19:55:19  
Time Test Ended: 02:48:19  
Interval: **5220.00 ft (KB) To 5235.00 ft (KB) (TVD)**  
Total Depth: 5235.00 ft (KB) (TVD)  
Hole Diameter: 7.88 inches Hole Condition: Good  
Test Type: Conventional Bottom Hole (Reset)  
Tester: Leal Cason  
Unit No: 74  
Reference Elevations: 2517.00 ft (KB)  
2505.00 ft (CF)  
KB to GR/CF: 12.00 ft

**Serial #: 6798 Inside**  
Press @ RunDepth: 38.42 psig @ 5221.00 ft (KB) Capacity: 8000.00 psig  
Start Date: 2014.09.27 End Date: 2014.09.28 Last Calib.: 2014.09.28  
Start Time: 17:24:50 End Time: 02:48:19 Time On Btm: 2014.09.27 @ 19:54:19  
Time Off Btm: 2014.09.28 @ 00:26:34

**TEST COMMENT:** IF: Fair Blow , BOB in 10 minutes  
IS: Weak Surface Blow Back  
FF: Strong Blow , BOB in 20 seconds  
FS: No Blow Back



## PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2560.25	108.18	Initial Hydro-static
1	19.92	107.90	Open To Flow (1)
30	25.29	107.74	Shut-In(1)
90	1195.36	110.02	End Shut-In(1)
91	25.20	109.70	Open To Flow (2)
149	38.42	111.66	Shut-In(2)
270	1214.30	115.13	End Shut-In(2)
273	2524.20	114.80	Final Hydro-static

## Recovery

Length (ft)	Description	Volume (bbl)
0.00	2600 GIP	0.00
62.00	OMCW 20%O 30%M 50%W	0.87

\* Recovery from multiple tests

## Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE  
TESTING, INC.**

# DRILL STEM TEST REPORT

## FLUID SUMMARY

Vincent Oil Corporation

**27-28S-23W Ford**

155 N Market Ste 700  
Wichita, KS 67202

**2-27 Sandy Land**

Job Ticket: 57769

**DST#: 5**

ATTN: Ken LeBlanc

Test Start: 2014.09.27 @ 17:24:49

### Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

58000 ppm

Viscosity: 49.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 10.77 in<sup>3</sup>

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 6900.00 ppm

Filter Cake: 0.02 inches

### Recovery Information

Recovery Table

Length ft	Description	Volume bbl
0.00	2600 GIP	0.000
62.00	OMCW 20%O 30%M 50%W	0.870

Total Length: 62.00 ft      Total Volume: 0.870 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: RW was .13 @ 72 degrees

Serial #: 6798


Inside

Vincent Oil Corporation

2-27 Sandy Land

DST Test Number: 5

### Pressure vs. Time



Triobite Testing, Inc

Ref. No: 57769

Printed: 2014.09.28 @ 06:37:19