



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

SGA Inc.
1515 Wykoop
STE 700
Denver Co 80202
ATTN: Clayton Camozzi

12-4S-36W Rawlins KS
Fisher Cattle #1-12
Job Ticket: 60022 **DST#: 1**
Test Start: 2014.10.01 @ 03:10:00

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 64.00 sec/qt	Cushion Volume: bbl		
Water Loss: 7.99 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 500.00 ppm			
Filter Cake: 2.00 inches			

Recovery Information

Recovery Table


Length ft	Description	Volume bbl
5.00	Mud - 100%M	0.025

Total Length: 5.00 ft Total Volume: 0.025 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments: Sampler = 2000ml M - 2000ml Total - PSI 110



Serial #: 8734

Fluid

SGA Inc.

Fisher Cattle #1-12

DST Test Number: 1

