

American Eagle Drilling, LLC  
700 S. Washington  
P. O. Box 66  
Plainville, KS 67663  
785-434-2079

DATE: 12-6-14 TIME: \_\_\_\_\_ AM/PM

Tool Pusher Signature: [Signature]

Spud Call:  
Company Representative: \_\_\_\_\_

Company Name: \_\_\_\_\_

Spud Date: 11-28-14 KCC Representative: JEN

Conductor Size: \_\_\_\_\_ inches set at \_\_\_\_\_ ft.

Surface Casing: Proposed setting depth 250 ft. Size 8 7/8 inches

Surface Casing: Minimum \_\_\_\_\_ ft. Alt I/II \_\_\_\_\_

Drilling Fluid Mgmt. \_\_\_\_\_ Normal \_\_\_\_\_ @ completion \_\_\_\_\_ salt/completion \_\_\_\_\_ Steel pits (Approved haul off pit)

Plugging:  
P.O. received from: DARRYL BRAD RINDS Phone # \_\_\_\_\_

Drlg T.D. 3960 ft. Final T.D. 3962 ft. Anhydrite: T 2033 B 2070

Surface Casing: Size 8 7/8 set @ 262.56 ft. with 160 sacks of cement

Did cement circulate to surface?  Yes \_\_\_\_\_ No

Did you rat hole ahead? \_\_\_\_\_ Yes \_\_\_\_\_ No

\_\_\_\_\_ Plug Arbuckle @ \_\_\_\_\_ ft. with \_\_\_\_\_ sacks of cement.

\_\_\_\_\_ Plug Hugoton/Council Grove @ \_\_\_\_\_ ft. with \_\_\_\_\_ sacks of cement.

1 Plug Anhydrite/S.P. @ 2050 ft. with 50 sacks of cement.

\_\_\_\_\_ Plug Usable Water @ ~~\_\_\_\_\_~~ ft. with ~~\_\_\_\_\_~~ sacks of cement.

2 Plug Fresh Water @ 1700 ft. with 100 sacks of cement.

3 Plug Base Surface Casing @ 320 ft. with 50 sacks of cement

4 Plug Top of Surface Casing @ 40 ft. with 10 sacks of cement. 8 7/8 WIPRI plus

\_\_\_\_\_ Circulate rat hole with 30 sacks of cement \_\_\_\_\_ Circulate mouse hole with 10 sacks of cement

Water Supply Well: \_\_\_\_\_ Yes \_\_\_\_\_ No Who will plug? \_\_\_\_\_

Cement: 60/40 POZ mix 4% gel 240 SKS 1/4 # flo seal \_\_\_\_\_ 2-3% C. C.

Technician who gave plugging orders DARRYL Date \_\_\_\_\_

Start Time: 10.30 (AM/PM) Completion Time: 1.30 AM/PM Completion Date: 12-7-14

Cement Company Name: QUALITY

Set Pipe: T.D. \_\_\_\_\_ ft. Prod. Casing size: \_\_\_\_\_ inches set at \_\_\_\_\_ ft. with \_\_\_\_\_ sacks of

cement. DV Tool/Port Collar set at \_\_\_\_\_ ft. Cemented with \_\_\_\_\_ sacks of cement. Did cement

Circulate? \_\_\_\_\_ Yes \_\_\_\_\_ No If no, why? \_\_\_\_\_

# QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-2025  
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 900

12-7-14

Date	12-6-14	Sec.	30	Twp.	8	Range	23	County	Graham	State	Ks	On Location		Finish	1:30 AM
------	---------	------	----	------	---	-------	----	--------	--------	-------	----	-------------	--	--------	---------

Location Hill City, Ks - 5 to 1st Rd South of

Lease	Bellips	Well No.	1-30	Owner	River 4W 1/4 S, 1/2 S
Contractor	American	Eagle #3		To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.	
Type Job	Plug			Charge To	Venture Resources
Hole Size	17 7/8"	T.D.	3960'	Street	
Csg.		Depth		City	State
Tbg. Size	4 1/2" D.P.	Depth	2050'	The above was done to satisfaction and supervision of owner agent or contractor.	
Tool		Depth		Cement Amount Ordered	240 60/40 4% Gel 1/4 #1/16
Cement Left in Csg.		Shoe Joint		Meas Line	
Displace	H2O/mud	Seal			

**EQUIPMENT**

Pumptrk	17	No.	Cementer	Rick	Common	144
			Helper		Poz. Mix	96
Bulktrk	19	No.	Driver	Tylor	Gel.	9
			Driver		Calcium	
Bulktrk		No.	Driver			

**JOB SERVICES & REMARKS**


Remarks:		Hulls	
Rat Hole	2050' - 50 SX	Salt	
Mouse Hole	1200' - 100 SX	Flowseal	60#
Centralizers	320' - 50 SX	Kol-Seal	
Baskets	40' - 10 SX w/ plug	Mud CLR 48	
D/V or Port Collar	Rathok - 30 SX	CFL-117 or CD110 CAF 38	
		Sand	
		Handling	249
		Mileage	

Cement d/d

Circulate

**FLOAT EQUIPMENT**

Guide Shoe	
Centralizer	
Baskets	
AFU Inserts	
Float Shoe	
Latch Down	
	Dry hole plug
Pumptrk Charge	plug
Mileage	33

X Signature 

Tax	
Discount	
Total Charge	

# QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-2025  
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 1356

Date <b>11-28-14</b>	Sec. <b>30</b>	Twp. <b>8</b>	Range <b>23</b>	County <b>Graham</b>	State <b>KS</b>	On Location	Finish <b>10:15PM</b>
----------------------	----------------	---------------	-----------------	----------------------	-----------------	-------------	-----------------------

Location **Hill City Sto Oterr Rd, 4W, 1/2 S, Wn 2**

Lease **Billips** Well No. **1-30** Owner

Contractor **American** **Eagle #3** To Quality Oilwell Cementing, Inc.  
Type Job **Surface** \* You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.

Hole Size **12 1/4** T.D. **265** Charge To **Venture**

Csg. **8 5/8** Depth **262** Street

Tbg. Size Depth City State

Tool Depth The above was done to satisfaction and supervision of owner agent or contractor.

Cement Left in Csg. Shoe Joint **20** Cement Amount Ordered **160 sxc com, 3% CC, 2% gel**

Meas Line Displace **15661**

**EQUIPMENT**

Pumptrk <b>17</b> No. Cementer Helper <b>Lonniew.</b>	Common <b>160</b>
Bulktrk <b>19</b> No. Driver <b>Chad</b>	Poz. Mix
Bulktrk <b>Pu</b> No. Driver <b>Travis</b>	Gel. <b>3</b>
	Calcium <b>5</b>

**JOB SERVICES & REMARKS**

Remarks: <b>cement did circulate</b>	Hulls
Rat Hole	Salt
Mouse Hole	Flowseal
Centralizers	Kol-Seal
Baskets	Mud CLR 48
D/V or Port Collar	CFL-117 or CD110 CAF 38
	Sand
	Handling <b>168</b>
	Mileage

**FLOAT EQUIPMENT**

	Guide Shoe
	Centralizer
	Baskets
	AFU Inserts
	Float Shoe
	Latch Down

Pumptrk Charge **Surface**  
Mileage **33**

Tax	
Discount	
Total Charge	

X Signature 