

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:			
Effective Date:				
District #				
SGA?	Yes No			

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## **NOTICE OF INTENT TO DRILL**

Expected Spud Date:	Spot Description:
month day yea	Sec. Twp. S. R    E     W
OPERATOR: License#	(Q/Q/Q/Q) feet from N / S Line of Section
Name:	fact from   E /   W Line of Caption
Address 1:	Is SECTION: Regular Irregular?
Address 2:	
City: State: Zip: + _	
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	
Name:	Target Formation(s):
	Negreet Lease or unit houndary line (in factors):
Well Drilled For: Well Class: Type Equipme	nt.
Oil Enh Rec Infield Mud Rota	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile: Yes No
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: III
II OVVVO. old well information as follows.	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
	es No Well Farm Pond Other:
If Yes, true vertical depth:	DWK Fellill #.
Bottom Hole Location:	(Note: Apply for 1 errink with DWK)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and	eventual plugging of this well will comply with K.S.A. 55 et. seg.
	eventual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of we	əll;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of we  2. A copy of the approved notice of intent to drill <i>shall be</i> pos	ell; eted on each drilling rig;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of words. A copy of the approved notice of intent to drill <i>shall be</i> posts. The minimum amount of surface pipe as specified below <i>s</i>	ell; sted on each drilling rig; <b>hall be set</b> by circulating cement to the top; in all cases surface pipe <b>shall be set</b>
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of words. A copy of the approved notice of intent to drill <i>shall be</i> posts. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20	ell; sted on each drilling rig; <b>hall be set</b> by circulating cement to the top; in all cases surface pipe <b>shall be set</b>
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of words. A copy of the approved notice of intent to drill <i>shall be</i> posts. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 200	ell; sted on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> pos 3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall	tell;  teld on each drilling rig;  hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> pos 3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface cas	tell;  teld on each drilling rig;  hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of wo</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> pos</li> <li>The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20</li> <li>If the well is dry hole, an agreement between the operator</li> <li>The appropriate district office will be notified before well is</li> <li>If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface cas</li> </ol>	tell;  teld on each drilling rig;  hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of we.  2. A copy of the approved notice of intent to drill <i>shall be</i> poses.  3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operator.  5. The appropriate district office will be notified before well is.  6. If an ALTERNATE II COMPLETION, production pipe shall.  Or pursuant to Appendix "B" - Eastern Kansas surface cas	tell;  teld on each drilling rig;  hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of w.  2. A copy of the approved notice of intent to drill <i>shall be</i> pos.  3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operator.  5. The appropriate district office will be notified before well is.  6. If an ALTERNATE II COMPLETION, production pipe shall.  Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the state of th	tell;  teld on each drilling rig;  hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of w.  2. A copy of the approved notice of intent to drill <i>shall be</i> pos  3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20  4. If the well is dry hole, an agreement between the operator  5. The appropriate district office will be notified before well is  6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the	tell;  teld on each drilling rig;  hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> pose 3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically	tell;  teld on each drilling rig;  hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of w.  2. A copy of the approved notice of intent to drill <i>shall be</i> pos.  3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operator.  5. The appropriate district office will be notified before well is.  6. If an ALTERNATE II COMPLETION, production pipe shall.  Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the state of th	tell; sted on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of we.  2. A copy of the approved notice of intent to drill <i>shall be</i> poses.  3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operator.  5. The appropriate district office will be notified before well is.  6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically.	ted on each drilling rig;  hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of w.  2. A copy of the approved notice of intent to drill <i>shall be</i> pos.  3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operator.  5. The appropriate district office will be notified before well is.  6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically.  For KCC Use ONLY  API # 15 -	lell;  ted on each drilling rig;  hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of we.  2. A copy of the approved notice of intent to drill <i>shall be</i> pos.  3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operator.  5. The appropriate district office will be notified before well is.  6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically.  For KCC Use ONLY  API # 15	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of w.  2. A copy of the approved notice of intent to drill <i>shall be</i> pos.  3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operator.  5. The appropriate district office will be notified before well is.  6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically.  For KCC Use ONLY  API # 15	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to fine all cases aurface on the top; in all cases surface pipe shall be set on the set on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of we.  2. A copy of the approved notice of intent to drill <i>shall be</i> pos.  3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operator.  5. The appropriate district office will be notified before well is.  6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically.  For KCC Use ONLY  API # 15	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to filed proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of w.  2. A copy of the approved notice of intent to drill <i>shall be</i> pos.  3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operator.  5. The appropriate district office will be notified before well is.  6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically.  For KCC Use ONLY  API # 15	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to Gdays);  - Submit plugging report (CP-4) after plugging is completed (within 60 days);
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wo 2. A copy of the approved notice of intent to drill <i>shall be</i> pos 3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	reted on each drilling rig;  thall be set by circulating cement to the top; in all cases surface pipe shall be set of feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of w.  2. A copy of the approved notice of intent to drill <i>shall be</i> pos.  3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operator.  5. The appropriate district office will be notified before well is.  6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically.  For KCC Use ONLY  API # 15	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to scompleted (within 60 days);  - Submit plugging report (CP-4) after plugging is completed (within 60 days);

Side Two



SEWARD CO. 3390' FEL

\_\_feet from \_\_\_ N / \_\_\_ S Line of Section

For KCC Use ONLY	
API # 15	

Operator: \_\_

Lease: \_\_

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: \_\_

Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW
lease roads, tank batteries, pipelines and electrical lines, as	PLAT est lease or unit boundary line. Show the predicted locations of required by the Kansas Surface Owner Notice Act (House Bill 2032). a separate plat if desired.
	LEGEND
	O Well Location  Tank Battery Location  Pipeline Location  Electric Line Location  Lease Road Location
28 2639 ft.	EXAMPLE
	1980' FSL

#### 1639 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 242043

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit: Pit is:  Emergency Pit Burn Pit Proposed		Existing	SecTwp R		
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section County		
Is the pit located in a Sensitive Ground Water A	rea? Yes 1	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No Artificial Liner?  Yes 1		0	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
Depth fro	m ground level to dee	pest point:	(feet) No Pit		
If the pit is lined give a brief description of the line material, thickness and installation procedure.			dures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallo	west fresh water feet. mation:		
feet Depth of water wellfeet		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover:		
Number of producing wells on lease:		Number of work	king pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	pe closed within 365 days of spud date.		
Submitted Electronically					
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS					
Date Received: Permit Numb	ber:	Permi	t Date: Lease Inspection: Yes No		



#### Kansas Corporation Commission Oil & Gas Conservation Division

1242043

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).


Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)


OPERATOR: License #	Well Location:		
Name:			
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:		
Contact Person:	-		
Phone: ( ) Fax: ( )  Email Address:			
Surface Owner Information:			
Name:			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
are preliminary non-binding estimates. The locations may be entered	nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
Select one of the following:			
owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.		
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and a KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handlin form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	g fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.		
Submitted Electronically			
I			

## **Proposed** Plan of Construction **SMU 110** Sec 28 T23S-R34W

Finney County, KS



Sec 28 - T23S - R34W



Proposed Details of SW/4 Sec 28 – T23S – R34W

Proposed Site Diagram SMU 110 February 5, 2015



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

# **NOTICE**

# **Nearest Lease or Unit Boundary Line**

K.A.R. 82-3-108 provides that all oil and gas well locations must comply with setback requirements, unless an exception has been granted by the Commission. Depending upon whether the subject well is an oil well or gas well, and also depending upon the county in which the well is located, the setback may be 330 feet or 165 feet from the nearest lease or unit boundary.

This Intent to Drill ("C-1") form indicates that the distance between the well and the nearest lease or unit boundary will comply with the setback requirement. Accordingly, the C-1 has been approved. However, the C-1 also stated that the well location is very near a boundary line of a Section or a Quarter-Section. This notice is being sent as a courtesy reminder, in case an error was made on the C-1.

As the operator of the proposed well, you must independently verify that the proposed well location complies with the applicable regulatory setback. If at any time it should appear that a well does not comply with the regulatory setback, the well may be subject to being shut-in pending Commission approval of an application for a well location exception. In addition, if such an application is not granted by the Commission, you may be required to plug the well.

If the proposed well location will comply with the regulatory setback, this notice may be disregarded. Please contact the KCC Production Department with any questions or concerns.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

February 11, 2015

Idania Medina Merit Energy Company, LLC 13727 NOEL RD STE 1200 DALLAS, TX 75240

Re: Drilling Pit Application SMU 110 SW/4 Sec.28-23S-34W Finney County, Kansas

#### Dear Idania Medina:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit daily.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.