

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

month day year	Spot Description:
	Sec Twp S. R
PERATOR: License#	feet from N / S Line of Section
ame:	
ddress 1:	
ddress 2:	
ty:	County:
ontact Person:hone:	Lease Name: Well #:
none.	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field? Yes No
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OW/WO: old wall information as follows:	Surface Pipe by Alternate: III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes N f Yes, true vertical depth:	Tall Total Strong
sottom Hole Location:	DWK Pellill #.
KCC DKT #:	(Note: Apply for Formit with DVV)
	vviii Cores de takerr?
	If Yes, proposed zone:
A	AFFIDAVIT
-	
The undersigned hereby affirms that the drilling, completion and eventual	
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met:	
The undersigned hereby affirms that the drilling, completion and eventual	plugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> :	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set of the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set of the underlying formation. district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set of the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set of the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; inted from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; inted from below any usable water to surface within 120 DAYS of spud date. It is a real alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; inted from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; inted from below any usable water to surface within 120 DAYS of spud date. It is a real alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> sthrough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; inted from below any usable water to surface within 120 DAYS of spud date. It is a real alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> sthrough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	plugging of this well will comply with K.S.A. 55 et. seq. set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 DAYS of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing I be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> sthrough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set of the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 DAYS of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing I be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> sthrough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the completed within 30 days of the spud date or the well shall be completed. Identities the complete of the complete of the spud date or the well shall be completed.	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set of the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; neted from below any usable water to surface within 120 DAYS of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> sthrough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the completed within 30 days of the spud date or the well shall be completed. The minimum amount of surface prior to spud date or the well shall be completed. The minimum amount of surface prior to spud date or the well shall be completed. The minimum amount of surface prior to spud date or the well shall be completed.	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set of the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 DAYS of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> sthrough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall submitted Electronically For KCC Use ONLY	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set of the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; neted from below any usable water to surface within 120 DAYS of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> sthrough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the completed within 30 days of the spud date or the well shall be completed. Sometimes of the spud date or the well shall be completed.	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 DAYS of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing I be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> sthrough all unconsolidated materials plus a minimum of 20 feet into the unit of the well is dry hole, an agreement between the operator and the the specified district office will be notified before well is either ple of the appropriate district office will be notified before well is either ple or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed Electronically For KCC Use ONLY API # 15	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set of the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 DAYS of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the through all unconsolidated materials plus a minimum of 20 feet into the well is either please. The appropriate district office will be notified before well is either please. The appropriate district office will be notified before well is either please. The appropriate district office will be notified before well is either please. The appropriate district office will be notified before well is either please. The appropriate district office will be notified before well is either please. The appropriate district office will be notified before well is either please. The appropriate district office will be notified before well is either please. The appropriate district office will be notified before well is either please. The appropriate district office will be notified before well is either please. The appropriate district office will be notified before well is either please. The appropriate district office will be notified before well is either please. The appropriate district office will be notified before well is either please. The appropriate district office will be notified before well is either please. The appropriate district office will be notified before well is either please. The appropriate district office will be notified before well is either please. The appropriate district office will be notified before well is either please. The appropriate district office will be notified before well is eit	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 DAYS of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> sthrough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall Jubmitted Electronically For KCC Use ONLY API # 15	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

_ Agent: .




For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well. County.
Lease:	feet from N / S Line of Section E / W Line of Section
Field:	SecTwpS. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
P	LAT
<u> </u>	lease or unit boundary line. Show the predicted locations of quired by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

1517 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

243515

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Pit is: Proposed If Existing, date con Pit capacity: Trea? Yes	Existing nstructed: (bbls)	SecTwpR East West West Feet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Artificial Liner? Yes No		No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):Length (fee				
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining scluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Type of materia	ver and Haul-Off Pits ONLY: Il utilized in drilling/workover: king pits to be utilized: procedure:	
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.	
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No	



Kansas Corporation Commission Oil & Gas Conservation Division

1243515

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License #	Well Location:		
Name:			
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	the lease helow:		
Contact Person:			
Phone: () Fax: ()	-		
Email Address:	-		
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	owner information can be found in the records of the register of deeds for the		
Address 2:			
City: State: Zip:+	-		
	ank batteries, pipelines, and electrical lines. The locations shown on the plat I on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this , and email address.		
	Lacknowledge that hecourse I have not provided this information, the		
	owner(s). To mitigate the additional cost of the KCC performing this ss of the surface owner by filling out the top section of this form and		
KCC will be required to send this information to the surface task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the	owner(s). To mitigate the additional cost of the KCC performing this so of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1		
KCC will be required to send this information to the surface task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the If choosing the second option, submit payment of the \$30.00 handling fee.	owner(s). To mitigate the additional cost of the KCC performing this so of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1		



183229bar CRD NO.

PRO-STAKE

Construction Site Staking

LLC

12472 INVOICE NO.

Nebraska Colorado Kansas

Herman L. Lobe Company, Inc. OPERATOR

P.O. Box 2324 Garden City, Kansas 67846 Office/Fax: (620) 276-6159 — Cell: (620) 272-1499 burt@pro-stakellc.kscoxmail.com

LEGEND 🊱 🛚 gas line

water line

gravel/sand rd. gravel trail / lease rd

Meade County, KS COUNTY

Roberts 'B' #2-33

LEASE NAME

29w 32s Rng. Twp.

> prod. well/aband. well house ☐ building

(⊛ irr. well

• water hydrant

tank battery

staked loc.

E transmission powerline 3 phase powerline single phase powerline dirt trail / lease rd. ××× fence Hwy / blacktop rd.

1517' FSL - 892' FWL **LOCATION SPOT**

SCALE: 1'' = 1000'DATE STAKED: Feb. 10th, 2015 **MEASURED BY:** Ben R. DRAWN BY: Norby S.


DIRECTIONS: From approx. 1 mile NE of Plains, KS at the intersection of Hwy 54 and Hwy 160 – Now go 3.3 miles NE and East on Hwy 54 – Now go 4.9 miles South on Rd. 9 to ingress stake East into - Now go 0.5 mile SE and East on trail to ingress stake South into - Now go 0.9 mile SE, East and NE on trail, which is SW corner of section 33-32s-29w - Now go 0.1 mile North on trail to ingress stake NE into - Now go approx. 1470' NE through wheat, into staked location.


<u> 2699.6'</u> **GR. ELEVATION**

AUTHORIZED BY: Jesse M. **DATE REVISED:**

Final ingress must be verified with landowner or operator.

This drawing does not constitute a monumented survey or a land survey plat. This drawing is for construction purposes only.





183229bar

PRO-STAKE

Construction Site Staking

 $\frac{1247}{\text{INVOICE}}$

12472
INVOICE NO.

Colorado

Kansas

Oklahomo

P.O. Box 2324 Garden City, Kansas 67846

Office/Fax: (620) 276-6159 — Cell: (620) 272-1499

nan L. Lobe Company, Inc.

burt@pro-stakellc.kscoxmail.com

33 32s 29w Sec. Twp. Rng.

Roberts 'B' #2-33 LEASE NAME

1517' FSL - 892' FWL LOCATION SPOT


2699.6' GR. ELEVATION | SCALE: 1" = 1000' | DATE STAKED: Feb. 10th, 2015 | MEASURED BY: Ben R. | DRAWN BY: Norby S. | AUTHORIZED BY: Jesse M. | DATE REVISED:


LEGEND gravel/sand rd. 🊱 gas line (⊛ irr. well water line • water hydrant gravel trail / lease rd. E= transmission powerline tank battery 3 phase powerline staked loc. prod. well/aband. well single phase powerline dirt trail / lease rd. ××× fence house Hwy / blacktop rd. ☐ building

DIRECTIONS: From approx. 1 mile NE of Plains, KS at the intersection of Hwy 54 and Hwy 160- Now go 3.3 miles NE and East on Hwy 54- Now go 4.9 miles South on Rd. 9 to ingress stake East into - Now go 0.5 mile SE and East on trail to ingress stake South into - Now go 0.9 mile SE, East and NE on trail, which is SW corner of section 33-32s-29w- Now go 0.1 mile North on trail to ingress stake NE into - Now go approx. 1470' NE through wheat, into staked location.

Final ingress must be verified with landowner or operator.

This drawing does not constitute a monumented survey or a land survey plat. This drawing is for construction purposes only.








Date Generated: 2/23/2015

Proposed Surface Facility Plat & Access

Roberts 'B' #2-33







Date Generated: 2/23/2015

Proposed Surface Facility Plat & Access

Roberts 'B' #2-33



lan J. Webster

Manager – Land & Projects Direct: 815-676-4746 | Cell: 312-961-0826

E-mail: ian@loeboil.com

NOTICE OF INTENT TO DRILL

February 6, 2015

Edna E. Collingwood Trust P.O. Box 1184 Hutchinson, KS 67504-1184

RE: ROBERTS 'B' #2-33; SW/4 Sec. 33-T32S-R29W, Meade Co., KS

Dear Landowner of Record,

Per the Kansas Surface Owner Notification Act, governed by the Kansas Corporation Commission Oil & Gas Conservation Division (KSONA-1), you are hereby being notified of the intent to drill an oil & gas well on the above described property, per the rights and privileges contained within the oil and gas lease.

Herman L. Loeb LLC, Operator and Working Interest Owner of the subject O&G lease, is providing this notice and the attached preliminary map identifying the approximate location of the planned well on your property. We plan to have a surveying contractor measure and stake the intended location sometime next week. The well is currently scheduled to be commenced on or around February 18, 2015.

Our field supervisor (Wes McKinney) and contractors will be in communication with you and/or your tenant regarding field access and adjustments, as necessary, to minimize disruptions as reasonably possible.

Should you have any questions please feel free to contact myself or our main office at 618-943-2227.

Sincerely,


lan J. Webster

Manager - Land & Projects

Encl. Preliminary Lease Map w/well spots

CC: Jesse R. Middagh; Manager of Operations & Production







Date Generated: 2/5/2015

Proposed Roberts 'B' #2-33 Well

Meade Co., KS





183229bar

PRO-STAKE

Construction Site Staking

P.O. Box 2324 Garden City, Kansas 67846 Office/Fax: (620) 276-6159 — Cell: (620) 272-1499

LLC $\frac{124}{1000}$

12472
INVOICE NO.

Nebraska

Colorado

Kansas

Oktahom

Herman L. Lobe Company, Inc.
OPERATOR

Meade County, KS

33 32s 29w Sec. Twp. Rng.

Roberts 'B' #2-33 LEASE NAME

COUNTY

1517' FSL - 892' FWL LOCATION SPOT

2699.6' GR. ELEVATION SCALE: N/A


DATE STAKED: Feb. 10th, 2015

MEASURED BY: Ben R.

DRAWN BY: Norby S.

AUTHORIZED BY: Jesse M.


DATE REVISED:



DIRECTIONS: From approx. 1 mile NE of Plains, KS at the intersection of Hwy 54 and Hwy 160 – Now go 3.3 miles NE and East on Hwy 54 – Now go 4.9 miles South on Rd. 9 to ingress stake East into – Now go 0.5 mile SE and East on trail to ingress stake South into – Now go 0.9 mile SE, East and NE on trail, which is SW corner of section 33-32s-29w – Now go 0.1 mile North on trail to ingress stake NE into – Now go approx. 1470' NE through wheat, into staked location.

Final ingress must be verified with landowner or operator.

This drawing does not constitute a monumented survey or a land survey plat. This drawing is for construction purposes only.



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

March 02, 2015

George Payne / Jesse Middagh HERMAN L. LOEB, LLC PO BOX 838 LAWRENCEVILLE, IL 62439

Re: Drilling Pit Application ROBERTS 'B' 2-33 SW/4 Sec.33-32S-29W Meade County, Kansas

Dear George Payne / Jesse Middagh:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.