

For KCC	Use:			
Effective	Date:			
District #	!			
SGA?	Yes	No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	(Q/Q/Q/Q) feet from N / S Line of Sect
Name:	feet from E / W Line of Sect
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet M
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water:
Seismic ; # of Holes Other	Depth to bottom of usable water:
Other:	Surface Pipe by Alternate: I III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
_	Length of Conductor Pipe (if any):
Operator:	Projected Total Depth:
Well Name: Original Total Ponth:	Formation at Total Depth:
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
f yes, true vertical depth:	
f Yes, true vertical depth:	DWR Permit #:
·	DWR Permit #:(Note: Apply for Permit with DWR)
Bottom Hole Location:	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? Yes]
Sottom Hole Location:	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone:
Sottom Hole Location: KCC DKT #:	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT
AFI The undersigned hereby affirms that the drilling, completion and eventual plu	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT
Sottom Hole Location:	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq.
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq.
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
AFI The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the distance of the control of the contr	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging;
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
AFI The undersigned hereby affirms that the drilling, completion and eventual plusis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #"	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #"	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
AFI The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified before well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
AFI The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified before well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
AFI The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the distance of the surface will be notified before well is either plugue. 5. The appropriate district office will be notified before well is either plugue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be submitted Electronically.	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
AFI The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified before well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
AFI The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge. 5. The appropriate district office will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be submitted Electronically.	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
AFI the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 -	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
AFI the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and the district office prior as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a conductor pipe required	DWR Permit #:
AFI The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the approved notice of intent to drill shall be posted on each and the intervention of the approved notice of intent to drill shall be posted on each and the intervention of the appropriate district office prior to spudding of well; 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #' must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken?
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the intervention of the intention of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a specified before well; 5. The appropriate district office will be notified before well is either plus and the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet i	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Agent:

Spud date: _

please check the box below and return to the address below.

Date:
2

Side Two



SEWARD CO. 3390' FEL

1980' FSL

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:_							. LU	Janon or W	ren. County	
Lease:										feet from N / S Line of Section
Well Number:										
Field:						Se	C	Twp	S. R L E L W	
Number of	Acres attri	butable to	well:				· Is 9	Section:	Regular o	or Irregular
QTR/QTR/	QTR/QTR	of acreag	e:					30000011.	rtogular t	in ogala.
							If S	Section is	Irregular, loc	ate well from nearest corner boundary.
							Se	ction corne	er used:	NE NW SE SW
						I	PLAT			
	Sh	ow location	on of the w	ell. Show i	footage to th	ne neares	t lease or	unit bound	dary line. Sho	w the predicted locations of
	lease roa	ds, tank b	atteries, pi	pelines and	d electrical l	ines, as r	equired by	y the Kans	as Surface O	wner Notice Act (House Bill 2032).
					You may	attach a	separate	plat if des	ired.	
		•	:	<u>:</u>	:	:		:		
			:							
			:	:	:	:		:		LEGEND
	•••••	• • • • • • • •		• • • • • • • • • • • • • • • • • • • •	•••••		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		O Well Location
			:			:		•		<u> </u>
			:	:		:		:		Tank Battery Location
					•••••					—— Pipeline Location
			:	:	:	:		:		Electric Line Location
			:	:	:			:		Lease Road Location
		:	:	:	:	:		:		Loudo Noda Loudion
							•••••			
			:	:		:		•		
			:		'	:			EX	AMPLE : :
			•	<u> </u>		•		•	-	
4000 (9						: : : :
1980 ft			(ခ ွာ	:	:				
		•••••		1				•		
	:				:	:		:		
			:		:					······································

NOTE: In all cases locate the spot of the proposed drilling locaton.

2290 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 243912

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty Chloride concentration:mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee					
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining acluding any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:			
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s		Type of materia	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure:			
flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Submitted Electronically						
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS			
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No			



Kansas Corporation Commission Oil & Gas Conservation Division

1243912

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License #	Well Location:			
Name:				
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City: State: Zip:+	g			
Contact Person:	the lease below:			
Phone: () Fax: ()	-			
Email Address:	-			
Surface Owner Information:				
Name:				
Address 1:	owner information can be found in the records of the register of deeds for the			
Address 2:				
City: State: Zip:+	-			
	ank batteries, pipelines, and electrical lines. The locations shown on the plat I on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.			
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this , and email address.			
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ss of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.			
KCC will be required to send this information to the surface task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the	owner(s). To mitigate the additional cost of the KCC performing this so of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1			
KCC will be required to send this information to the surface task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the If choosing the second option, submit payment of the \$30.00 handling fee.	owner(s). To mitigate the additional cost of the KCC performing this so of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1			



BEREXCO, LLC Operator

> Rawlins-KS County-State

Berexco, LLC

2020 N. Bramblewood Dr. Wichita, KS. 67206

1980' -

Stake

Fall & Associates

Stake and Elevation Service

	P.C Concor	N. 5° Street). Box 404 dia, KS. 66901 0-536-2821		Date	2-23-15		
				Invoice Nur		0219151	
	1-9 Number		Kevin Farm Name				
9 S	1s T	36w R	2290'FSL 1980 Location				
				Elevation			
				Ordered By:		Dana	
		Scale 1"=1000"					
	\$22do \$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Set 5' Iron rod & pasture.	4' wood stake or	n level			
				æ			



fail & Associates

Stake and Elevation Service 719 W. 5° Street P.O. Box 404 Cencordia, KS. 66901 1-300-536-2621

Date 2-23-15 Invoice Number ___0219151 BEREXCO, LLC 1-9 Kevin Number Farm Name Operator 2290'FSL 1980FWL 36w Rawlins-KS Location County-State Elevation 3171 Gr. Berexco, LLC Ordered By:____ Dana 2020 N. Bramblewood Dr. Wichita, KS. 67206 Scale 1"=1000" Set 5' Iron rod & 4' wood stake on level pasture. ROAD INTO LOCATION -TANK BATTERY 1980'