



CONSOLIDATED
Oil Well Services, LLC

REMIT TO
Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210, 1-800/467-8676
Fax 620/431-0012

INOICE

Invoice # 802053

Invoice Date: 11/21/2014 Terms: Net 30 Page 1

ALTAVISTA ENERGY INC
4595 K-33 HIGHWAY, **P.O. Box 128**
WELLSVILLE KS 66092
USA
7858834057

YOUNG A-3

Part Number	Description	Qty	Unit Price	Discount(%)	Total
5401S	Cement Pump Truck - Surfac	1.00	870.00	0.00	870.00
5406	Mileage Charge	1.00	0.00	0.00	0.00
5402	Casing Footage	42.90	0.00	0.00	0.00
5407A	Ton Mileage Delivery Charge	83.70	1.41	0.00	118.02
5502C	80 Vacuum Truck Cement	1.00	100.00	0.00	100.00
1124	Poz Cement Mix	40.00	11.50	30.00	322.00
1118B	Premium Gel / Bentonite	68.00	0.22	30.00	10.47
1111	Sodium Chloride (Granulated	81.00	0.39	30.00	22.11
1110A	Kol Seal (50# BAG)	200.00	0.46	30.00	64.40
Sub Total					1,686.57
Discounted Amount					179.57
SubTotal After Discount					1,507.00

Amount Due 1,723.38 if paid after 12/21/2014

Tax: 25.77
Total: 1,532.77



CONSOLIDATED
Oil Well Services, LLC

TICKET NUMBER 50642

LOCATION Ottawa KS

FOREMAN Fred Maden

1029
980

Invoice # 902053

FIELD TICKET & TREATMENT REPORT
CEMENT

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
11/7/14	3244	Young # A-3	SW 11	22	16	CF
CUSTOMER Alta Vista Energy Inc						
MAILING ADDRESS P.O. Box 128						
CITY Wellsville		STATE KS	ZIP CODE 66092			
			TRUCK #	DRIVER	TRUCK #	DRIVER
			712	Frc Mad		
			495	Har Boc		
			675	Ki Det		
			548	Down Wka		

JOB TYPE Surface HOLE SIZE 12 1/4 HOLE DEPTH 42.9 CASING SIZE & WEIGHT 7"
 CASING DEPTH 42.9 DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT _____ SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING 10'4
 DISPLACEMENT 1.6 BBL DISPLACEMENT PSI _____ MIX PSI _____ RATE 5BPM

REMARKS: Hold Safety meeting. Establish circulation thro 7" casing.
Mix Pump 0.40 sk 50/50 Poz Mix Cement 2% Gel 5 1/2" Salt
5# Kal Seal/sk Cement to surface. Displace casing
clean w/ 1.6 BBL Water. Shut in casing.

Finney Drilling

Fred Maden

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401S	1	PUMP CHARGE Surface Cement	495	870 ⁰⁰
5406	—	MILEAGE		N/C
5402	42.9	Casing Footage		N/C
5407A	83:7	Ton Miles	548	118 ⁰³
5502C	1 hr	80 BBL Vac Truck	675	100 ⁰⁰
1124	40 SKS	50/50 Poz Mix Cement	460 ⁰⁰	
1118B	68#	Premium Gel	1496	
1111	81#	Granulated Salt	3159	
1110A	200#	Kal Seal	92 ⁰⁰	
		Material	598 ⁵⁵	
		less 30%	-179 ⁵⁵	
		Total		418 ⁹⁹
			1723 ³⁸	
			6.15%	SALES TAX 25 ²¹
				ESTIMATED TOTAL 1532 ²⁵

Ravin 3737

AUTHORIZATION Daniel Van Horn TITLE _____ DATE _____

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.



REMIT TO
 Consolidated Oil Well Services, LLC
 Dept: 970
 P.O. Box 4346
 Houston, TX 77210-4346

MAIN OFFICE

P.O. Box 884
 Chanute, KS 66720
 620/431-9210, 1-800/467-8676
 Fax 620/431-0012

Invoice Invoice# 802275

Invoice Date: 11/30/14 Terms: Net 30 Page 1

ALTAVISTA ENERGY INC
 4595 K-33 HIGHWAY, **P.O. Box 128**
 WELLSVILLE KS 66092
 USA
 7858834057

YOUNG #A-3

Part No	Description	Quantity	Unit Price	Discount(%)	Total
5401	Cement Pumper	1.000	1,085.0000	0.000	1,085.00
5406	Mileage Charge	45.000	4.2000	0.000	189.00
5402	Casing Footage	1,116.900	0.0000	0.000	0.00
5407A	Ton Mileage Delivery Charge	311.780	1.4100	0.000	439.61
5502C	80 Vacuum Truck Cement	2.000	100.0000	0.000	200.00
1124	Poz Cement Mix	149.000	11.5000	30.000	1,199.45
1118B	Premium Gel / Bentonite	351.000	0.2200	30.000	54.05
1111	Sodium Chloride (Granulated Salt)	300.000	0.3900	30.000	81.90
1110A	Kol Seal (50# BAG)	745.000	0.4600	30.000	239.89
4402	2 1/2 Rubber Plug	1.000	29.5000	0.000	29.50

Subtotal 4,193.53
 Discounted Amount 675.13
 SubTotal After Discount 3,518.40

Amount Due 4,333.74 If paid after 12/30/14

Tax: 98.69
 Total: 3,617.09



PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

Invoice # 802275

TICKET NUMBER 50647 ¹²²⁹
LOCATION Ottawa KS
FOREMAN Fred Maden ¹¹⁵⁴

FIELD TICKET & TREATMENT REPORT
CEMENT

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
11-12-14	3244	Young # A.3	SW 11	22	16	CF
CUSTOMER			TRUCK #	DRIVER	TRUCK #	DRIVER
Alta Vista Energy Inc MAILING ADDRESS P.O. Box 128 CITY Wellsville STATE KS ZIP CODE 66092			712	Fremad		
			495	HarBec		
			675	Kidat		
			503	Trotter		

JOB TYPE Long string HOLE SIZE 5 7/8" HOLE DEPTH 1124.40 CASING SIZE & WEIGHT 2 7/8 EUE
 CASING DEPTH 1116.90 DRILL PIPE Baffle in TUBING @ 10.85.90 OTHER _____
 SLURRY WEIGHT _____ SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING 3i + Plug
 DISPLACEMENT 6.31 BBL DISPLACEMENT PSI _____ MIX PSI _____ RATE 5 BPM

REMARKS: Hold crew safety meeting. Establish circulation. Mix & Pump 100" Gel
Flush. Mix & Pump 149 sls 50/50 Poz Mix Cement 2% Gel 5% Salt
5# Kol Seal/sk. Cement to surface. Flush pump & lines clean.
Displace 2 1/2" Rubber Plug to baffle in casing. Pressure to 800#
PSI. Release pressure to set flood valve. Shut in casing.

Finney Drilling

Fred Maden

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	495	1085 ⁰⁰
5406	45 mi	MILEAGE	495	189 ⁰⁰
5402	1116.90	Casing footage		NIC
5407A	311.78	Ton Miles	503	439 ⁶¹
5502C	2 hrs	80 BBL Vac Truck	675	200 ⁰⁰
1124	149 sls	50/50 Poz Mix Cement	1713 ⁵⁰	
118B	351 #	Premium Gel	77 ²²	
1111	300 #	Granulated Salt	117 ⁰⁰	
110A	745 #	Kol Seal	342 ²⁰	
		Material	2250 ⁴²	
		Less 30%	- 675 ¹³	
		Total		1575 ²⁹
11402	1	2 1/2" Rubber Plug		295 ⁰⁰
			4333.75	
			SALES TAX	98 ⁶⁹
			ESTIMATED TOTAL	3617 ⁰⁹

completed

OK'd J. Green

AUTHORIZATION No Co Rep on Site TITLE _____ DATE _____

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.