

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1245325

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | | | API No. 15 | | |
|------------------------------------------------------|------------------|----------------------|--------------------------------|----------------------------|-----------------------|
| Name: | | | Spot Description: | | |
| Address 1: | | | Sec. | TwpS. R | East _ West |
| Address 2: | | | F6 | eet from | South Line of Section |
| City: S | tate: Zi | p:+ | Fe | eet from East / V | West Line of Section |
| Contact Person: | | | Footages Calculated from | Nearest Outside Section Co | orner: |
| Phone: () | | | □ NE □ NV | V □SE □SW | |
| CONTRACTOR: License # | | | GPS Location: Lat: | , Long: | |
| Name: | | | | (e.g. xx.xxxxx) | (e.gxxx.xxxxx) |
| Wellsite Geologist: | | | Datum: NAD27 | NAD83 WGS84 | |
| Purchaser: | | | County: | | |
| Designate Type of Completion: | | | Lease Name: | We | ell #: |
| New Well Re | -Entry | Workover | Field Name: | | |
| | _ | _ | Producing Formation: | | |
| ☐ Oil ☐ WSW ☐ D&A | ☐ SWD | ∐ SIOW □ SIGW | Elevation: Ground: | Kelly Bushing: _ | |
| ☐ OG | GSW | Temp. Abd. | Total Vertical Depth: | Plug Back Total De | epth: |
| CM (Coal Bed Methane) | dow | тетір. Ава. | Amount of Surface Pipe Se | et and Cemented at: | Feet |
| Cathodic Other (Con | e. Expl., etc.): | | Multiple Stage Cementing | Collar Used? Yes | No |
| If Workover/Re-entry: Old Well In | | | If yes, show depth set: | | Feet |
| Operator: | | | If Alternate II completion, of | cement circulated from: | |
| Well Name: | | | feet depth to: | w/ | sx cmt. |
| Original Comp. Date: | Original To | otal Depth: | | | |
| Deepening Re-perf. | Conv. to E | NHR Conv. to SWD | Drilling Fluid Manageme | nt Plan | |
| ☐ Plug Back | Conv. to G | SW Conv. to Producer | (Data must be collected from t | | |
| O constitued and | D | | Chloride content: | ppm Fluid volume: | bbls |
| CommingledDual Completion | | | Dewatering method used: | | |
| SWD | | | Location of fluid disposal if | f haulad offsita: | |
| ☐ ENHR | | | Location of fluid disposal fi | nauled offsite. | |
| GSW | | | Operator Name: | | |
| _ | | | Lease Name: | License #: | |
| Spud Date or Date Rea | ached TD | Completion Date or | QuarterSec | TwpS. R | East _ West |
| Recompletion Date | | Recompletion Date | County: | Permit #: | |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY |
|---------------------------------|
| Confidentiality Requested |
| Date: |
| Confidential Release Date: |
| Wireline Log Received |
| Geologist Report Received |
| UIC Distribution |
| ALT I II III Approved by: Date: |

Page Two



| Operator Name: | | | | _ Lease l | Name: _ | | | Well #: | | |
|----------------------------------------------------------------|------------------------------------------------|---------------------------------------|---------------------------|--------------------------|---------------------------------|-------------------------------------|--------------------------|------------------|----------------|---------------------|
| Sec Twp | S. R | East \ | West | County | : | | | | | |
| INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to | ring and shut-in pres o surface test, along | sures, whether s with final chart(| shut-in pre s). Attach | ssure reac extra shee | hed stati t if more | c level, hydrosta space is neede | tic pressures, bot d. | tom hole temp | erature, flui | d recovery, |
| Final Radioactivity Lo- files must be submitte | | | | | | ogs must be ema | ailed to kcc-well-lo | gs@kcc.ks.go | v. Digital el | ectronic log |
| Drill Stem Tests Taker (Attach Additional S | | Yes | ☐ No | | _ | | on (Top), Depth ar | | | mple |
| Samples Sent to Geo | logical Survey | Yes | No | | Nam | е | | Тор | Da | tum |
| Cores Taken Electric Log Run | | Yes Yes | ☐ No ☐ No | | | | | | | |
| List All E. Logs Run: | | | | | | | | | | |
| | | | CASING | | ☐ Ne | | | | | |
| | | 1 | | | | ermediate, product | | T | _ | |
| Purpose of String | Size Hole Drilled | Size Cas Set (In O | | Weig Lbs./ | | Setting Depth | Type of Cement | # Sacks Used | | d Percent itives |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | AD | DITIONAL | CEMENTIN | NG / SQL | JEEZE RECORD | | | | |
| Purpose: | Depth Top Bottom | Type of Ce | ement | # Sacks | Used Type and Percent Additives | | | | | |
| Perforate Protect Casing | 100 20111111 | | | | | | | | | |
| Plug Back TD Plug Off Zone | | | | | | | | | | |
| 1 lug 0 li 20110 | | | | | | | | | | |
| Did you perform a hydrau | ulic fracturing treatment | on this well? | | | | Yes | No (If No, ski | p questions 2 ar | nd 3) | |
| Does the volume of the to | | | | | | | | p question 3) | | |
| Was the hydraulic fractur | ing treatment information | on submitted to the | e chemical c | disclosure re | gistry? | Yes | No (If No, fill | out Page Three | of the ACO-1 |) |
| Shots Per Foot | | ION RECORD - I | | | | | cture, Shot, Cement | | d | Depth |
| | | | | | | , | | , | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| TUBING RECORD: | Size: | Set At: | | Packer A | t: | Liner Run: | | | | |
| | | | | | | | Yes No | | | |
| Date of First, Resumed | Production, SWD or Ef | | ducing Meth Flowing | od: | g 🗌 | Gas Lift (| Other (Explain) | | | |
| Estimated Production Per 24 Hours | Oil | Bbls. | Gas | Mcf | Wate | er B | bls. 0 | as-Oil Ratio | | Gravity |
| DISPOSITIO | ON OF GAS: | | N/ | 1ETHOD OF | COMPLE | TION: | | PRODUCTION |)N INTER\/^ | 1. |
| Vented Sold | | Open I | _ | Perf. | Dually | Comp. Cor | mmingled | THODOCTIC | ZIN IIN I ERVA | L. |
| | bmit ACO-18.) | Other | (Specific) | | (Submit) | | mit ACO-4) | | | |

← Well: Duffy 33

Franklin County, KS Town Oilfield Service, Inc. Commenced Spudding:

(913) 837-8400

Lease Owner: TDR Construction

WELL LOG

| hickness of Strata | Formation | Total Depth |
|--------------------|--------------|-------------|
| 0 - 35 | Soil - Clay | 35 |
| 19 | Shale | 54 |
| 9 | Lime | 63 |
| 1 | Shale | 64 |
| 17 | Lime | 81 |
| 8 | Shale | 89 |
| 10 | Lime | 99 |
| 4 | Shale | 103 |
| 21 | Lime & Shale | 124 |
| 36 | Shale | 160 |
| 19 | Lime | 179 |
| 76 | Shale | 255 |
| 24 | Lime | 279 |
| 23 | Shale | 302 |
| 6 | Lime | 308 |
| 22 | Shale | 330 |
| 2 | Lime | 332 |
| 20 | Shale | 352 |
| 1 | Lime | 353 |
| 16 | Shale | 369 |
| 7 | Lime | 376 |
| 3 | Shale | 379 |
| 13 | Lime | 392 |
| 13 | Shale | 405 |
| 19 | Lime | 424 |
| 4 | Shale | 428 |
| 3 | Lime | 431 |
| 5 | Shale | 436 |
| 5 | Lime | 441 |
| 126 | Shale | 567 |
| 10 | Sand | 577 |
| 44 | Shale | 621 |
| 8 | Lime | 629 |
| 38 | Shale | 667 |
| 3 | Lime | 670 |
| 36 | Shale | 706 |
| 3 | Lime | 709 |
| 16 | Shale | 725 |
| 17 | Sand | 742 |
| 10 | Sandy Shale | 752 |

Franklin County, KS Town Oilfield Service, Inc. Commenced Spudding: 2-23-2015

Well: Duffy 33

Lease Owner: TDR Construction

(913) 837-8400

| 88 | Shale | 840 TD |
|----|----------|--------|
| 00 | Official | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | 3 | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Short Cuts

TANK CAPACITY

BBLS. (42 gal.) equals D2x.14xh D equals diameter in feet. h equals height in feet.

BARRELS PER DAY Multiply gals. per minute x 34.2

HP equals BPH x PSI x .0004 BPH - barrels per hour PSI - pounds square inch

TO FIGURE PUMP DRIVES

- * D Diameter of Pump Sheave
- * d Diameter of Engine Sheave

SPM - Strokes per minute

RPM - Engine Speed

R - Gear Box Ratio

*C - Shaft Center Distance

D - RPMxd over SPMxR

d - SPMxRxD over RPM

SPM - RPMXD over RxD

R - RPMXD over SPMxD

BELT LENGTH - 2C + 1.57(D + d) + $\frac{(D-d)^2}{4C}$

* Need these to figure belt length

TO FIGURE AMPS:

WATTS = AMPS **VOLTS**

746 WATTS equal 1 HP

Log Book

| W | ell No | | |
|------|-----------------|------------------|----------------|
| Fa | rm | >uffy | |
| | KS (State) | | (County) |
| | 32 (Section) | /5 (Township) | ⊋ \ (Range) |
| For, | IDE | (Well Owner) | 101 |

Town Oilfield Services, Inc.

1207 N. 1st East Louisburg, KS 66053 913-710-5400

| Thickness of Strata | Formation | Total Depth | Remarks |
|---------------------|---------------|----------------|---------|
| 0-35 | Soil-clay | 35 | |
| 19 | Shale | 54 | |
| 9 | Lime | 63 | |
| 7 | Shale | 64 | |
| 17 | Lime | 81 | |
| 8 | Shal e | 89 | |
| 10 | Lime | 99 | |
| 4 | Shele | 103 | |
| 21 | Lime & shells | 124 | |
| 36 | Shale | 160 | |
| 19 | Lime | 179 | |
| 76 | shele_ | 255 | |
| 24 | Lime | 279 | |
| 23 | Shele | 302 | |
| 6 | Lime | 308 | |
| 12 % | Shale | 3300 | |
| 2 | Lime | 332 | |
| 20 | Shale | 352 | |
| 1 | Lime | 353 | |
| 16 | Shele | 369 | |
| 7 | Lime | 376 | |
| 3 | Shele | 379 | |
| 13 | Lim-e | 392 | |
| 13 | Shelt | 405 | |
| 19 | Lime | 424 | |
| 4 | shele | 428 | |
| 3 | Lime -2- | 431 | |

| | | 1 1 | |
|---------------------------------------------|----------------------|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Thickness of Strata | Formation | Total Depth | Remarks |
| 5 | Shale | 436 | Nemaiks |
| 5 | Lime | 441 | Heltha |
| 126 | Shale | 567 | Tring |
| 10 | Sand | 577 | - In a l |
| 44 | Shale | 621 | - no oll-gas coor |
| 8 | Lime | 629 | T |
| 38 | Shele | 667 | |
| 3 | Lime | 670 | |
| 36 | Shele | 706 | |
| 36 3 | lime | 709 | |
| 16 | 5he/2 | 725 | |
| 17 | Sand | 742 | Though a contract of the contr |
| 10 | sandy shele shele | 752 | Groken Oil - good show |
| প্রস্ত | Shele | 840 | 70 |
| | | | |
| | | | |
| | | | |
| | ···· | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | 4 |
| | | | |
| | | | |
| | | | |
| | -4- | | -5- |
| | | | |

Town Oilfield Service

P.O Box 339 Louisburg, Ks 66053 913-837-8400

| Ticket Number | |
|---------------|--|
| Location | |
| Foreman | |

Field Ticket & Treatment Report Cement

| Date Custo | | Name & Number | Section | Township | o Range | Cc |
|-------------------------|------------------|---------------|----------------|---------------|---------------|------|
| 2-24-15 | Du | fky 33 | 32 | 15 | 21 | F |
| Customer —D/3 | Du Cont. In | Mailing | Address | | | |
| U. | | City | | State | Zip Code | |
| Job Type <u>long</u> られ | ring Hole Size 5 | 5/8 Hole De | oth_840 | _ Casing Size | e & Weight | 7/8 |
| Casing Depth_8/4.3 | Drill Pipe | Tubing | | Other | | |
| Displacement 4.6 | Displacement PSI | 500 Mix PSI_ | 200 | Rate_ 🥸 | BBL per V | nou. |
| Davasada | | | | | | |
| Remarks | | | | | | |
| | | | | | y | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| ccount Code Q | uantity or Units | Description | of Services or | Product | Unit Price | Т |
| | - a | Pump Charg | e | | | 2 |
| | | Cement Tru | ck | | | 2 |
| | | Water Trucl | | | | /3 |
| | 120 | Cement | | | 8 | 9 |
| | | Gel | | | | |
| | | Plug | | | | c. |
| | | | | | | |
| | | | | | | |
| | | | | | Sales Tax | |
| | | | | | Estimated Tot | al 🗷 |
| ation | 5 - | Title Oura | _ | Date | 2-24-15 | - |

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.