



Confidentiality Requested:

Yes  No

KANSAS CORPORATION COMMISSION 1245340  
OIL & GAS CONSERVATION DIVISION

Form ACO-1

August 2013

Form must be Typed  
Form must be Signed  
All blanks must be Filled

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Address 1: \_\_\_\_\_

Address 2: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_

Contact Person: \_\_\_\_\_

Phone: ( \_\_\_\_\_ ) \_\_\_\_\_

CONTRACTOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Wellsite Geologist: \_\_\_\_\_

Purchaser: \_\_\_\_\_

Designate Type of Completion:

- New Well       Re-Entry       Workover
- Oil       WSW       SWD       SIOW
- Gas       D&A       ENHR       SIGW
- OG       GSW       Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic       Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

- Deepening       Re-perf.       Conv. to ENHR       Conv. to SWD
- Plug Back       Conv. to GSW       Conv. to Producer
- Commingled      Permit #: \_\_\_\_\_
- Dual Completion      Permit #: \_\_\_\_\_
- SWD      Permit #: \_\_\_\_\_
- ENHR      Permit #: \_\_\_\_\_
- GSW      Permit #: \_\_\_\_\_

Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date
-----------------------------------	-----------------	---

API No. 15 - \_\_\_\_\_

Spot Description: \_\_\_\_\_

\_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

\_\_\_\_\_ Feet from  North /  South Line of Section

\_\_\_\_\_ Feet from  East /  West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE       NW       SE       SW

GPS Location: Lat: \_\_\_\_\_, Long: \_\_\_\_\_  
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum:  NAD27       NAD83       WGS84

County: \_\_\_\_\_

Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Field Name: \_\_\_\_\_

Producing Formation: \_\_\_\_\_

Elevation: Ground: \_\_\_\_\_ Kelly Bushing: \_\_\_\_\_

Total Vertical Depth: \_\_\_\_\_ Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at: \_\_\_\_\_ Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set: \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from: \_\_\_\_\_

feet depth to: \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls

Dewatering method used: \_\_\_\_\_

Location of fluid disposal if hauled offsite:

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Permit #: \_\_\_\_\_

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Confidentiality Requested  
Date: \_\_\_\_\_
- Confidential Release Date: \_\_\_\_\_
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT  I  II  III Approved by: \_\_\_\_\_ Date: \_\_\_\_\_



1245340

Operator Name: \_\_\_\_\_ Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West County: \_\_\_\_\_

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input type="checkbox"/> No			
Electric Log Run	<input type="checkbox"/> Yes <input type="checkbox"/> No			
List All E. Logs Run:				

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?  Yes  No *(If No, skip questions 2 and 3)*

Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?  Yes  No *(If No, skip question 3)*

Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?  Yes  No *(If No, fill out Page Three of the ACO-1)*

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD:      Size: \_\_\_\_\_ Set At: \_\_\_\_\_ Packer At: \_\_\_\_\_ Liner Run:  Yes  No

Date of First, Resumed Production, SWD or ENHR. \_\_\_\_\_ Producing Method:  
 Flowing    Pumping    Gas Lift    Other *(Explain)* \_\_\_\_\_

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

<b>DISPOSITION OF GAS:</b> <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<b>METHOD OF COMPLETION:</b> <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____	<b>PRODUCTION INTERVAL:</b> _____ _____
--	---	---

Miami County, KS

Well: Owen AI-55

Lease Owner:Altavista Energy

Town Oilfield Service, Inc.

(913) 837-8400

Commenced Spudding:

2-26-2015

WELL LOG

Thickness of Strata	Formation	Total Depth
0 - 6	Soil - Clay	6
13	Lime	19
16	Shale	35
6	lime	41
41	Shale	82
13	Lime	95
10	Shale	105
29	Lime	134
9	Shale	143
22	Lime	165
5	Shale	170
2	lime	172
3	Shale	175
6	Lime	181
19	Shale	200
44	Sandy Shale	244
40	Shale	284
3	Sand	287
29	Shale	316
8	Sandy Lime	324
17	Shale	341
13	Lime	354
4	Shale	358
14	Sandy Shale	372
27	Shale	399
8	Lime	407
9	Shale	416
3	Lime	419
14	Shale	433
10	lime	443
18	Shale	461
2	Lime	463
4	Shale	467
8	Lime	475
7	Shale	482
18	Sand	500
13	Sandy Shale	513
74	Shale	587
1	Sandy Shale	588
3	Sand	591



# Short Cuts

## TANK CAPACITY

BBLs. (42 gal.) equals  $D^2 \times .14 \times h$

D equals diameter in feet.

h equals height in feet.

## BARRELS PER DAY

Multiply gals. per minute x 34.2

HP equals BPH x PSI x .0004

BPH - barrels per hour

PSI - pounds square inch

## TO FIGURE PUMP DRIVES

\* D - Diameter of Pump Sheave

\* d - Diameter of Engine Sheave

SPM - Strokes per minute

RPM - Engine Speed

R - Gear Box Ratio

\*C - Shaft Center Distance

D -  $RPM \times d$  over  $SPM \times R$

d -  $SPM \times R \times D$  over RPM

SPM -  $RPM \times D$  over  $R \times d$

R -  $RPM \times D$  over  $SPM \times d$

BELT LENGTH -  $2C + 1.57(D + d) + \frac{(D-d)^2}{4C}$

\* Need these to figure belt length

TO FIGURE AMPS:  $\frac{WATTS}{VOLTS} = AMPS$

746 WATTS equal 1 HP

# Log Book

Well No. AI-55

Farm Owen

KS Miami  
(State) (County)

8 18 22  
(Section) (Township) (Range)

For Altavista Energy  
(Well Owner)

## Town Oilfield Services, Inc.

1207 N. 1st East

Louisburg, KS 66053

913-710-5400



Thickness of Strata	Formation	Total Depth	Remarks
0-6	soil-clay	6	
13	Lime	19	
16	Shale	35	
6	Lime	41	
41	Shale	82	
13	Lime	95	red bed
10	Shale	105	
29	Lime	134	
9	Shale	143	
22	Lime	165	
5	Shale	170	
2	Lime	172	
3	Shale	175	odor
6	Lime	181	
19	Shale	200	Heath
44	Sandy shale	244	
40	Shale	284	
3	sand	287	
29	Shale	316	grey - no oil
8	Sandy lime	324	red bed
17	shale	341	Slight show
13	Lime	354	
4	Shale	358	
14	Sandy shale	372	
27	Shale	399	
8	Lime	407	
9	Shale	416	









**CONSOLIDATED**  
Oil Well Services, LLC

2272  
2211  
INVOICE # 803521

TICKET NUMBER 47369  
LOCATION Ottawa, KS  
FOREMAN Jim Green

PO Box 884, Chanute, KS 66720  
620-431-9210 or 800-467-8676

**FIELD TICKET & TREATMENT REPORT**  
**CEMENT**

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
02-27-15	3244	Owens AI-55	NE 8	18	22	MT
CUSTOMER			TRUCK #			
Altravista Energy			DRIVER			
MAILING ADDRESS			TRUCK #			
PO Box 128			DRIVER			
CITY			TRUCK #			
Wellsville			DRIVER			
STATE			TRUCK #			
KS			DRIVER			
ZIP CODE			TRUCK #			
66092			DRIVER			

JOB TYPE Longstring HOLE SIZE 5 7/8" HOLE DEPTH 705' CASING SIZE & WEIGHT 2 1/2"  
CASING DEPTH 692' DRILL PIPE 660' TUBING \_\_\_\_\_ OTHER \_\_\_\_\_  
SLURRY WEIGHT \_\_\_\_\_ SLURRY VOL \_\_\_\_\_ WATER gal/sk \_\_\_\_\_ CEMENT LEFT in CASING \_\_\_\_\_  
DISPLACEMENT \_\_\_\_\_ DISPLACEMENT PSI \_\_\_\_\_ MIX PSI \_\_\_\_\_ RATE \_\_\_\_\_

REMARKS: Hold crew meeting. Establish circulation. Mix and pump 1/2 GAL Polymer to condition hole. Mix and pump 100 # Gal. Mix and pump 89SK 50% Pot mix cement with 2% Gal, 5# Kol-Seal, 5% Salt. Circulated cement to surface. Flush pump clear of cement. Pump 2 1/2" rubber plug to total depth of casing. Pressure up to 800# PSI, well held good. Set plug.

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE		1085.00
5604	25	MILEAGE		105.00
5407A	min	Ton Mileage		368.00
5302	2 HRS	WEL TR		200.00
1124	89 cu	50% Pot Mix Cement	1023.50	
1118B	250 #	Premium Gal	55.00	
1111	172 #	Granulated Salt	6.70	
1110A	445 #	Kol-Seal	204.20	
		Materials	1350.28	
		Less 50%	405.08	
		Subtotal		945.20
4402	1	2 1/2" Rubber Plug		27.50
1461	1/2 GAL	Polymer		27.63
		SALES TAX	2.65	76.37
		ESTIMATED TOTAL		2832.70

AUTHORIZATION Byron Miller TITLE \_\_\_\_\_ DATE 3/26/17

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.