



**Notice:** Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION 1245689  
OIL & GAS CONSERVATION DIVISION

Form CP-4  
March 2009

Type or Print on this Form  
Form must be Signed  
All blanks must be Filled

**WELL PLUGGING RECORD**  
K.A.R. 82-3-117

OPERATOR: License #: \_\_\_\_\_  
Name: \_\_\_\_\_  
Address 1: \_\_\_\_\_  
Address 2: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_  
Contact Person: \_\_\_\_\_  
Phone: ( \_\_\_\_\_ ) \_\_\_\_\_  
Type of Well: (Check one)  Oil Well  Gas Well  OG  D&A  Cathodic  
 Water Supply Well  Other: \_\_\_\_\_  SWD Permit #: \_\_\_\_\_  
 ENHR Permit #: \_\_\_\_\_  Gas Storage Permit #: \_\_\_\_\_  
Is ACO-1 filed?  Yes  No If not, is well log attached?  Yes  No  
Producing Formation(s): List All (If needed attach another sheet)  
\_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_  
\_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_  
\_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_

API No. 15 - \_\_\_\_\_  
Spot Description: \_\_\_\_\_  
\_\_\_\_\_-\_\_\_\_-\_\_\_\_ Sec. \_\_\_\_ Twp. \_\_\_\_ S. R. \_\_\_\_  East  West  
\_\_\_\_\_ Feet from  North /  South Line of Section  
\_\_\_\_\_ Feet from  East /  West Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
 NE  NW  SE  SW  
County: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_  
Date Well Completed: \_\_\_\_\_  
The plugging proposal was approved on: \_\_\_\_\_ (Date)  
by: \_\_\_\_\_ (KCC District Agent's Name)  
Plugging Commenced: \_\_\_\_\_  
Plugging Completed: \_\_\_\_\_

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			
Formation	Content	Casing	Size	Setting Depth	Pulled Out

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugging Contractor License #: \_\_\_\_\_ Name: \_\_\_\_\_  
Address 1: \_\_\_\_\_ Address 2: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_  
Phone: ( \_\_\_\_\_ ) \_\_\_\_\_  
Name of Party Responsible for Plugging Fees: \_\_\_\_\_  
State of \_\_\_\_\_ County, \_\_\_\_\_, ss.  
\_\_\_\_\_  
(Print Name)  Employee of Operator or  Operator on above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Submitted Electronically

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

# QUALITY WELL SERVICE, INC.

6274

Federal Tax I.D. # 481187368

Home Office 324 Simpson St., Pratt, KS 67124

Office 620-727-3410  
Fax 620-672-3663

Rich's Cell 620-727-3409  
Brady's Cell 620-727-6964

Date	11-25-14	Sec.	29	Twp.	29s	Range	29w	County	Foard	State	KS	On Location	9:30 AM	Finish	11:00 AM
Lease	Shoib	Well No.	1-29		Location		Bloom KS, 3 mi N/W to								
Contractor	Duke #1				Owner		Vincent								
Type Job	Surface				To Quality Well Service, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.										
Hole Size	12 1/4		T.D.		649										
Csg.	8 5/8		Depth		649										
Tbg. Size			Depth		Charge To Vincent										
Tool			Depth		Street										
Cement Left in Csg.	25'		Shoe Joint		25'										
Meas Line			Displace		39 Bbls Fresh										
EQUIPMENT								125sx A + 200gal + 3%ice + 1/4 FFS							
Pumptrk	8	No.	Mike B		Common 125										
Bulktrk	9	No.	David B		Rez-Mix 125										
Bulktrk	10	No.	David F		Gel. 11										
Pickup		No.			Calcium 10										
JOB SERVICES & REMARKS								Hulls							
Rat Hole								Salt							
Mouse Hole								Flowseal 66.25							
Centralizers								Kol-Seal							
Baskets								Mud CLR 48							
D/V or Port Collar								CFL-117 or CD110 CAF 38							
Pipe on Bttm, Break Csg, Pump Space								Sand							
mix 125srlite mix 125sx tail, Kelen								Handling 271							
Plug, Start Disp w/ Fresh, Wash up								Mileage 50							
on Plug, See Steady increase in PSI,								FLOAT EQUIPMENT							
Slow Rate, Stop Pump at 39 Bbls								Guide Shoe							
Shut in Cement Did Cure.								Centralizer							
								Baskets							
								AFU Inserts N/A							
								Float Shoe							
								Latch Down Service Supervisor							
								1-TWP 8 5/8							
								LMU 50							
								Pumptrk Charge Surface							
								Mileage 50 X 2							
											Tax				
											Discount				
											Total Charge				
X Signature Mike Hoffey															

# QUALITY WELL SERVICE, INC.

6278

Federal Tax I.D. # 481187368

Home Office 324 Simpson St., Pratt, KS 67124

Office 620-727-3410  
Fax 620-672-3663

Rich's Cell 620-727-3409  
Brady's Cell 620-727-6964

Date	12-06-14	Sec.	29	Twp.	29s	Range	24w	County	Ford	State	KS	On Location	12:30PM	Finish	3:30PM
Lease	Scheib		Well No.		1-29		Location Bloom KS, 3 1/2 mi N/into								
Contractor Duke #1								Owner Vincent							
Type Job Rotary Plug T/A								To Quality Well Service, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.							
Hole Size 7 7/8				T.D. 5460				Charge To Vincent							
Csg. 8 5/8				Depth 648				To Vincent							
Tbg. Size 4 1/2 Drill Pipe 1.6"				Depth 1600-880-20				Street							
Tool				Depth				City State							
Cement Left in Csg.				Shoe Joint NA				The above was done to satisfaction and supervision of owner agent or contractor.							
Meas Line				Displace Fresh H <sup>2</sup> O				Cement Amount Ordered 170 sx 60: 40: 4% gel 4 CF							
<b>EQUIPMENT</b>															
Pumptrk	8	No.	Mike B				Common		105						
Bulktrk	10	No.	David B				Poz. Mix		65						
Bulktrk		No.					Gel.		6						
Pickup		No.	David F				Calcium								
<b>JOB SERVICES &amp; REMARKS</b>															
Rat Hole								Hulls							
Mouse Hole								Salt							
Centralizers								Flowseal 42 50							
Baskets								Kol-Seal							
D/V or Port Collar								Mud CLR 48							
Drill Pipe at 1600', load hole, Pump Spacer mix 50sx cement, Disp. w/ 19 BBLs Fresh,								CFL-117 or CD110 CAF 38							
Drill Pipe at 680', load Hole, Pump Spacer, mix 50sx, Disp. w/ Fresh, 5K BBLs,								Sand							
pipe at 60', Pump 20sx cement Dil Grc.								Handling 176							
Plug Rat & Mouse Holes w/ 50sx								Mileage 50							
<b>FLOAT EQUIPMENT</b>															
								Guide Shoe							
								Centralizer							
								Baskets							
								AFU Inserts							
								Float Shoe							
								Latch Down							
								LMV 50							
								SERVICE SUPERVISOR							
								Pumptrk Charge PTA							
								Mileage 50 x 2							
												Tax			
												Discount			
												Total Charge			
X Signature <i>Mike Hodder</i>															