

Confidentiality Requested:

Yes No

## Kansas Corporation Commission Oil & Gas Conservation Division

1246814

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15				
Name:	Spot Description:				
Address 1:	SecTwpS. R				
Address 2:	Feet from North / South Line of Section				
City: State: Zip:+	Feet from East / West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()	□NE □NW □SE □SW				
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)				
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:				
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):  If Workover/Re-entry: Old Well Info as follows:	Producing Formation:  Elevation: Ground: Kelly Bushing: Feet  Total Vertical Depth: Plug Back Total Depth: Feet  Multiple Stage Cementing Collar Used? Yes No  If yes, show depth set: Feet				
Operator:	If Alternate II completion, cement circulated from:				
Well Name:	feet depth to:w/sx cmt.				
Original Comp. Date: Original Total Depth:  Deepening Re-perf. Conv. to ENHR Conv. to SWD  Plug Back Conv. to GSW Conv. to Producer  Commingled Permit #:  Dual Completion Permit #:  SWD Permit #:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)  Chloride content: ppm Fluid volume: bbls  Dewatering method used:  Location of fluid disposal if hauled offsite:				
☐ ENHR         Permit #:           ☐ GSW         Permit #:	Operator Name:				
Connection Connection	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	Quarter         Sec.         Twp.         S. R.         East         West           County:         Permit #:				

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

Page Two



Operator Name:				_ Lease I	Name: _			Well #:		
Sec Twp	S. R	East	West	County	:					
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in presson surface test, along	sures, whether with final chart	shut-in pre (s). Attach	ssure reac extra shee	hed stati t if more	c level, hydrosta space is neede	tic pressures, bot d.	tom hole temp	erature, fluid	recovery,
Final Radioactivity Lo- files must be submitte						ogs must be ema	iled to kcc-well-lo	gs@kcc.ks.go	v. Digital elec	tronic log
Drill Stem Tests Taker (Attach Additional S		Yes	No				on (Top), Depth ar		Sam	
Samples Sent to Geo	logical Survey	Yes	☐ No		Nam	e		Тор	Datu	m
Cores Taken Electric Log Run		Yes Yes	☐ No ☐ No							
List All E. Logs Run:										
				RECORD	Ne					
	0	· ·				ermediate, product		T "0 1	I	
Purpose of String	Size Hole Drilled	Size Ca Set (In 0		Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and I Additiv	
		Al	DDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD				
Purpose:	Depth Top Bottom	Type of C	ement	# Sacks	Used		Type and P	ercent Additives		
Perforate Protect Casing	Top Bottom									
Plug Back TD Plug Off Zone										
r lug on zone										
Did you perform a hydrau	ulic fracturing treatment	on this well?				Yes	No (If No, ski	p questions 2 ar	nd 3)	
Does the volume of the to								p question 3)		
Was the hydraulic fractur	ing treatment information	on submitted to th	ne chemical o	disclosure re	gistry?	Yes	No (If No, fill	out Page Three	of the ACO-1)	
Shots Per Foot		ON RECORD - Footage of Each					cture, Shot, Cement		d	Depth
	Эреспу	1 oolage of Lacif	iliterval Feli	Orated		(A	THOURT AND KIND OF MA	teriai Oseu)		Берит
TUBING RECORD:	Size:	Set At:		Packer A	+-	Liner Run:				
TOBING FILEGORIS.	0.20	001711.		r donor 7	••	[	Yes No			
Date of First, Resumed	Production, SWD or EN	NHR. Pro	oducing Meth		a $\Box$	Coo Lift 0	Other (Evelein)			
Estimated Dradustics	0.11	Dhla	Flowing	Pumpin			Other (Explain)	Nee Oil D-#-		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	eı B	bls. C	Gas-Oil Ratio	G	iravity
	ON OF GAS:	Open		METHOD OF Perf.			nmingled	PRODUCTION	ON INTERVAL:	
Vented Sold	Used on Lease  bmit ACO-18.)		(Specify)	_ 1 011.	(Submit		mit ACO-4)			

## CEMENT FIELD TICKET AND TREATMENT REPORT

Customer		Ta:			
	legand	State, County	Woodson, Kansas	Cement Type	CLASS A
Job Type	I/s	Section		Excess (%)	40
Customer Acct #	4759	TWP		Density	-
Well No.	CRESS #10	RGE		Water Required	7.29/7.9
Mailing Address		Formation		Yelid	1.48/1.74
City & State		Hole Size	5 7/8	Slurry Weight	13.6/14
Zip Code		Hole Depth	870	Slumy Volume	13.6/14
Contact		Casing Size	INCH,	Displacement	10
Email		Casing Depth		The state of the s	4.9
Cell			860	Displacement PSI	300
Dispatch Location	August 6	Drill Pipe	882	MIX PSI	250
Code	eureka	Tubing	2 7/8	Rate	3
5401					
5407	CEMENT PUMP (2 HOUR MAX)	1	2 HRS MAX	\$1,085.00	\$ 1,085,00
0	MIN. BULK DELIVERY (WITHIN 50 MILES)	2	PER LOAD	\$368.00	\$ 736.00
0			0	\$0.00	
0			0	\$0.00	\$ -
0		ļ	0	\$0.00	3
			0	\$0.00	\$ -
0			0	\$0.00	3
U			0	\$0.00	\$
				QUIPMENT TOTAL	\$ 1,821.00
				Section Section	1,021.00
1131	60/40 POZMIX CEMENT W/ NO ADDITVES (40% POZ)	50	0	\$13.18	\$ 659.00
1118B	PREMIUM GEL/BENTONITE (50#)	200	0	\$0.22	\$ 44.00
1107A	PHENOSEAL	40	0	\$1.35	\$ 54.00
1126	WC. CEMENT (CAL SEAL) 6%OWC. 2% CAL.CLORIDE 2% GEI	55	0	\$19.75	\$ 1,086.25
1110A	KOL SEAL (50 # SK)	350	0	\$0.46	\$ 161.00
1107A	PHENOSEAL	40	0	\$1.35	
1111	GRANULATED SALT (50#) SELL BY #	350	0	\$0.39	
1118B	PREMIUM GEL/BENTONITE (50#)	200	0	\$0.22	
0			30%DISCOUNT	\$0.00	
0			0	\$0.00	A
1123	CITY WATER (PER 1000 GAL)	3	0	\$17.30	
					01.00
		A THE REPORT OF THE PARTY OF TH	10 d 20 d	CHEMICAL TOTAL	\$ 1,619.03
5502C	80 BBL VACUUM TRUCK (CEMENT)				
0	GO DDE TAGOCIA (CEMICIA)		BL VACUUM TRUCK (CEM		\$ 270.00
0			0	\$0.00	\$
			0	\$0.00	State of the state
	Control of the Contro	STANCE OF STREET	Vierpolis March 1910 Allean and 1910 Allean	RANSPORT TOTAL	\$ 270.00
					10.00
0				學是不是一個學	
数约 1		STREET, STREET	0	\$0.00	8
0			ALTER DESIGN		
0			0		
	The state of the s	I Majora anno accusa	0	\$0.00	\$
0					
	The state of the s		0	\$0.00	•
0	A STATE OF THE PROPERTY OF THE	E SAN AND SAN			
	STATE OF THE STATE	The Company of the London	0	\$0.00	\$
0 [					
	Control Contro		0	\$0.00	\$
0					
	The second secon		0	\$0.00	
0					
			0	\$0.00	
0		1			
	the second of th		0	\$0.00	
0					
0			0		
0			0		
	2.00 (a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c		0	\$0.00	Balance
4402	2 7/8" RUBBER PLUG		055		
4-02	2 7/8" RUBBER PLUG	2	PER UNIT	\$29.50	\$ 59.00
0				Constant for the	
			O CEMENT EL CATIVIA E	\$0.00	
			CEMENT FLOATING EC	UIPMENT TOTAL I	Control of the last of the las
640	Jeremy Austin		7.15%	SUB TOTAL	3,769.03
485	Jeremy McDonald		1.13%	SALES TAX TOTAL	2.027.00
611	Jimmy Knowles		0%	(-DISCOUNT)	
	Brent Mellen				The state of the s
212			111617		
515	Jeff Smith		DISCO	DUNTED TOTAL	\$ 3,937.02
AUTHORIZATION_	Jeff Smith		DISCO	DONIED TOTAL	\$ 3,937.02

DATE

FOREMAN January Allants

### CEMENT FIELD TICKET AND TREATMENT REPORT

Customer Acct #	l/s	State, County	Woodson, Kansas	Cement Type	CLASS A
Well No.	CRESS #10	Section	0	Excess (%)	40
Mailing Address		TWP	0	Density	0
City & State	0	RGE	0	Water Required	7.29/7.9
Zip Code	0	Formation	0	Yeild	1.48/1.74
Contact	0	Hole Size	5.875	Slurry Weight	13.6/14
Email	0	Hole Depth	870	Slurry Volume	0
Cell	0	Casing Size	INCH,	Displacement	4.9
Office	0	Casing Depth	860	Displacement PSI	300
Dispatch Location	Eureka	Drill Pipe		MIX PSI	250
REMARKS		Tubing	2.875	Rate	3

howked up to 27/2 tubine broke Circulation then ran 200# of Grel then 5 bbl of water then 50 sks of 60/40 Cement than 55 sks of owe Cement Got Cement to surface washed pump + lines stuffed 2-27/8 rubber pluss in tubing then displaced 4.9 bbl of water landed pluse  C 1100 psi
then 5 bbl of water there 50 SKS of 60,140 Connent than 55 SKS of OWC
Cement Got Coment to surface washed pump + lines stuffed 2-27/8
rubber pluss in tubing then displaced 4, 9 bbi of water landed plus
@ 1100 ps?
SAFTY MEETING