

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION 1246590
OIL & GAS CONSERVATION DIVISION

Form ACO-1

August 2013

Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Plug Back Conv. to GSW Conv. to Producer
- Commingled Permit #: _____
- Dual Completion Permit #: _____
- SWD Permit #: _____
- ENHR Permit #: _____
- GSW Permit #: _____

Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date
-----------------------------------	-----------------	---

API No. 15 - _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

GPS Location: Lat: _____, Long: _____
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum: NAD27 NAD83 WGS84

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Vertical Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite:

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Confidentiality Requested
Date: _____
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: _____ Date: _____

1246590

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No List All E. Logs Run: _____	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
--	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well? Yes No *(If No, skip questions 2 and 3)*

Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Yes No *(If No, skip question 3)*

Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No *(If No, fill out Page Three of the ACO-1)*


Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No
----------------	-------	---------	------------	---

Date of First, Resumed Production, SWD or ENHR.	Producing Method:
	<input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other <i>(Explain)</i> _____

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____	PRODUCTION INTERVAL: _____ _____
--	--	---



11 Lewis Drive

Paola, KS 66071

**Oil & Gas Well Drilling
Water Wells
Geo-Loop Installation**

Phone: 913-557-9083

Fax: 913-557-9084

WELL LOG

Tailwater, Inc.

Finkenbinder #4-IWU

API #15-003-26,415

January 10 - January 12, 2015

<u>Thickness of Strata</u>	<u>Formation</u>	<u>Total</u>
21	soil & clay	21
5	clay & gravel	26
97	shale	123
26	lime	149
69	shale	218
11	lime	229
6	shale	235
36	lime	271
5	shale	276
20	lime	296
3	shale	299
24	lime	323 base of the Kansas City
173	shale	496
4	lime	500
6	shale	506
4	lime	510 oil show
8	shale	518
8	oil sand	526 green, good bleeding
7	shale	533
1	coal	534
2	shale	536
20	oil sand	556 green, good bleeding
4	shale	560
2	coal	562
5	shale	567
6	lime	573
5	shale	578
2	lime	580
6	shale	586
4	lime	590
74	shale	664
3	limey sand	667 green & white, no oil
1	broken sand	668 brown & green, good bleeding
1	oil sand	669 brown, good bleeding
2	broken sand	671 brown & green, good bleeding
3	broken sand	674 brown & green, light oil show
26	shale	700 TD

Drilled a 9 7/8" hole to 46.3'

Drilled a 5 5/8" hole to 700'

Set 46.3' of 7" surface casing with 10 sacks of cement.

Set 695.2' of 2 7/8" 8 round upset tubing including 3 centralizers, 1 float shoe, and 1 clamp.



250 N. Water, Ste 200 - Wichita, Ks 67202

HURRICANE SERVICES INC

104 Prairie Plaza Parkway - Garnett, Ks 66032

Customer: Martin oil properties		Customer Name:		Ticket No.: 50141					
Address:		AFE No.:		Date:					
City, State, Zip:		Job type: Longstring 2 7/8 casing... 5 5/8 hole							
Service District:		Well Details: 2 7/8 casing @ 695 5 5/8 hole @ 700							
Well name & No.: Finkenbinder 4 - IWU		Well Location:		County: Anderson	State: Kansas				
Equipment #	Driver	Equipment #	Driver	Equipment #	Hours	TRUCK CALLED	AM	PM	TIME
26	Joe	extra	Billy			ARRIVED AT JOB	AM	PM	
231	Tom	extra	Jesse			START OPERATION	AM	PM	
242	Troy					FINISH OPERATION	AM	PM	
108	Jeff					RELEASED	AM	PM	
111	Tyler					MILES FROM STATION TO WELL			

Treatment Summary

Hooked onto casing and achieved circulation.. Pumped 15 bbl gel sweep followed by 15 bbl water spacer and 108 sks of 50/50 poz mix 2% gel 1/4 flo seal.. Flushed pump and pumped plug to bottom and set float shoe.. CEMENT TO SURFACE..

Product/Service Code	Description	Unit of Measure	Quantity	List Price/Unit	Gross Amount	Item Discount	Net Amount
c00101	Heavy Equip. One Way	mi	-	\$3.25	\$0.00		\$0.00
c00102	Light Equip. One Way	mi	-	\$1.50	\$0.00		\$0.00
c23103	Cement Pump (Multiple wells)	ea	1.00	\$675.00	\$675.00	10.00%	\$607.50
c10800	Vacuum Truck 80 bbl	ea	1.00	\$84.00	\$84.00	10.00%	\$75.60
c11100	Vacuum Truck 80 bbl	ea	1.00	\$84.00	\$84.00	10.00%	\$75.60
c24200	Cement Bulk Truck	tm	115.00	\$1.30	\$149.50	10.00%	\$134.55
p01604	50/50 Pozmix Cement	sack	108.00	\$11.30	\$1,220.40	10.00%	\$1,098.36
p01607	Bentonite Gel	lb	181.00	\$0.30	\$54.30	10.00%	\$48.87
p01607	Bentonite Gel	lb	200.00	\$0.30	\$60.00	10.00%	\$54.00
p01611	FLO-Seal	lb	27.00	\$2.15	\$58.05	10.00%	\$52.25
p02000	H2O	gal	4,600.00	\$0.01	\$59.80	10.00%	\$53.82
p01631	Rubber 2 7/8	ea	1.00	\$25.00	\$25.00	10.00%	\$22.50

TERMS: Cash in advance unless Hurricane Services Inc has approved credit prior to sale. Credit terms of sale for approved accounts are total invoice due on or before the 30th day from the date of invoice. Past due accounts may pay interest on the balance past due at the rate of 1 1/2% per month or the maximum allowable by applicable state or federal laws if such laws limit interest to a lesser amount. In the event it is necessary to employ an agency and/or attorney to affect the collection of said account, Customer hereby agrees to pay all fees directly or indirectly incurred for such collection. In the event that Customer's account with HSI becomes delinquent, HSI has the right to revoke any and all discounts previously applied in arriving at net invoice price. Upon revocation, the full invoice price without discount will become immediately due and owing and subject to collection.		Gross: \$ 2,470.05	Net: \$ 2,223.05
Total Taxable	\$1,329.80	Tax Rate:	7.650%
Frac and Acid service treatments designed with intent to increase production on newly drilled or existing wells are not taxable.		Sale Tax:	\$ 101.73
		Total:	\$ 2,324.77

Date of Service:	1/12/2015
HSI Representative:	Joe Blanchard
Customer Representative:	Dan Hutchenson

X _____
 CUSTOMER AUTHORIZED AGENT

Customer Comments or Concerns:

Hurricane Services appreciates any Comments, Concerns or Criticism's from our valuable customers as Safety and Customer Satisfaction are our Number 1 goal. All Comments are confidential and will be used in a constructive manner to improve our Safety and Job Performance.

3613A Y Road
Madison, KS 66860
Ph: 620-437-2661
Fax: 620-437-2881



HURRICANE SERVICES INC

104 Prairie Plaza Parkway
Garnett, KS 66032
Ph: 785-448-3100
Fax: 785-448-3102

FED ID# 48-1214033
MC ID# 165290

Remit to: Hurricane Services, Inc.
250 N. Water, Suite 200
Wichita, KS 67202

Customer:

MARTIN OIL PROPERTIES
% CHRISTIAN MARTIN
6421 AVONDALE DR., STE 212
OKLAHOMA CITY, OK 73116-6428

Invoice Date: 1/12/2015
Invoice #: 0016012
Lease Name: FINKENBINDER
Well #: 4-IWU
County: ANDERSON

Date/Description	HRS/QTY	Rate	Total
See ticket 50141 of JB	1.000	675.000	675.00
Vacuum Truck 80 bbl 108	1.000	84.000	84.00
Vacuum Truck 80 bbl 111	1.000	84.000	84.00
Cement Bulk truck/ton	115.000	1.300	149.50
Cement Pozmix 50/50	108.000	11.300	1,220.40 T
Bentonite Gel	381.000	0.300	114.30 T
FLO Seal	27.000	2.150	58.05 T
City water	4,600.000	0.013	59.80 T
Top rubber plug 2 7/8"	1.000	25.000	25.00 T
Discount	1.000	147.760-	147.76-T
Discount	1.000	99.250-	99.25-

Net Invoice 2,223.04
Sales Tax: (7.65%) 101.73
Total 2,324.77

All invoices are due upon receipt. Interest at the rate of 1 1/2% per month may be charged on all invoices not paid within 30 days from date of invoice.

WE APPRECIATE YOUR BUSINESS!