

JOB LOG

SWIFT Services, Inc.

DATE 11-25-14 PAGE NO. 1

CUSTOMER Damar Resources WELL NO. #3 LEASE Timber Acres JOB TYPE Port Collar TICKET NO. 26906

CHART NO.	TIME	RATE (BPM)	VOLUME (BBL) (GAL)	PUMPS		PRESSURE (PSI)		DESCRIPTION OF OPERATION AND MATERIALS
				T	C	TUBING	CASING	
	0900							on loc w/ Trk setup Trk
								2 7/8" x 5 1/2"
								P.C. 1412'
								RBP
								Tbg 3200'
	0930	3	0					Turn Hole Over
	0955		75					Hole Clean
	1000	3	0					Spot 1sk sand w/ 17 bbl wtr
	1005		17					spotted
	1015							Pull up & find P.C.
								Locate P.C. @ 1412'
	1055						1000	Test 0sg 1000 psi
	1100		0					Open P.C. Spot 2 bbl mud
								Open P.C.
	1110	3	7			300		Start Mud
	1113	3.5	17/0			300		Start wtr
	1115	3.5	5/0			300		Start Cement 135 sks SMD
	1135	3.5	57			300		Circ Cement/Raise weight
	1137	3.5	62/0			300		End Cement/Start Displacement
	1140		7					Cement Displaced
								Close P.C.
							1000	Test to 1000 psi
								Run 5' ts
	1150	3.5	0				150	Reverse out
			15					Hole Clean
								Trip down to RBP
	1230	3.5	0				150	Circ sand off RBP
	1242		40					Hole Clean
								135 sks SMD
								circ 15 sks top it
								Thank you
								Nick, David E., Austin & Craig

# QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-2025  
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 967

Date	Sec.	Twp.	Range	County	State	On Location	Finish
11-1-14	3	13	18	Ellis	KS		10:45 p.m.
Location				Hays N Federal Rd 1/2 W Winto			

Lease	Well No.	Owner	
Timber-Aves	3	To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.	
Contractor		Charge To	
Martin #16		Damar Resources	
Type Job	T.D.	Street	
Surface	262		
Hole Size	Depth	City	
12 1/4	260	State	
Csg.	Depth	The above was done to satisfaction and supervision of owner agent or contractor.	
8 5/8		Cement Amount Ordered 160 com 3/LL 2/6FL	
Tbg. Size	Shoe Joint	Cement Left in Csg. 15'	
		Meas Line Displace 15 1/2 BKL	

**EQUIPMENT**

Pumptrk	No.	Cement Helper	Common
5		5 mg	160
Bulktrk	No.	Driver	Poz. Mix
		Bret	
Bulktrk	No.	Driver	Gel.
9		Chad	3
			Calcium
			5

**JOB SERVICES & REMARKS**

Remarks:	Hulls
Rat Hole	Salt
Mouse Hole	Flowseal
Centralizers	Kol-Seal
Baskets	Mud CLR 48
D/V or Port Collar	CFL-117 or CD110 CAF 38
8 5/8 on bottom test circulation	Sand
Mix 160 SK & Displace	Handling 168
	Mileage


**FLOAT EQUIPMENT**

Guide Shoe
Centralizer
Baskets 8 5/8 surge
AFU Inserts
Float Shoe
Latch Down

Pumptrk Charge	Surface
Mileage	8

Tax
Discount
Total Charge

Signature *[Handwritten Signature]*





# QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-2025  
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 839

Date	11-6-2014	Sec.	3	Twp.	13 S	Range	18 W	County	Ellis	State	Kansas	On Location		Finish	3:00 PM
Location													Hay's Ks. 3 N 1 E 1 N 1/2 W TINTO		

Lease TIMBER-ACRES Well No. 3 Owner

Contractor MURKIN DRILLING Rig # #16 Andy To Quality Oilwell Cementing, Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.

Type Job PRODUCTION STRING W.P.C. Charge To DAMAR RESOURCES INC.

Hole Size 7 7/8 R.T.D. 3772 Street

Csg. 5 1/2 New Depth 3770 City State

Tbg. Size 14 #csg. Depth 1417' The above was done to satisfaction and supervision of owner agent or contractor.

Tool PORT COLLAR Depth @ 1417' Cement Amount Ordered 150 SX 10% SALT 2% GEL

Cement Left in Csg. 23' Shoe Joint 23' Cement Amount Ordered 150 SX 10% SALT 2% GEL

Meas. Line 8 5/8 @ 260' Displace 9 1/2 BBL 500 GAL MUD CLR 20 BBL KCL

EQUIPMENT Common 150

Pumptrk	18	No.	Cementer	<u>Glenn G.</u>	Poz. Mix
			Helper	<u>Cody B.</u>	
Bulktrk	3	No.	Driver	<u>Tyler O.</u>	Gel. <u>3 gel</u>
			Driver		Calcium <u>KCL 2900</u>
Bulktrk		No.	Driver		
			Driver		

JOB SERVICES & REMARKS Hulls

Remarks: Salt 13

Rat Hole 30 SX Flowseal

Mouse Hole N/A Kol-Seal

Centralizers 6 TURBO 1,3,5,7,9,11 Mud CLR 48 500 Gal

Baskets 2, 13, 55 KCL 20 BBL

D/V or Port Collar ON #55 JOINT Sand

Set 5 1/2 14 #csg @ Handling 163

Rec. in v. Core. DRIP "AFU" BBL" HR Mileage

Pump 500 GAL MUD FINISH FLOAT EQUIPMENT

Cement w/ SX Com. 10% SALT 2% GEL Guide Shoe 1 - Blue BSK

Clear-Line. Centralizer TURBO X 6

Release LATCH DOWN PLUG Baskets Red X 2

Displace 9 1/2 BBL H<sub>2</sub>O (500# LIFT) PORT COLLAR

LAND @ 1500# Float Shoe X 1

Release PRESSURE & AFU-PLUG (HOLD) Latch Down X 1

Did ROTATE w/ cementing ROTATING HEAD

HAD Lost Circulation Pumptrk Charge prod string

Temporary w/ springs Mileage 8

THANKS

Signature Chris Weimling Tax

Discount

Total Charge