

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1249486

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15		
Name:			Spot Description:		
Address 1:			Sec.	TwpS. R	East _ West
Address 2:			F6	eet from	South Line of Section
City: S	tate: Zi	p:+	Fe	eet from East / V	West Line of Section
Contact Person:			Footages Calculated from	Nearest Outside Section Co	orner:
Phone: ()			□ NE □ NV	V □SE □SW	
CONTRACTOR: License #			GPS Location: Lat:	, Long:	
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84	
Purchaser:			County:		
Designate Type of Completion:			Lease Name:	We	ell #:
New Well Re	-Entry	Workover	Field Name:		
	_		Producing Formation:		
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW □ SIGW	Elevation: Ground:	Kelly Bushing: _	
☐ OG	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total De	epth:
CM (Coal Bed Methane)	dow	тетір. Ава.	Amount of Surface Pipe Se	et and Cemented at:	Feet
Cathodic Other (Con	e. Expl., etc.):		Multiple Stage Cementing	Collar Used? Yes	No
If Workover/Re-entry: Old Well In			If yes, show depth set:		Feet
Operator:			If Alternate II completion, of	cement circulated from:	
Well Name:			feet depth to:	w/	sx cmt.
Original Comp. Date:	Original To	otal Depth:			
Deepening Re-perf.	Conv. to E	NHR Conv. to SWD	Drilling Fluid Manageme	nt Plan	
☐ Plug Back	Conv. to G	SW Conv. to Producer	(Data must be collected from t		
O constitued and	D		Chloride content:	ppm Fluid volume:	bbls
CommingledDual Completion			Dewatering method used:		
SWD			Location of fluid disposal if	f haulad offsita:	
☐ ENHR			Location of fluid disposal fi	nauled Olisite.	
GSW			Operator Name:		
_			Lease Name:	License #:	
Spud Date or Date Rea	ached TD	Completion Date or	QuarterSec	TwpS. R	East _ West
Recompletion Date		Recompletion Date	County:	Permit #:	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

Page Two



Operator Name:				_ Lease I	Name: _			Well #:		
Sec Twp	S. R	East	West	County	:					
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in presson surface test, along	sures, whether with final chart	shut-in pre (s). Attach	ssure reac extra shee	hed stati t if more	c level, hydrosta space is neede	tic pressures, bot d.	tom hole temp	erature, fluid	recovery,
Final Radioactivity Lo- files must be submitte						ogs must be ema	ailed to kcc-well-lo	gs@kcc.ks.go	v. Digital elec	tronic log
Drill Stem Tests Taker (Attach Additional S		Yes	No				on (Top), Depth ar		Sam	
Samples Sent to Geo	logical Survey	Yes	☐ No		Nam	e		Тор	Datu	m
Cores Taken Electric Log Run		Yes Yes	☐ No ☐ No							
List All E. Logs Run:										
				RECORD	Ne					
	0	· ·				ermediate, product		T "0 1	I	
Purpose of String	Size Hole Drilled	Size Ca Set (In 0		Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and I Additiv	
		Al	DDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD				
Purpose:	Depth Top Bottom	Type of C	ement	# Sacks	Used		Type and P	ercent Additives		
Perforate Protect Casing	Top Bottom									
Plug Back TD Plug Off Zone										
r lug on zone										
Did you perform a hydrau	ulic fracturing treatment	on this well?				Yes	No (If No, ski	p questions 2 ar	nd 3)	
Does the volume of the to								p question 3)		
Was the hydraulic fractur	ing treatment information	on submitted to th	ne chemical o	disclosure re	gistry?	Yes	No (If No, fill	out Page Three	of the ACO-1)	
Shots Per Foot		ON RECORD - Footage of Each					cture, Shot, Cement		d	Depth
	Эреспу	1 oolage of Lacif	iliterval Feli	Orated		(A	THOURT AND KIND OF MA	teriai Oseu)		Берит
TUBING RECORD:	Size:	Set At:		Packer A	+-	Liner Run:				
TOBING FILEGORIS.	0.20	001711.		r donor 7	••	[Yes No			
Date of First, Resumed	Production, SWD or EN	NHR. Pro	oducing Meth		a \Box	Coo Lift 0	Other (Evelein)			
Estimated Dradustics	0.11	Dhla	Flowing	Pumpin			Other (Explain)	Nee Oil D-#-		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	eı B	bls. C	Gas-Oil Ratio	G	iravity
	ON OF GAS:	Open		METHOD OF Perf.			nmingled	PRODUCTION	ON INTERVAL:	
Vented Sold	Used on Lease bmit ACO-18.)		(Specify)	_ 1 011.	(Submit		mit ACO-4)			



Invoice#801959

TICKET NUMBER	50596	L
LOCATION OHAL	a. CS	/
FOREMAN Cases	remode	

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

	or 800-467-867	6		INCHI MEN	I KEP	OKI	,	•
DATE	CUSTOMER#	WEL	NAME & NUMBER	MENT	7.01			
11/6/14	4508		ion # KW-		TION	TOWNSHIP	RANG	E COUN
CUSTOMER		LUCALIN	was # KW-	4 Sw8	(District of the last	21	21	AN
MAILING ADDE	Dil luc.			TOT	CK#			
272				72		DRIVER	TRUCK	# DRIVE
CITY_		the Rd		lelol		Easken	Jusale	Les lestin
\mathcal{O} .	1 1	STATE	ZIP CODE			Kei Car	- July	
Varnet		_KS	66032	548		Danwho		
OB TYPE OL		HOLE SIZE S	72 /_ 1/	1340		Miktox	1	
ASING DEPTH		DRILL PIPE	TUBING	DEPTH (OC)		CASING SIZE &	WEIGHT_	718 "ELE
LURRY WEIGH	it .	SLURRY VOL					OTHER	
ISPLACEMENT		DISPLACEMENT		gal/sk	<u> </u>	CEMENT LEFT in	CASING	
EMARKS: he	a Setely de	-44	-/ (1-1		!	RATE 4.5 %	211	
sel tolo		blot to	1	Yould then	nı	impol to		7-40
250 Pos	znik cem			BBGGGGCH	Sui	ixed to	uned	30 # Preu
·lac a	supped 24	4	logal per s	t cerent	est &	Curton	The state of the s	100 sec
0 000		2 resolver	plug to casil	re TO W	383	Ht VI	- PIUN	a pour
asing	· · · · · · · · · · · · · · · · · · ·	reso Cu	ersur for	50 min	115	T A	mostor,	presura
	<u> </u>				741	1, colais	ed precu	ure do
								
CCOUNT							+	
CODE	QUANITY or I	UNITS	0700				/-	
401			DESCRIPTION	N of SERVICES o	r PRODU	JCT	UNIT PRICE	T
406	36		MP CHARGE				ONII PRICE	TOTAL
Yoa	35 au	-i MIL	EAGE					1085:00
407	Lele1'		ising footag	0				147.00
	- Es mie,		u vileage					
Soac T	2 ms		Per Vas					18400.
			The same of the sa					200,00
24 1	100 845	9	7					
18B/	371#		op Pomix	cener		1	[73,00,	
			ternium G	el		/		
					10		81.62	
					erials		254.62	
2					30%		376.39	
-			12 rubberpl		50	total		878, 23
			- EUSER PI	9				29.50
		E G						
	The second second	750116						
- Profite	m (TO)212/2-8							
						120	98.36	
_					T	65% SA	18,010	100
RIZTION	4 11				-aL		LES TAX	64.38
WELLONG 17	クロヘノ イベノン				. المح	~~~ =s	· IMAIED =	
-	14	<u></u>	Cifically amended		•	· 1		590.91

acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified and the serv



Invoice#801959

TICKET NUMBER	50596	L
LOCATION OHAL	a. CS	/
FOREMAN Cases	remode	

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

	or 800-467-867	6		INCHI MEN	I KEP	OKI	,	•
DATE	CUSTOMER#	WEL	NAME & NUMBER	MENT	7.01			
11/6/14	4508		ion # KW-		TION	TOWNSHIP	RANG	E COUN
CUSTOMER		LUCALIN	was # KW-	4 Sw8	(District of the last	21	21	AN
MAILING ADDE	Dil luc.			TOT	CK#			
272				72		DRIVER	TRUCK	# DRIVE
CITY_		the Rd		lelol		Easken	Jusale	Les Meetin
\mathcal{O} .	1 1	STATE	ZIP CODE			Kei Car	- July	
Varnet		_KS	66032	548		Danwho		
OB TYPE OL		HOLE SIZE S	72 /_ 1/	1340		Miktox	1	
ASING DEPTH		DRILL PIPE	TUBING	DEPTH (OC)		CASING SIZE &	WEIGHT_	718 "ELE
LURRY WEIGH	it .	SLURRY VOL					OTHER	
ISPLACEMENT		DISPLACEMENT		gal/sk	<u> </u>	CEMENT LEFT in	CASING	
EMARKS: he	a Setely de	-44	-/ (1-1		!	RATE 4.5 %	211	
sel tolo		blot to	1	Yould then	nı	impol to		7-40
250 Pos	znik cem			BBGGGGCH	Sui	ixed to	uned	30 # Preu
·lac a	supped 24	4	logal per s	t cerent	est &	Curton	The state of the s	100 sec
0 000		2 resolver	plug to casil	re TO W	383	Ht VI	- PIUN	a pour
asing	· · · · · · · · · · · · · · · · · · ·	reso Cu	ersur for	50 min	115	T A	mostor,	presura
	<u> </u>				741	1, colais	ed precu	ure do
								
CCOUNT							+	
CODE	QUANITY or I	UNITS	0700				/-	
401			DESCRIPTION	N of SERVICES o	r PRODU	JCT	UNIT PRICE	T
406	36		MP CHARGE				ONII PRICE	TOTAL
Yoa	35 au	-i MIL	EAGE					1085.00
407	Lele1'		ising footag	0				147.00
	- Es mie,		u vileage					
Soac T	2 ms		Co Vas					18400.
			n- Jac					200,00
24 1	100 845	9	7					
18B/	371#		op Pomix	cener		1	[73,00,	
			ternium G	el		/		
					10		81.62	
					erials		254.62	
2					30%		376.39	
-			12 rubberpl		50	total		878, 23
			- EUSER PI	9				29.50
		E G						
	The second second	750116						
- Profite	m (TO)212/2-8							
						120	98.36	
_					T	65% SA	18,010	100
RIZTION	4 11				-aL		LES TAX	64.38
WELLONG 17	クロヘノ イベノン				. المح	~~~ =s	· IMAIED =	
-	14	<u></u>	Cifically amended		•	· 1		590.91

acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified and the serv