

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:			
Effective	Date:			
District #				
SGA?	Yes	No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	month day	vear	Spot Description:
	monun uay	year	Sec Twp S. R 🔲 E
PERATOR: License#			feet from N / S Line of Sec
ame:			feet from E / W Line of Sec
ddress 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip:		County:
Contact Person:			Lease Name: Well #:
hone:			Field Name:
ONTRACTOR: License#			Is this a Prorated / Spaced Field?
ame:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class: Type	e Equipment:	Ground Surface Elevation:feet N
Oil Enh Re	ec Infield	Mud Rotary	Water well within one-quarter mile:
Gas Storag	pe Pool Ext.	Air Rotary	
Dispos		Cable	
Seismic ;# of			Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OWWO: old well i	nformation as follows:		Surface Pipe by Alternate: II III
			Length of Surface Pipe Planned to be set:
•			Length of Conductor Pipe (if any):
			Projected Total Depth:
Original Completion Dat	te: Original Total	I Depth:	Formation at Total Depth:
inactional Devictor or Hon	inantal wallhara 2	□ Voo □ No	Water Source for Drilling Operations:
Directional, Deviated or Hori	izontai welibore?	Yes No	Well Farm Pond Other:
			DWR Permit #:
			(Note: Apply for Permit with DWR)
			Will Cores be taken? Yes
			If Yes, proposed zone:
		AF	FIDAVIT
he undersigned hereby a	offirms that the drilling, compl		ugging of this well will comply with K.S.A. 55 et. seq.
-	affirms that the drilling, compling minimum requirements w	letion and eventual pl	agging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the followi	ing minimum requirements w	letion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
is agreed that the followi 1. Notify the appropria		letion and eventual pli rill be met: dding of well;	
t is agreed that the followi 1. Notify the appropriat 2. A copy of the approv 3. The minimum amou	ing minimum requirements wate district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specifie	letion and eventual plinill be met: dding of well; nall be posted on eached below shall be set	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
 agreed that the followi Notify the appropria A copy of the appropria The minimum amouthrough all unconso 	ing minimum requirements wate district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specifical didated materials plus a minir	letion and eventual plinill be met: dding of well; nall be posted on eached below shall be set mum of 20 feet into the	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
 agreed that the followi Notify the appropria A copy of the appropria The minimum amouthrough all unconso If the well is dry hole 	ing minimum requirements wate district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specified didated materials plus a mining an agreement between the	letion and eventual plinill be met: dding of well; nall be posted on each ed below shall be set mum of 20 feet into the e operator and the dis	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging;
 is agreed that the followi Notify the appropria A copy of the appropria The minimum amouthrough all unconso If the well is dry hole The appropriate dist 	ing minimum requirements wate district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specificalidated materials plus a minime, an agreement between the trict office will be notified before	letion and eventual plinill be met: dding of well; nall be posted on each ed below shall be set mum of 20 feet into the e operator and the dis ore well is either plug.	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
 is agreed that the followi Notify the appropria A copy of the appropria The minimum amouthrough all unconso If the well is dry hole The appropriate dist If an ALTERNATE II 	ing minimum requirements wate district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specificalidated materials plus a minime, an agreement between the trict office will be notified before COMPLETION, production produ	letion and eventual plinill be met: dding of well; nall be posted on each ed below shall be set mum of 20 feet into the e operator and the dis ore well is either plug pipe shall be cemente	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging;
is agreed that the followi Notify the appropriat A copy of the appropriat The minimum amouthrough all unconsol If the well is dry hole The appropriate dist If an ALTERNATE II Or pursuant to Appe	ing minimum requirements wate district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specified didated materials plus a mining, an agreement between the trict office will be notified before COMPLETION, production pendix "B" - Eastern Kansas su	letion and eventual plinill be met: dding of well; hall be posted on each below shall be set mum of 20 feet into the operator and the discore well is either plugpipe shall be cemente urface casing order #	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
t is agreed that the followi 1. Notify the appropriat 2. A copy of the appropriat 3. The minimum amouthrough all unconsof 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe	ing minimum requirements wate district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specified didated materials plus a mining, an agreement between the trict office will be notified before COMPLETION, production pendix "B" - Eastern Kansas su	letion and eventual plinill be met: dding of well; hall be posted on each below shall be set mum of 20 feet into the operator and the discore well is either plugpipe shall be cemente urface casing order #	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the followi Notify the appropriat A copy of the appropriat The minimum amouthrough all unconsol If the well is dry hole The appropriate dist If an ALTERNATE II Or pursuant to Appear 	ing minimum requirements wate district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specified didated materials plus a mining, an agreement between the trict office will be notified before COMPLETION, production pendix "B" - Eastern Kansas su	letion and eventual plinill be met: dding of well; hall be posted on each below shall be set mum of 20 feet into the operator and the discore well is either plugpipe shall be cemente urface casing order #	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
is agreed that the followi 1. Notify the appropria 2. A copy of the approv 3. The minimum amou through all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed	ing minimum requirements we te district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specifically specified in the specifical specified in the specified with the specified in the specified i	letion and eventual plinill be met: dding of well; hall be posted on each below shall be set mum of 20 feet into the operator and the discore well is either plugpipe shall be cemente urface casing order #	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 agreed that the followi Notify the appropria A copy of the approx The minimum amouthrough all unconso If the well is dry hole The appropriate dist If an ALTERNATE II Or pursuant to Appendix 	ing minimum requirements we te district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specifically specified in the specifical specified in the specified with the specified in the specified i	letion and eventual plinill be met: dding of well; hall be posted on each below shall be set mum of 20 feet into the operator and the discore well is either plugpipe shall be cemente urface casing order #	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriat 2. A copy of the appropriat 3. The minimum amouthrough all unconsot 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed ubmitted Electron	ing minimum requirements we te district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specifically specified in the specifical specified in the specified with the specified in the specified i	letion and eventual plinill be met: dding of well; hall be posted on each below shall be set mum of 20 feet into the operator and the discore well is either plugpipe shall be cemente urface casing order #	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
1. Notify the appropria 2. A copy of the approv 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed and the completed of the completed of the complete of t	ing minimum requirements we te district office <i>prior</i> to spucyed notice of intent to drill <i>sh</i> and of surface pipe as specificallidated materials plus a mining, an agreement between the trict office will be notified before COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud danically	letion and eventual place in the met: dding of well; nall be posted on each ed below shall be set mum of 20 feet into the experience of the place of the mum of 20 feet into the experience of the mum of 20 feet into the experience of the well is either plugpipe shall be cemented urface casing order # attein or the well shall be	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
is agreed that the followi 1. Notify the appropria 2. A copy of the approv 3. The minimum amou through all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed. Ibmitted Electron For KCC Use ONLY API # 15 -	ing minimum requirements we atte district office <i>prior</i> to spucy ved notice of intent to drill <i>sh</i> and of surface pipe as specificallidated materials plus a mining, an agreement between the trict office will be notified before COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud data	letion and eventual place in the posted on each ed below shall be set mum of 20 feet into the operator and the discore well is either plugpipe shall be cemented urface casing order # ate or the well shall be	In drilling rig; In drilling rig; In by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. It is a specific to the KCC District 3 area, alternate II cementing is plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the followi 1. Notify the appropria 2. A copy of the approv 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed Ibmitted Electron For KCC Use ONLY API # 15 - Conductor pipe required —	ing minimum requirements we lite district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specified lidated materials plus a mining e, an agreement between the trict office will be notified before COMPLETION, production pendix "B" - Eastern Kansas st within 30 days of the spud data.	letion and eventual planill be met: dding of well; nall be posted on each ed below shall be set mum of 20 feet into the e operator and the dis ore well is either plug pipe shall be cemente urface casing order # ate or the well shall be eet	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
is agreed that the followi 1. Notify the appropria 2. A copy of the approv 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed Ibmitted Electron For KCC Use ONLY API # 15 - Conductor pipe required —	ing minimum requirements we atte district office <i>prior</i> to spucy ved notice of intent to drill <i>sh</i> and of surface pipe as specificallidated materials plus a mining, an agreement between the trict office will be notified before COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud data	letion and eventual planill be met: dding of well; nall be posted on each ed below shall be set mum of 20 feet into the e operator and the dis ore well is either plug pipe shall be cemente urface casing order # ate or the well shall be eet	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing by plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
is agreed that the followi 1. Notify the appropria 2. A copy of the approv 3. The minimum amou through all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe must be completed Ibmitted Electron For KCC Use ONLY API # 15 - Conductor pipe required — Minimum surface pipe required	ing minimum requirements we lite district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specified lidated materials plus a mining e, an agreement between the trict office will be notified before COMPLETION, production pendix "B" - Eastern Kansas st within 30 days of the spud data.	letion and eventual place in the posted on each ed below shall be set mum of 20 feet into the experience of the posted on each ed below shall be set mum of 20 feet into the experience of the place of the place of the place of the well is either place or the well shall be eater or the well shall be eet the per ALT.	re drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appearust be completed Jubmitted Electron For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required Approved by:	ing minimum requirements we te district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specificalliated materials plus a minime, an agreement between the trict office will be notified before COMPLETION, production pendix "B" - Eastern Kansas so within 30 days of the spud days	letion and eventual place in the posted on each ed below shall be set mum of 20 feet into the experience of the posted on each ed below shall be set mum of 20 feet into the experience of the place of the place of the place of the well is either place or the well shall be eater or the well shall be eet the per ALT.	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropria 2. A copy of the approva 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appearust be completed Submitted Electron For KCC Use ONLY API # 15 Conductor pipe required Minimum surface pipe required Approved by: This authorization expires:	ing minimum requirements we te district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specificalliated materials plus a minime, an agreement between the trict office will be notified before COMPLETION, production pendix "B" - Eastern Kansas so within 30 days of the spud days	letion and eventual planil be met: dding of well; nall be posted on each deal below shall be set mum of 20 feet into the experience of the well shall be experienced or the well shall be eat or the we	re drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

Side Two



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

3738 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

49846 Form CDP-1

May 2010

Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		SecTwp R East West Section Feet from East / West Line of Section Feet from East / West Line of Section County	
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
Distance to peacest water well within one mile of	of nit-	Donth to shallo	west fresh waterfeet.	
Distance to nearest water well within one-mile of pit:		Source of infor	nation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Type of materia	ver and Haul-Off Pits ONLY: I utilized in drilling/workover: king pits to be utilized: procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS	
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No	



Kansas Corporation Commission Oil & Gas Conservation Division

1249846

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed:C-1 (Intent)CB	1 (Cathodic Protection Borehole Intent)		
OPERATOR: License #	_ Well Location:		
Name:	_		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()	_		
Email Address:	-		
Surface Owner Information:			
Name:			
Address 1:	owner information can be lound in the records of the register of deeds for the		
Address 2:			
City: State: Zip:+	-		
the KCC with a plat showing the predicted locations of lease roads, to	hodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat d on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this s, and email address.		
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.		
Submitted Electronically			
t .			