

For KCC	Use:
Effective	Date:
District #	:
SGA?	Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1249864

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	month	dou	Spot Description:
	montn	day year	Sec Twp S. R 🔲 E 🔲 W
OPERATOR: License#			feet from N / S Line of Section
			feet from E / W Line of Section
			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
		Zip: +	
Contact Person:			Lease Name: Well #:
hone:			Field Name:
CONTRACTOR: License#			
Name:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class:	Type Equipment:	Ground Surface Elevation:feet MSI
Oil Enh	Rec Infield	Mud Rotary	Water well within one-quarter mile:
Gas Stora	• =		Public water supply well within one mile: Yes No
Dispo		Cable	Depth to bottom of fresh water:
Seismic ;#			Depth to bottom of usable water:
Other:			Surface Pipe by Alternate: I
If OWWO: old well	information as follow	ws:	Length of Surface Pipe Planned to be set:
•			Projected Total Depth:
		Prining I Total Donth	
Original Completion D	ile O	Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Ho	rizontal wellbore?	Yes	Water Source for Drining Operations. No Well Farm Pond Other:
			Well Tallit ond Strict.
			DWR Permit #:(Note: Apply for Permit with DWR)
KCC DKT #:			
			If Yes, proposed zone:
			11 100, proposod 20110.
			AFFIDAVIT
The undersigned hereby	affirms that the drill	ling, completion and eventua	al plugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the follow	ing minimum requi	irements will be met:	
Notify the appropri	ate district office pa	rior to spudding of well;	
		nt to drill shall be posted on	each drilling rig;
		•	set by circulating cement to the top; in all cases surface pipe shall be set
		olus a minimum of 20 feet in	
,		·	e district office on plug length and placement is necessary <i>prior to plugging</i> ;
			olugged or production casing is cemented in;
			ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
			all be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
must be combleted			
must be completed			
must be completed			
·	nically		
·	nically		
ubmitted Electro	nically		Remember to:
ubmitted Electro	•		- File Certification of Compliance with the Kansas Surface Owner Notification
ubmitted Electro For KCC Use ONLY API # 15 -	•		- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
ubmitted Electro	•		 File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
ubmitted Electro For KCC Use ONLY API # 15 -	·	feet	- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re	quired	feet feet per ALT.	- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
ubmitted Electro For KCC Use ONLY API # 15 Conductor pipe required	quired	feet feet per ALT.	- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

 If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:
Signature of Operator or Agent:	



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:							_ Lo	cation of W	Vell: County:	
Lease:									feet from N / S Line of Section	
Well Number:						feet from E / W Line of Section				
					Se	SecTwpS. R E W				
							ls Section: Regular or Irregular			
								Section is ection corne	Irregular, locate well from nearest corner boundary. er used: NE NW SE SW	
		ads, tank b			d electrica	l lines, as	required b		dary line. Show the predicted locations of sas Surface Owner Notice Act (House Bill 2032). ired.	
									LEGEND	
990 ft.									O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location	
		: :		2	 1	:			EXAMPLE	
		:		:		 : :		:		
		·		·	•••••	·	:		1980' FSL	
		·	· · ·	·		· :	·	:		
		<u>:</u>	:	:		:	:	:	SEWARD CO. 3390' FEL	

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

49864 Form CDP-1

May 2010

Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee		Width (feet)			
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallowest fresh water feet. Source of information:				
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
	KCC	OFFICE USE O	Liner Steel Pit RFAC RFAS			
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No			



Kansas Corporation Commission Oil & Gas Conservation Division

1249864

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent)
OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tan	odic Protection Borehole Intent), you must supply the surface owners and the batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
☐ I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this s of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP	g fee with this form. If the fee is not received with this form, the KSONA-1 -1 will be returned.
Submitted Electronically	
I	_

Mock

* 15-163-20061-00-00

RECEIVED
STATE CORPORATION COMMISSION
FET 1 2 1971
CONSERVATION DIVISION
Wichita, Kansas

Form CP-4

STATE OF KANSAS STATE COMPORATION COMMISSION

Give All Internation Completely
Make Required Allidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
212 No. Market

WELL PLUGGING RECORD

Conservation Division State Corporation Commission 212 No. Market							
Wichita, Kansas 67202						E = 17 (E)	$_{-}(W)$
NORTH	Location as "NE/C		-				
	Lease Owner					Cambridge of the Spirit Cambridge Consequence (Spirit Cambridge Consequence Co	
	Lease Name					Well Nol	
	Office Address_5			•	,		
	Character of Well						
	Date well complet						67
	Application for plu						71
	Application for plu						
	Plugging commenc						
	Plugging completed			•			•
	Reason for abandon			-		terflood	
	flooded out					(
	If a producing wel						
Locate well correctly on above	Was permission of			ation Division o	r its agents be	fore plugging wa	s com-
Section Plat	menced?				The state of the s		
Name of Conservation Agent who sur							
Producing formation Kansas		th to top 344	₽5 Bottom	<u> 3541</u>	Total Depth of	f Well_3595_	Feet
how depth and thickness of all wate	er, oil and gas formations.						
OIL, CAS OR WATER RECOR	EDS					CASING RECO	RD
						1 1000	
FORMATION	CONTENT	FROM	то	SIZE	PUT IN	PULLED OUT	·
Kansas City	Water :	3541	Surface	나를	3593	None	
	Casing was sque	eezed at	730' wit	h = 250 sx.	cement		
				8.5/8	150	None	
	-	·····		- 1			
						Į.	
n introducing it into the hole. If ce 3539 feet for each plug Pumped 50 sack Pumped through of hullsPump	set. 75 60/40 Poz mix 1 4½" plug contain 10ed 22 sacks of Ge	used, state the cement of the	e character of lown annu 50 sacks	f same and dept	h placed, from g surface mix with	Surface 6 sacks	
n introducing it into the hole. If ce 3539 feet for each plug a Pumped 50 sack Pumped through of hulls—Pump Released plug squeezed at 20 Plugging compl Cement plug from Cement plug from	ment or other plugs were set. 15. $60/40$ Poz mix 16. $4\frac{1}{2}$ " plug contain 16. 22 sacks of General pumped 55 sach 16. 20 P.S.T Shut 16. 20 2446' to 3539	cement of ner with el. cks 60/40 in press (Perfs.	e character of lown ennu 50 sacks Poz mix sure.	f same and dept	h placed, from ig surface mix with 550'. W	Surface 6 sacks	
n introducing it into the hole. If ce 3539 feet for each plug a Pumped 50 sack Pumped through of hulls—Pump Released plug squeezed at 20 Plugging compl Cement plug from Cement plug from	ement or other plugs were set. Is 60/40 Poz mix Is 4½" plug contain Ded 22 sacks of Ge and pumped 55 sac DOO P.S.T Shut eted. Com 3446' to 3539 550' to 3446' Com surface to 550 pp plug set at 550	used, state the cement of ner with el. cks 60/40 in press ' (Perfs. 0' 0'	e character of lown ennu 50 sacks Poz mix sure.	f same and depter to plus to plus to plus to plus 60/40 Posts coment to REC STATE CORPOR FF POSTATE CONSERVATORIO	h placed, from ig surface mix with 550'. W	Surface 6 sacks	
n introducing it into the hole. If ce 3539 feet for each plug Pumped 50 sack Pumped through of hulls—Pump Released plug squeezed at 20 Plugging compl Cement plug from Cement plug from Halliburton To	ement or other plugs were set. Is 60/40 Poz mix Is 60/40 Poz mix Is 4½" plug contain Is 22 sacks of Go Is and pumped 55 sac Is 300 P.S.T Shut Is eted. Is 3446' to 3539 550' to 3446' Is me surface to 550 Is plug set at 550 (If additional designal in the service of the service	cement of ner with el. cks 60/40 in press (Perfs. 0'	e character of lown ennu 50 sacks Poz mix sure.	f same and depter to plus to plus to plus to plus 60/40 Posts coment to REC STATE CORPOR FF POSTATE CONSERVATORIO	h placed, from ig surface mix with	Surface 6 sacks	
rintroducing it into the hole. If ce 3539 feet for each plug Pumped 50 sack Pumped through of hulls—Pump Released plug squeezed at 20 Plugging compl Cement plug from Cement plug from Halliburton To	ement or other plugs were set. Is 60/40 Poz mix Is 4½" plug contain Ded 22 sacks of Ge and pumped 55 sac DOO P.S.T Shut eted. Com 3446' to 3539 550' to 3446' Com surface to 550 pp plug set at 550 (If additional des	cement of ner with el. cks 60/40 in press (Perfs. 0'	e character of lown ennu 50 sacks Poz mix sure.	f same and depter to plus to plus to plus to plus 60/40 Posts coment to REC STATE CORPOR FF POSTATE CONSERVATORIO	h placed, from ig surface mix with	Surface 6 sacks	
rintroducing it into the hole. If ce 3539 feet for each plug Pumped 50 sack Pumped through of hulls—Pump Released plug squeezed at 20 Plugging compl Cement plug from Cement plug from Halliburton To	ement or other plugs were set. Is 60/40 Poz mix a 4½" plug contain ped 22 sacks of Go and pumped 55 sacks of Go and surface to 550 pp plug set at 550 sacks of Go and surface to 550 pp plug set at 550 pp plug set at 550 sacks of Go and surface to 550 pp plug set at 550 sacks of Go and surface to 550 pp plug set at 550 sacks of Go and surface to 550 pp plug set at 550 sacks of Go and surface to 550 sacks of Go and	cement of ner with el. cks 60/40 in press (Perfs. 0' 0' 0' cks ces	e character of lown ennu 50 sacks) Poz mix sure.)	f same and depted alus to plus to plus to plus to plus 60/40 Post REC STATE CORPOR FF P CONSERVA Wichita C3-/	h placed, from Ig surface In mix with In 550'. W EIVED ATION COMMIS I 2 1971 IION DIVISION IN KARSAS I 2 - 1971	Surface 6 sacks Fell CSION	
n introducing it into the hole. If ce 3539	ement or other plugs were set. Is 60/40 Poz mix a 4½" plug contain ped 22 sacks of Gental and pumped 55 sacks of Gental and Sacks and S	cement of ner with el. cks 60/40 in press (Perfs. 0' 0' ces	e character of lown ennu 50 sacks) Poz mix sure.) Poz mix sure.	alus to plus t	h placed, from Ig surface In mix with In 550! W EIVED ATION COMMIS I 2 1971 TION DIVISION I, Kansas I — 1971 J. Ss. er or operator)	Surface 6 sacks 6 slow 6 steel	scribed
n introducing it into the hole. If ce 3539	ement or other plugs were set. Is 60/40 Poz mix a 4½" plug contain ped 22 sacks of Go and pumped 55 sacks of Go and satisfact to 3539 550' to 3446' to 3539 550' to 3446' to 3539 550' to 3446' to 550 p plug set at 550	cement of ner with el. cks 60/40 in press (Perfs. 0' 0' cscription is neces ces	e character of lown ennu 50 sacks) Poz mix sure.) Poz mix sure.	alus to plus t	h placed, from Ig surface In mix with In 550! W EIVED ATION COMMIS I 2 1971 TION DIVISION I, Kansas I — 1971 J. Ss. er or operator)	Surface 6 sacks 6 slow 6 steel	scribed
n introducing it into the hole. If ce 3539	ement or other plugs were set. Is 60/40 Poz mix a 4½" plug contain ped 22 sacks of Go and pumped 55 sacks of Go and satisfact to 3539 550' to 3446' to 3539 550' to 3446' to 3539 550' to 3446' to 550 p plug set at 550	cement of ner with el. cks 60/40 in press (Perfs. 0' 0' 0' 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	sary, use BACK sary, use BACK Raldi Raldi	f same and depter the same and depter to plus to plus to plus 60/40 Posts 60/4	h placed, from IS SURFACE MIX WITH D 550!. W EIVED ATION COMMIS 1 2 1971 HON DIVISION A. KANSAS 2 -1971 J. Ss. er or operator) s herein contains 1 2 1971	Surface 6 sacks 6 sack	scribed of the
n introducing it into the hole. If ce 3539	ement or other plugs were set. Is 60/40 Poz mix a 4½" plug contain ped 22 sacks of Go and pumped 55 sacks of Go and satisfact to 3539 550' to 3446' to 3539 550' to 3446' to 3539 550' to 3446' to 550 p plug set at 550	cement of ner with el. cks 60/40 in press (Perfs. 0' 0' 0' 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	sary, use BACK sary, use BACK Raldi Raldi	f same and depter to plus to plus to plus to plus to plus 60/40 Post Coment to REC STATE CORPOR VICHIES OF this sheet) Tof this sheet) Tof this sheet) Tof this sheet in A. Höcker thin Build:	h placed, from Ig surface In mix with D 550!. W EIVED ATION COMMIS I 2 1971 HON DIVISION A. Kansas D-1971 John Commis To	Surface 6 sacks 6 slow 6 steel	scribed of the
n introducing it into the hole. If ce 3539 feet for each plug Pumped 50 sack Pumped through of hulls—Pump Released plug squeezed at 20 Plugging compl Cement plug from Cement plug from Halliburton To Halliburton To STATE OF Oklahoma Ralph A. Hocker well, being first duly swom on oath, bove-described well as filed and the	ement or other plugs were set. Is 60/40 Poz mix Is 60/40 Poz mix	cement of ner with el. cks 60/40 in press (Perfs. 0' O' C'	sary, use BACK Llsa employee of offacts, statemedicing me God. (Call A	f same and depter the same and depter the same and depter the same and depter the same and sa	h placed, from IS SURFACE MIX WITH D 550!. W EIVED ATION COMMIS 1 2 1971 HON DIVISION A. KANSAS 2 -1971 J. Ss. er or operator) s herein contains 1 2 1971	Surface 6 sacks 6 sack	scribed of the
n introducing it into the hole. If ce 3539	ement or other plugs were set. Is 60/40 Poz mix Is 60/40 Poz mix Is 4½" plug contain Is and pumped 55 sac and pumped 55 sac OO P.S.T Shut Leted. Is a 3446' to 3539 550' to 3446' Is a 3539 To plug set at 550 Is plug set at 550 (If additional des lalliburton Service Is a 11 iburton Service Is a 12 iburton Is a 13 iburton Is a 14 iburton Is a 15 iburton Is a 16 iburton Is a 16 iburton Is a 17 iburton Is a 16 iburton Is a 17 iburton Is a 17 iburton Is a 18 iburton Is a	cement of ner with el. cks 60/40 in press (Perfs. 0' 0' 0' 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	e character of lown ennu 50 sacks Poz mix sure. P	f same and depter the same and depter to plus to plus to plus 60/40 Post REC STATE CORPOR FF POSTATE CONSERVA Wichita C3-/	h placed, from Ig surface In mix with D 550!. W EIVED ATION COMMIS I 2 1971 HON DIVISION A. Kansas D-1971 John Commis To	Surface 6 sacks 6 sack	scribed of the
n introducing it into the hole. If ce 3539 feet for each plug Plumped 50 sack Pumped through of hulls—Plump Released plug squeezed at 20 Plugging compl Cement plug from Cement plug from Halliburton To Halliburton To STATE OF Oklahoma Ralph A. Hocker well, being first duly swom on oath, above-described well as filed and the Subscribed well as filed and the Subsc	ement or other plugs were set. Is 60/40 Poz mix Is 60/40 Poz mix	cement of ner with el. cks 60/40 in press (Perfs. 0' O' C'	sary, use BACK Llsa employee of offacts, statemedicing me God. (Call A	f same and depter the same and depter to plus to plus to plus 60/40 Post REC STATE CORPOR FF POSTATE CONSERVA Wichita C3-/	h placed, from Ig surface In mix with D 550!. W EIVED ATION COMMIS I 2 1971 HON DIVISION A. Kansas D-1971 John Commis To	Surface 6 sacks 6 sack	scribed of the

15-163-20061-00-00

COMPANY CONTRACTOR FARM LOCATION

COMMENCED COMPLETED Davis Brothers
LEBEN DRILLING, INC.
MOCK A-1
SE NW NW Section 21-10s-17w
Rooks County, Kansas
9-12-67
9-18-67

0- 60 100 680 1070 1346 1378 1650 1965 2340 2560 3095 3165	60 100 680 1070 1346 1378 1650 1965 2340 2560 3095 3165 3595	Clay, Sand, Post Rock Post Rock Shale Sand, Shale Red Bed and Shale Anhydrite Shale Shale and Shells Lime and Shale Shale Shale and Lime Lime RTD - Set 4½" Casing	RECEIVED STATE CORPORATION COMMISSION FEB 1 2 1971 CONSERVATION DIVISION Wichita, Kansas 02-12-1971
------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------

8 5/8" New Surface Casing - Set @ 150' with 135 sx Common cement 2% cc - Cement Circulated

I, Leslie Kite, do hereby certify that the above and foregoing is a true and correct copy of the log of the Mock A-1, located SE NW NW of Section 21, Township 10 South, Range 17 West, Rooks County, Kansas, as reflected by the files of Leben Drilling, Inc.

Leslie Kite
Leslie Kite

STATE OF KANSAS)
COUNTY OF BARTON)

Subscribed and sworn to before me, a Notary Public, in and for Barton County, Kansas, this 21st day of September, 1967.

Ulanda Nichols, Notary Public

My Commission Expires - April 1, 1971

