Confidentiality Requested:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1248851

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | API No. 15 |
|---|--|
| Name: | Spot Description: |
| Address 1: | |
| Address 2: | Feet from Dorth / South Line of Section |
| City: State: Zip:+ | Feet from Deast / West Line of Section |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: |
| Phone: () | |
| CONTRACTOR: License # | GPS Location: Lat:, Long: |
| Name: | (e.g. xx.xxxx) (e.gxxx.xxxx) |
| Wellsite Geologist: | Datum: NAD27 NAD83 WGS84 |
| Purchaser: | County: |
| Designate Type of Completion: | Lease Name: Well #: |
| New Well Re-Entry Workover | Field Name: |
| | Producing Formation: |
| | Elevation: Ground: Kelly Bushing: |
| Gas D&A ENHR SIGW | Total Vertical Depth: Plug Back Total Depth: |
| OG GSW Temp. Abd. CM (Coal Bed Methane) | Amount of Surface Pipe Set and Cemented at: Feet |
| Cathodic Other (Core, Expl., etc.): | Multiple Stage Cementing Collar Used? |
| If Workover/Re-entry: Old Well Info as follows: | If ves, show depth set: Feet |
| Operator: | If Alternate II completion, cement circulated from: |
| Well Name: | feet depth to:w/sx cmt. |
| Original Comp. Date: Original Total Depth: | |
| Deepening Re-perf. Conv. to ENHR Conv. to SWD | Drilling Fluid Management Plan |
| Plug Back Conv. to GSW Conv. to Producer | (Data must be collected from the Reserve Pit) |
| | Chloride content: ppm Fluid volume: bbls |
| Commingled Permit #: Dual Completion Permit #: | Dewatering method used: |
| Dual completion Permit #. SWD Permit #: | Leastion of fluid dispaced if housed effects |
| ENHR Permit #: | Location of fluid disposal if hauled offsite: |
| GSW Permit #: | Operator Name: |
| | Lease Name: License #: |
| Spud Date or Date Reached TD Completion Date or | Quarter Sec TwpS. R East West |
| Recompletion Date Recompletion Date Recompletion Date | County: Permit #: |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY |
|---------------------------------|
| Confidentiality Requested |
| Date: |
| Confidential Release Date: |
| Wireline Log Received |
| Geologist Report Received |
| UIC Distribution |
| ALT I II III Approved by: Date: |

CORRECTION #1

1248851

| Operator Name: | | | | Lease Name: | Well #: |
|----------------|-----|-------|-----------|-------------|---------|
| Sec | Twp | _S. R | East West | County: | |

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

| Drill Stem Tests Taken | | Yes N | 0 | L | og Formatio | n (Top), Depth ar | nd Datum | Sample |
|---|--------------------------|---|--------------|----------------|----------------------------|-----------------------|---|-------------------------------|
| (Attach Additional Sh Samples Sent to Geolo | | Yes | 0 | Nam | е | | Тор | Datum |
| Cores Taken Electric Log Run | 9.00.00.00 | Yes N Yes N | 0 | | | | | |
| List All E. Logs Run: | | | | | | | | |
| | | | SING RECORD | Ne Integration | w Used | on. etc. | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weig Lbs. | ght | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | | |
| | | | | | | | | |
| | | ADDITIC | | NG / SQL | EEZE RECORD | | | |
| Purpose: Perforate | Depth Top Bottom | Type of Cement # Sacks Used | | Used | Type and Percent Additives | | | |
| Protect Casing Plug Back TD | | | | | | | | |
| Plug Off Zone | | | | | | | | |
| Did you perform a hydrauli Does the volume of the tot Was the hydraulic fracturin | al base fluid of the hyd | draulic fracturing treatme | | - | Yes ? Yes ? Yes ? Yes ? | No (If No, sk | ip questions 2 ar ip question 3) out Page Three | |
| Shots Per Foot | | ON RECORD - Bridge Footage of Each Interva | | | | cture, Shot, Cement | | d Depth |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| TUBING RECORD: | Size: | Set At: | Packer A | t: | Liner Run: | Yes No | | |
| Date of First, Resumed P | roduction, SWD or EN | IHR. Producing | | ıg 🗌 | Gas Lift 🗌 O | ther <i>(Explain)</i> | | |

| DISPOSITION OF GAS: | METHOD OF COMPLETION: | PROD | UCTION INTERVAL: |
|-----------------------------|------------------------------|----------------|------------------|
| Vented Sold Used on Lease | Open Hole Perf. Dually Comp. | Commingled | |
| (If vented, Submit ACO-18.) | | (Submit ACO-4) | |
| (| Other (Specify) | | |

Water

Bbls.

Gas-Oil Ratio

Gravity

Estimated Production

Per 24 Hours

Oil

Bbls.

Gas

Mcf

| Form | ACO1 - Well Completion |
|-----------|------------------------|
| Operator | Black Tea Oil, LLC |
| Well Name | Hibbert B 1 |
| Doc ID | 1248851 |

Casing

| | Size Hole Drilled | Size Casing Set | Weight | Setting Depth | Type Of Cement | | Type and Percent Additives |
|------------|----------------------|-----------------------|--------|------------------|-------------------|-----|----------------------------------|
| Surface | 12.25 | 8.625 | 23 | 261 | common | 180 | |
| Production | 8.625 | 5.5 | 15.5 | 4418 | common | 187 | |
| | | | | | | | |
| | | | | | | | |

Black Tea Oil

Hibbert B1

RTD@ 4421

LTD Cased Hole @ 4392

Port collar @ 2096' 365 sks

5 ½ set @ 4418 187 sks

8 5/8 set @ 261' 180 sks

Perfs

| Miss | 4367-73 | 250 gal |
|-------------|----------------|------------------|
| Morrow | 4336-44 | 150 gal |
| Johnson | 4272-80 | 150 gal |
| Retreated a | III zones abov | ve with 2300 gal |
| Pawnee | 4150-60 | |
| Altamont | 4124-32 | |
| L | 3980-83 | 250 gal |
| J | 3918-22 | 250 gal |
| С | 3736-40 | 250 gal |

Summary of Changes

Lease Name and Number: Hibbert B 1

API/Permit #: 15-109-21313-00-00

Doc ID: 1248851

Correction Number: 1

Approved By: NAOMI JAMES

| Field Name | Previous Value | New Value |
|---|----------------|------------|
| Amount of Surface Pipe Set and Cemented at | 250 | 261 |
| Approved Date | 10/22/2014 | 04/27/2015 |
| CasingNumbSacksUse dPDF_2 | 230 | 187 |
| CasingPurposeOfString PDF_1 | surface | Surface |
| CasingPurposeOfString PDF_2 | production | Production |
| CasingSettingDepthPD F_1 | 250 | 261 |
| CasingSettingDepthPD F_2 | 4500 | 4418 |
| CasingWeightPDF_1 | 16 | 23 |
| CasingWeightPDF_2 | 20 | 15.5 |
| If Alternate II Completion - Cement Circulated From | | 2096 |

Summary of changes for correction 1 continued

| Field Name | Previous Value | New Value |
|--|--|--|
| If Alternate II Completion - Sacks of | 450 | 365 |
| Cement Method Of Completion - Commingled | No | Yes |
| Multiple Stage Cementing Collar Depth | 2100 | 2096 |
| Perf_Record_1 | | See Attached Report |
| Plug Back Total Depth | 4500 | 4392 |
| Producing Formation | kansas city/johnson | See attached report |
| Save Link | //kcc/detail/operatorE ditDetail.cfm?docID=12 | //kcc/detail/operatorE ditDetail.cfm?docID=12 |
| TopsDatum1 | 28757 -1307 | 48851 -1677 |
| TopsDatum2 | | -1646 |
| TopsDatum3 | | -1582 |
| TopsDatum4 | | -1460 |
| TopsDatum5 | | -1434 |
| TopsDatum6 | | -1046 |

Summary of changes for correction 1 continued

| Field Name | Previous Value | New Value |
|-------------------------------------|----------------|-----------------------------|
| TopsDepth1 | 3988 | 4367 |
| TopsDepth2 | | 4336 |
| TopsDepth3 | | 4272 |
| TopsDepth4 | | 4150 |
| TopsDepth5 | | 4124 |
| TopsDepth6 | | 3736 |
| | | |
| TopsName1 | Kansas City | Mississippi |
| TopsName1 TopsName2 | Kansas City | Mississippi Morrow |
| | Kansas City | |
| TopsName2 | Kansas City | Morrow |
| TopsName2 TopsName3 | Kansas City | Morrow Johnson |
| TopsName2 TopsName3 TopsName4 | Kansas City | Morrow Johnson Pawnee |

Summary of Attachments

Lease Name and Number: Hibbert B 1 API: 15-109-21313-00-00 Doc ID: 1248851 Correction Number: 1 Attachment Name



1228757

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Yes No

Confidentiality Requested:

WELL COMPLETION FORM

| _ | | | | | |
|---|----------------|---------|---------|----------------|---------|
| | HISTORY | - DESCF | RIPTION | OF WELL | & LEASE |

| OPERATOR: License # | API No. 15 |
|---|---|
| Name: | Spot Description: |
| Address 1: | |
| Address 2: | Feet from Dorth / South Line of Section |
| City: State: Zip:+ | Feet from East / West Line of Section |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: |
| Phone: () | |
| CONTRACTOR: License # | GPS Location: Lat:, Long: |
| Name: | (e.g. xx.xxxx) (e.gxxx.xxxx) |
| Wellsite Geologist: | Datum: NAD27 NAD83 WGS84 |
| Purchaser: | County: |
| Designate Type of Completion: | Lease Name: Well #: |
| | Field Name: |
| New Well Re-Entry Workover | Producing Formation: |
| | Elevation: Ground: Kelly Bushing: |
| Gas D&A ENHR SIGW | Total Vertical Depth: Plug Back Total Depth: |
| GG GSW Temp. Abd. | Amount of Surface Pipe Set and Cemented at: Feet |
| CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): | Multiple Stage Cementing Collar Used? |
| If Workover/Re-entry: Old Well Info as follows: | If yes, show depth set: Feet |
| | If Alternate II completion, cement circulated from: |
| Operator: | |
| Well Name: | feet depth to:w/sx cmt. |
| Original Comp. Date: Original Total Depth: | |
| Deepening Re-perf. Conv. to ENHR Conv. to SWD | Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) |
| Plug Back Conv. to GSW Conv. to Producer | (Data musi de conecteu nom me reserve r n) |
| Commingled Permit #: | Chloride content: ppm Fluid volume: bbls |
| Dual Completion Permit #: | Dewatering method used: |
| SWD Permit #: | Location of fluid disposal if hauled offsite: |
| ENHR Permit #: | |
| GSW Permit #: | Operator Name: |
| | Lease Name: License #: |
| Spud Date or Date Reached TD Completion Date or | Quarter Sec Twp S. R East West |
| Recompletion Date Recompletion Date | County: Permit #: |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY | |
|---------------------------------|--|
| Confidentiality Requested | |
| Date: | |
| Confidential Release Date: | |
| Wireline Log Received | |
| Geologist Report Received | |
| UIC Distribution | |
| ALT I II III Approved by: Date: | |