Confidentiality Requested:

Yes No

## Kansas Corporation Commission Oil & Gas Conservation Division

1248978

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City:	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
□ Oil □ WSW □ SWD □ SIOW	Producing Formation:
Gas D&A ENHR SIGW	Elevation: Ground: Kelly Bushing:
OG GSW Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
☐ Commingled     Permit #:       ☐ Dual Completion     Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	Location of fluid disposal if flauled offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec. Twp. S. R. East West
Recompletion Date Recompletion Date	County: Permit #:

## **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I II III Approved by: Date:					

1248978	

Operator Name:				Lease I	Name: _			Well #:	
Sec Twp	S. R	East	West	County	:				
open and closed, flow and flow rates if gas to	ow important tops of foing and shut-in pressu o surface test, along w	res, whe ith final c	ther shut-in pre chart(s). Attach	essure reac extra shee	hed stati et if more	c level, hydrost space is need	atic pressures, b ed.	ottom hole tempe	erature, fluid recovery
•	g, Final Logs run to ob d in LAS version 2.0 o					ngs must be em	alled to kcc-well	-logs@kcc.ks.gov	v. Digital electronic lo
Drill Stem Tests Taken (Attach Additional S		Ye	es No		L		ion (Top), Depth		Sample
Samples Sent to Geol	logical Survey	☐ Ye	es 🗌 No		Nam	е		Тор	Datum
Cores Taken Electric Log Run		☐ Ye	es No						
List All E. Logs Run:									
		Repo	CASING ort all strings set-o	RECORD	Ne		ction, etc.		
Purpose of String	Size Hole Drilled	Siz	ze Casing t (In O.D.)	Weig	ght	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	. CEMENTII	NG / SQL	JEEZE RECORI	)		
Purpose:	Depth Top Bottom	Туре	of Cement	# Sacks	Used		Type and	d Percent Additives	
Protect Casing Plug Back TD Plug Off Zone									
Does the volume of the to	ulic fracturing treatment or otal base fluid of the hydra ing treatment information	ulic fractu	uring treatment ex		•	Yes Yes Yes Yes	No (If No,	skip questions 2 an skip question 3) fill out Page Three	•
Shots Per Foot			RD - Bridge Plug Each Interval Perl				acture, Shot, Ceme Amount and Kind of	ent Squeeze Record	d Depth
TUBING RECORD:	Size:	Set At:		Packer A	t:	Liner Run:	Yes 1	No	
Date of First, Resumed	Production, SWD or ENH	R.	Producing Meth	nod:	g 🗌	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours	Oil B	bls.	Gas	Mcf	Wate	er I	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITIO	ON OF GAS:		N Open Hole	METHOD OF		Comp. Co	ommingled bmit ACO-4)	PRODUCTIO	DN INTERVAL:
(If vented, Sub	omit ACO-18.)		Other (Specify)		(Cabillit)		- Link A00-4)		

Form	ACO1 - Well Completion			
Operator	Running Foxes Petroleum Inc.			
Well Name	Groves 7-32A-4			
Doc ID	1248978			

## Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	12.25	8.625	23	20	Common	6	N/A
Production	6.75	2.875	4.5	663	Common	125	N/A



Cement, Acid, or Tools Service Ticket

Ticket # Date: PS 05 3/27/2015

CHARGE T	C
----------	---

CHANGE 10.				
ADDRESS: 1690 155 th St	CITY_Ft Scott Ks_		STATE_KS_ZIP66701	
LEASE & WELI Groves 7-32A-4	CONTRACTOR_	_Running Fo	xes	
KIND OF JOB: Long String	SEC.32	TWP.27	RNG	22
DIR. TO LOC.:				

Quantity		Material	Used		Serv. Charge	
125 Sx	Potland Cemer	nt				
22 BBl	Fresh Water					
1	2 7/8 Rubbuer	Pump Down	ı Plug			
5.87 Ton	BULK CHARGE					
30	BULK TRK. MILES					
30	PUMP TRK MILES					
2	WATER TRK HRS					
	PLUGS					
					SALES TAX	
					TOTAL	
T.D.	687'		CSG SET AT	662'	VOLUME	
SIZE HOLE	6.75"		TBG SET AT		VOLUME	
MAX PRESS.			PIPE SIZE	2 7/	<b>'</b> 8	
PLUG DEPTH	l		PKER DEPTH			
PLUG USED			TIME FINISHED	5:30 PI		
REMARKS:		ition Start M	ixing Cement Wa	sh Up Pum	p Down Plu	g Close
	well In					
		EQUIPMEI	NT USED			
NAME:		UNIT NO.#		NAME:		UNIT#
Robert Hixo		Pump True		Preston S	pencer	Bulck Truck
Justin Harve	У	Water Tru	<u>c</u> k			
Tunesco Ren Sigr	naturo		_	Owners Ren	Cignatura	

Tunesco Rep Signature

Owners Rep Signature

	Tunesco Well Service							
Operator:	Running Foxes Petroleum	Well Number:	Groves 7-32A-4					
Spud Date:	3/11/2015 Completion Date:	3/13/2015 <b>Bit Size</b> : 6 3/4"	Surface Size: 8 5/8" @20					
Depth	Lithology	Remarks	Casing Tally					
0-19	CLAY/SOIL		31.35					
19-30	LIMESTONE		29.75					
30-61	SHALE/SANDTONE		31.1					
61-78	LIMESTONE		32.3					
78-82	SHALE		30.8					
82-86	LIMESTONE		29.95					
86-152	SHALE		32.7					
152-155	LIMESTONE		32.5					
155-162	SHALE		31.65					
162-198	LIMESTONE	PAWNEE	31.6					
198-204	BLACK SHALE	ANNA	30.6					
204-207	SHALE		32.5					
207-208	LIMESTONE		30.75					
208-214	SHALE		32.6					
214-215	LIMESTONE		30.2					
215-256	SHALE		31.2					
256-275	LIMESTONE	FORT SCOTT	32.6					
275-281	SHALE		32					
281-285	LIMESTONE	OSWEGO	32.9					
285-295	SHALE/LIME		31.15					
295-298	BLACK SHALE		32.6					
298-300	SHALE							
300-315	SHALE/SAND	SQUIRREL (NO SHOW)						
315-385	SHALE							
385-390	BLACK SHALE							
390-396	SHALE							
396-398	LIMESTONE	ARDMORE						
398-420	SHALE							
420-425	COAL							
425-585	SHALE							
585-593	SAND	BARTLESVILLE (POOR SHOW/ODOR)						
593-618	SAND	Good show, heavy bleed						
618-687	SHALE							
687	LIMESTONE							
		Total Longstring	: 662.8					
		1 float shoe						
		3 centralizers						
		5 centralizers						