

For KC0	C Use:
Effective	Date:
District #	#
SGA?	Yes No

SGA?

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

•			Spot Description:
	month	day yea	Sec. Twp. S. R E W
OPERATOR: License#			(Q/Q/Q/Q) feet from N / S Line of Section
Name:			fact from F / W Line of Section
Address 1:			LOSSOTION D. L. D. L. O.
Address 2:			
City:			(
Contact Person:			County: Well #:
Phone:			
CONTRACTOR: License#			Field Name: Is this a Prorated / Spaced Field? Yes \ No
Name:			
			Target Formation(s):
Well Drilled For:	Well Class.	Type Equipme	tr: Ground Surface Elevation:feet MSI
Oil Enh F	Rec Infield	Mud Rota	·V
Gas Stora	ge Pool E	ext. Air Rotar	Water well within one-quarter mile: Yes No
Dispo		at Cable	Public water supply well within one mile: Yes N
Seismic ;# (Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OWWO: old well	information as follo	ows.	Surface Pipe by Alternate: III
			Length of Surface Pipe Planned to be set:
Operator:			
Original Completion Da	ate:	Original Total Depth:	
o: .:			Water Source for Drilling Operations:
Directional, Deviated or Ho			No Well Farm Pond Other:
If Yes, true vertical depth: _			DVVK FEITIIL #.
Bottom Hole Location:			(Note: Apply for Fernit Wild DVV)
KCC DKT #:			Will Cores be taken?
			If Yes, proposed zone:
			AFFIDAVIT
The undersigned hereby	affirms that the dr	illing, completion and	AFFIDAVIT eventual plugging of this well will comply with K.S.A. 55 et. seg.
-			AFFIDAVII eventual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the follow	ving minimum req	uirements will be met:	eventual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the follow 1. Notify the appropri	ving minimum req ate district office	uirements will be met:	eventual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the follow 1. Notify the appropri 2. A copy of the appropri	ving minimum req ate district office <i>p</i> oved notice of inte	uirements will be met: prior to spudding of went to drill shall be pos	eventual plugging of this well will comply with K.S.A. 55 et. seq. II; ed on each drilling rig;
It is agreed that the follow 1. Notify the appropri 2. A copy of the appro 3. The minimum amo	ving minimum req ate district office <i>p</i> oved notice of inte unt of surface pip	uirements will be met: prior to spudding of we ent to drill shall be pose e as specified below s	eventual plugging of this well will comply with K.S.A. 55 et. seq. II; the don each drilling rig; thall be set by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the follow 1. Notify the appropri 2. A copy of the appro 3. The minimum amo through all uncons	ving minimum req ate district office <i>p</i> oved notice of inte unt of surface pip olidated materials	uirements will be met: prior to spudding of went to drill shall be pose as specified below s plus a minimum of 20	eventual plugging of this well will comply with K.S.A. 55 et. seq. II; the don each drilling rig; thall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.
It is agreed that the follow 1. Notify the appropri 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho	ving minimum req ate district office poved notice of inte unt of surface pip olidated materials le, an agreement	uirements will be met: prior to spudding of went to drill shall be pose as specified below so plus a minimum of 20 between the operator	eventual plugging of this well will comply with K.S.A. 55 et. seq. II; the don each drilling rig; thall be set by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the follow 1. Notify the appropri 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE	ving minimum requate district office poved notice of integrated into the virtual of surface pipolidated materials le, an agreement strict office will be II COMPLETION,	uirements will be met: prior to spudding of went to drill shall be pose as specified below so plus a minimum of 20 between the operator notified before well is production pipe shall	eventual plugging of this well will comply with K.S.A. 55 et. seq. II; the don each drilling rig; thall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; be either plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 DAYS of spud date.
It is agreed that the follow 1. Notify the appropri 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App	ving minimum requate district office poved notice of integrated into the virtual of surface pipolidated materials le, an agreement strict office will be II COMPLETION, pendix "B" - Easter	uirements will be met: prior to spudding of went to drill shall be pose as specified below so plus a minimum of 20 between the operator notified before well is production pipe shall on Kansas surface case	eventual plugging of this well will comply with K.S.A. 55 et. seq. II; the don each drilling rig; thall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 DAYS of spud date. The production of this well will comply with K.S.A. 55 et. seq.
It is agreed that the follow 1. Notify the appropri 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App	ving minimum requate district office poved notice of integrated into the virtual of surface pipolidated materials le, an agreement strict office will be II COMPLETION, pendix "B" - Easter	uirements will be met: prior to spudding of went to drill shall be pose as specified below so plus a minimum of 20 between the operator notified before well is production pipe shall on Kansas surface case	eventual plugging of this well will comply with K.S.A. 55 et. seq. II; the don each drilling rig; thall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; be either plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 DAYS of spud date.
It is agreed that the follow 1. Notify the appropri 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App	ving minimum requate district office poved notice of integrated into the virtual of surface pipolidated materials le, an agreement strict office will be II COMPLETION, pendix "B" - Easter	uirements will be met: prior to spudding of went to drill shall be pose as specified below so plus a minimum of 20 between the operator notified before well is production pipe shall on Kansas surface case	eventual plugging of this well will comply with K.S.A. 55 et. seq. II; the don each drilling rig; thall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 DAYS of spud date. The production of this well will comply with K.S.A. 55 et. seq.
1. Notify the appropri 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate of the completed	ving minimum requate district office poved notice of integrate unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, bendix "B" - Easter within 30 days of	uirements will be met: prior to spudding of went to drill shall be pose as specified below so plus a minimum of 20 between the operator notified before well is production pipe shall on Kansas surface case	eventual plugging of this well will comply with K.S.A. 55 et. seq. II; the don each drilling rig; thall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; the either plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropri 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App	ving minimum requate district office poved notice of integrate unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, bendix "B" - Easter within 30 days of	uirements will be met: prior to spudding of went to drill shall be pose as specified below so plus a minimum of 20 between the operator notified before well is production pipe shall on Kansas surface case	eventual plugging of this well will comply with K.S.A. 55 et. seq. II; the don each drilling rig; thall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; the either plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropri 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Appropriate die ubmitted Electrol	ving minimum requate district office poved notice of integrate unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, bendix "B" - Easter within 30 days of	uirements will be met: prior to spudding of went to drill shall be pose as specified below so plus a minimum of 20 between the operator notified before well is production pipe shall on Kansas surface case	eventual plugging of this well will comply with K.S.A. 55 et. seq. II; the don each drilling rig; thall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; the either plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropri 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate of the completed	ving minimum requate district office poved notice of integrate unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, bendix "B" - Easter within 30 days of	uirements will be met: prior to spudding of went to drill shall be pose as specified below so plus a minimum of 20 between the operator notified before well is production pipe shall on Kansas surface case	eventual plugging of this well will comply with K.S.A. 55 et. seq. II; red on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing vell shall be plugged. In all cases, NOTIFY district office prior to any cementing.
t is agreed that the follow 1. Notify the appropri 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Appropriate die must be completed.	ving minimum requate district office poved notice of integrate unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, bendix "B" - Easter within 30 days of	uirements will be met: prior to spudding of went to drill shall be pose as specified below so plus a minimum of 20 between the operator notified before well is production pipe shall on Kansas surface cases the spud date or the	Il; ted on each drilling rig; thall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; beither plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 DAYS of spud date. The plugged of production cases, NOTIFY district office prior to any cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
It is agreed that the follow 1. Notify the appropri 2. A copy of the appropri 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate of the completed	ving minimum requate district office poved notice of integrated materials le, an agreement strict office will be II COMPLETION, bendix "B" - Easter within 30 days of mically	uirements will be met: prior to spudding of went to drill shall be pose as specified below so plus a minimum of 20 between the operator notified before well is production pipe shall on Kansas surface cases the spud date or the	ll; ted on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropri 2. A copy of the appropri 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Appropriate die 6. Use only Conductor pipe required	ving minimum requate district office poved notice of integrated and of surface pipolidated materials le, an agreement strict office will be II COMPLETION, pendix "B" - Easter within 30 days of mically	uirements will be met: prior to spudding of went to drill shall be pose as specified below so plus a minimum of 20 between the operator notified before well is production pipe shall ren Kansas surface case the spud date or the spudding feet	ll; ted on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropri 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approver to the completed of the complete of the complet	ving minimum requate district office poved notice of integrate unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, bendix "B" - Easter within 30 days of mically	uirements will be met: prior to spudding of went to drill shall be pose as specified below so plus a minimum of 20 between the operator notified before well is production pipe shall on Kansas surface case the spud date or the feet feet per ALT.	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to filed proration orders;
It is agreed that the follow 1. Notify the appropri 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Appropriate to the completed of	ving minimum requate district office poved notice of integrate unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, bendix "B" - Easter within 30 days of mically	uirements will be met: prior to spudding of went to drill shall be pose as specified below so plus a minimum of 20 between the operator notified before well is production pipe shall on Kansas surface case the spud date or the feet feet per ALT.	ll; ted on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Agent:

Spud date: _

- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:
Signature of Operator or Agent:	

Side Two



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
_ease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
	Section corner used:INEINVVSESVV
DI	.AT
	ease or unit boundary line. Show the predicted locations of
	uired by the Kansas Surface Owner Notice Act (House Bill 2032).
rou may attach a se	parate plat if desired.
	:
	LEGEND
	O Well Location
	: <u> </u>
	Tank Battery Location
	P
	Electric Line Location
	Lease Road Location
	EXAMPLE : :
7	
	1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

165 ft.

1320 FMARD CO.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

253209

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Pit is: Proposed If Existing, date con Pit capacity: Trea? Yes	Existing nstructed: (bbls)	SecTwpR East West West Feet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee		
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining scluding any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Type of materia	ver and Haul-Off Pits ONLY: Il utilized in drilling/workover: king pits to be utilized: procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	e closed within 365 days of spud date.
Submitted Electronically			
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No



Kansas Corporation Commission Oil & Gas Conservation Division

1253209

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-	1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	_ Well Location:
Name:	
Address 1:	
Address 2:	
City: State: Zip:+	_ If filing a Form T-1 for multiple wells on a lease, enter the legal description or
Contact Person:	the lease helow:
Phone: () Fax: ()	_
Email Address:	-
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	accepts and in the real estate preparts toy records of the accepts traceurer
City: State: Zip:+	_
are preliminary non-binding estimates. The locations may be entered Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form	ank batteries, pipelines, and electrical lines. The locations shown on the plated on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Be Act (House Bill 2032), I have provided the following to the surface the located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form mobeing filed is a Form C-1 or Form CB-1, the plat(s) required by this
form; and 3) my operator name, address, phone number, fax	, and email address.
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this less of the surface owner by filling out the top section of this form and the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ing fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.
Submitted Electronically	
I	

MARK F. DollAR LEASE SECTION 7-255-22ES 1155 3795 3465 2310 511 4620 3630 3300 3135 2970 2805 2640 49 47 445 4290 4125 39 2475 980 815 320 485 650 60 00 U 00 CI FNL 0 165 330 NW NW NE NE NW NE NW N NW NW NW NE NW NW NW NE NW NE NE NW 495 NE NW NW 660 NW NE NW 825 SE NW NW SW NE NW SE NE NW SW NW NE SE NW NE SW N 990 SW NW NW 1155 NE/4 NW/4 1320 1485 NW SW NW NE SW NW NW SE NW NE SE NW NW SW NE NE SW NE "NW'S 1650 1815 SW SW SE 1980 NE NW NW 2145 SW SW NW SE SW NW SW SE NW SE SE NW SW SW NE SE SW NE 2310 2475 640 SECTION 2640 Acres 2805 NW NW SW ... NE NW SW ... NW NE SW ... NE NE SW ... NW NW SE ... NE NW SE 2970 3135 NW NE 3300 SE SW SW 3465 SE NW SW SW NE SW SE NE SW SW NW SE SE NW SE SW N 3630 ...SW NW SW ... 3795 SE/4 SW/4 3960 4125 NW SW SW NE SW SW NW SE SW NE SE SW I NW SW SE NE SW SE 4290 4455 SW SE SW 4620 SE SW SW 4785 T-SW-S SE SW SE SE SE SW SW SW SE SW SE SW 4950SW:SW:SW... SE'SW'SW 2 5115 5280 630 25 3465 066 300 3960 0 495 320 980 999 330 75 20 297 00 10 3 4 6

This document was created with Win2PDF available at http://www.win2pdf.com. The unregistered version of Win2PDF is for evaluation or non-commercial use only. This page will not be added after purchasing Win2PDF.