



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Vincent Oil Corp.

34-28s-23w Ford Ks.

155 N. Market, Ste. 700
Wichita Ks. 67202

Keough#3-34

Job Ticket: 59738

DST#: 2

ATTN: Tom Dudgeon

Test Start: 2015.02.01 @ 02:21:47

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

7800 ppm

Viscosity: 65.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 10.39 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 7800.00 ppm

Filter Cake: 0.20 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
80.00	Drig.mud	1.122

Total Length: 80.00 ft

Total Volume: 1.122 bbl

Num Fluid Samples: 0

Num Gas Bombs: 1

Serial #: gp-2

Laboratory Name: Caraway

Laboratory Location: Liberal, KS

Recovery Comments:



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

GAS RATES

Vincent Oil Corp.

34-28s-23w Ford Ks.

155 N. Market, Ste. 700
Wichita Ks. 67202

Keough#3-34

Job Ticket: 59738

DST#: 2

ATTN: Tom Dudgeon

Test Start: 2015.02.01 @ 02:21:47

Gas Rates Information

Temperature: 59 (deg F)
Relative Density: 0.65
Z Factor: 0.8

Gas Rates Table

Flow Period	Elapsed Time	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
1	10	0.38	19.00	122.35
1	20	0.38	22.00	133.34
1	30	0.38	23.00	137.00
2	1	0.38	17.00	115.03
2	20	0.25	14.00	45.05
2	45	0.25	14.00	45.05

