



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Vincent Oil Corp.

34-28s-23w Ford Ks.

155 N. Market, Ste. 700
Wichita Ks. 67202

Keough#3-34

Job Ticket: 59739

DST#: 3

ATTN: Tom Dudgeon

Test Start: 2015.02.01 @ 21:17:03

GENERAL INFORMATION:

Formation: **Conglomerate**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 00:18:18

Time Test Ended: 07:09:48

Test Type: Conventional Bottom Hole (Reset)

Tester: Gary Pevoteaux

Unit No: 80

Interval: 5180.00 ft (KB) To 5206.00 ft (KB) (TVD)

Reference Elevations: 2539.00 ft (KB)

Total Depth: 5206.00 ft (KB) (TVD)

2527.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Fair

KB to GR/CF: 12.00 ft

Serial #: 8352 Outside

Press@RunDepth: 33.46 psig @ 5181.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2015.02.01

End Date:

2015.02.02

Last Calib.:

2015.02.02

Start Time: 21:17:08

End Time:

07:09:48

Time On Btm:


2015.02.02 @ 00:16:48

Time Off Btm:

2015.02.02 @ 04:51:33

TEST COMMENT: IF:Strong blow . B.O.B. in 15 secs.
IS:Fair blow . 3 - 6".
FF:Strong blow . B.O.B. in 5 secs. GTS in 27 mins. TSTM
FS:Fair to strong blow . B.O.B.

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2590.24	102.62	Initial Hydro-static
2	36.09	104.91	Open To Flow (1)
31	28.84	108.03	Shut-In(1)
90	835.23	109.10	End Shut-In(1)
90	33.68	109.06	Open To Flow (2)
151	33.46	111.09	Shut-In(2)
274	1030.50	112.87	End Shut-In(2)
275	2586.09	112.26	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
50.00	Drig.mud	0.70

* Recovery from multiple tests

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

Vincent Oil Corp.

34-28s-23w Ford Ks.

155 N. Market, Ste. 700
Wichita Ks. 67202

Keough#3-34

Job Ticket: 59739

DST#: 3

ATTN: Tom Dudgeon

Test Start: 2015.02.01 @ 21:17:03

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

7400 ppm

Viscosity: 65.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 10.39 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 7400.00 ppm

Filter Cake: 0.20 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
50.00	Drig.mud	0.701

Total Length: 50.00 ft Total Volume: 0.701 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #: none

Laboratory Name:

Laboratory Location:

Recovery Comments:

