

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

SGA?

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

### **NOTICE OF INTENT TO DRILL**

			Spot Description:
	month day	year	
OPERATOR: License#			feet from N / S Line of Section
			feet from E / W Line of Section
ddress 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip:		County:
Contact Person:			Lease Name: Well #:
hone:			Field Name:
CONTRACTOR: License#			Is this a Prorated / Spaced Field?
lame:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class: Type	Equipment:	Ground Surface Elevation:feet MS
Oil Enh R	Rec Infield	Mud Rotary	Water well within one-quarter mile:
Gas Storag	ge Pool Ext.	Air Rotary	
Dispo		Cable	,
Seismic ;# c			Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OWWO: old well	information as follows:		Surface Pipe by Alternate: II III
			Length of Surface Pipe Planned to be set:
Operator:			Length of Conductor Pipe (if any):
			Projected Total Depth:
Original Completion Da	ate: Original Total	Depth:	
Directional Devicted or He	rizontal wallhara?	Yes No	Water Source for Drilling Operations:
Directional, Deviated or Hol	nzontai welibore?		Well Farm Pond Other:
•			DWR Permit #:
			(Note: Apply for Permit with DWR )
			Will Cores be taken?
			If Yes, proposed zone:
		AF	FIDAVIT
The undersigned hereby a	affirms that the drilling, comple		FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq.
	affirms that the drilling, comple	etion and eventual pl	
It is agreed that the follow	ring minimum requirements wil	etion and eventual pl	
t is agreed that the follow  1. Notify the appropria	ring minimum requirements will attend district office <i>prior</i> to spude	etion and eventual pl Il be met: ding of well;	ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro	ring minimum requirements wil ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i>	etion and eventual pl Il be met: ding of well; all be posted on eac	ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amount through all unconsor	ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minim	etion and eventual pl Il be met: ding of well; all be posted on each d below shall be se num of 20 feet into th	ugging of this well will comply with K.S.A. 55 et. seq.  h drilling rig; t by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amounthrough all unconso  4. If the well is dry hole	ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the	etion and eventual pl Il be met: ding of well; all be posted on each d below shall be se num of 20 feet into the operator and the dis	ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  the underlying formation.  the trict office on plug length and placement is necessary prior to plugging;
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amounthrough all unconso  4. If the well is dry hol  5. The appropriate dis	ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befo	etion and eventual plus be met:  ding of well;  all be posted on each discount be seen and feet into the operator and the discrete well is either plug	ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  the underlying formation.  the trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amounthrough all unconso  4. If the well is dry hol  5. The appropriate dis  6. If an ALTERNATE I	ring minimum requirements will ate district office <i>prior</i> to spudd oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production p	etion and eventual plus be met:  ding of well;  all be posted on each discovery before the posted on each discovery before the posted on each discovery before the posted on the discovery before the plus bef	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. thrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amounthrough all unconso  4. If the well is dry hol  5. The appropriate dis  6. If an ALTERNATE I  Or pursuant to App	ring minimum requirements will ate district office <i>prior</i> to spudd oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su	etion and eventual plus be met:  ding of well;  all be posted on each discovery before the posted on each discovery before the posted on each discovery before the posted on the discovery before the plug ipe shall be cementurface casing order #	ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  the underlying formation.  the trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ring minimum requirements will ate district office <i>prior</i> to spudd oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su	etion and eventual plus be met:  ding of well;  all be posted on each discovery before the posted on each discovery before the posted on each discovery before the posted on the discovery before the plug ipe shall be cementurface casing order #	h drilling rig; thy circulating cement to the top; in all cases surface pipe <i>shall be set</i> the underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; and from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amounthrough all unconso  4. If the well is dry hol  5. The appropriate dis  6. If an ALTERNATE I  Or pursuant to App	ring minimum requirements will ate district office <i>prior</i> to spudd oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su	etion and eventual plus be met:  ding of well;  all be posted on each discovery before the posted on each discovery before the posted on each discovery before the posted on the discovery before the plug ipe shall be cementurface casing order #	h drilling rig; thy circulating cement to the top; in all cases surface pipe <i>shall be set</i> the underlying formation. trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ted from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amouthrough all unconso  4. If the well is dry hol  5. The appropriate dis  6. If an ALTERNATE I  Or pursuant to Appmust be completed	ring minimum requirements will atte district office <i>prior</i> to spudo oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da	etion and eventual plus be met:  ding of well;  all be posted on each discovery before the posted on each discovery before the posted on each discovery before the posted on the discovery before the plug ipe shall be cementurface casing order #	h drilling rig; thy circulating cement to the top; in all cases surface pipe <i>shall be set</i> the underlying formation. trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ted from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amouthrough all unconso  4. If the well is dry hol  5. The appropriate dis  6. If an ALTERNATE I  Or pursuant to Appmust be completed	ring minimum requirements will atte district office <i>prior</i> to spudo oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da	etion and eventual plus be met:  ding of well;  all be posted on each discovery before the posted on each discovery before the posted on each discovery before the posted on the discovery before the plug ipe shall be cementurface casing order #	th drilling rig; the prior to the top; in all cases surface pipe shall be set the underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amouthrough all unconso  4. If the well is dry hol  5. The appropriate dis  6. If an ALTERNATE I  Or pursuant to Appmust be completed	ring minimum requirements will atte district office <i>prior</i> to spudo oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da	etion and eventual plus be met:  ding of well;  all be posted on each discovery before the posted on each discovery before the posted on each discovery before the posted on the discovery before the plug ipe shall be cementurface casing order #	th drilling rig; the circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE IOr pursuant to Appmust be completed  ubmitted Electror  For KCC Use ONLY	ring minimum requirements will atte district office <i>prior</i> to spudoved notice of intent to drill <i>she</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da	etion and eventual plus be met:  ding of well;  all be posted on each discovery before the posted on each discovery before the posted on each discovery before the posted on the discovery before the plug ipe shall be cementurface casing order #	th drilling rig; the vicinculating cement to the top; in all cases surface pipe shall be set the underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  ubmitted Electror  For KCC Use ONLY  API # 15 -	ring minimum requirements will atte district office <i>prior</i> to spudo oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da	etion and eventual plus be met: ding of well; all be posted on each discovery before the posted of the plug ipe shall be cemented the plug ipe shall be p	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
t is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE IOr pursuant to Appmust be completed  ubmitted Electror  For KCC Use ONLY  API # 15 -	ring minimum requirements will atte district office <i>prior</i> to spudoved notice of intent to drill <i>she</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da	etion and eventual plus be met: ding of well; all be posted on each discovery before the posted of the plug ipe shall be cemented the plug ipe shall be p	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
t is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  ubmitted Electror  For KCC Use ONLY  API # 15 Conductor pipe required	ring minimum requirements will atte district office <i>prior</i> to spudo oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da	etion and eventual plants be met:  ding of well;  all be posted on each discovery be p	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
t is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  ubmitted Electror  For KCC Use ONLY  API # 15 -  Conductor pipe required -  Minimum surface pipe required -	ring minimum requirements will atte district office <i>prior</i> to spuddoved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas sur within 30 days of the spud data inically	etion and eventual plus be met:  ding of well;  all be posted on each discovery between the posted on each discovery between the period of the plus between the period between the perio	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  ubmitted Electror  For KCC Use ONLY  API # 15 -  Conductor pipe required - Minimum surface pipe required Approved by:	ring minimum requirements will atte district office <i>prior</i> to spudd oved notice of intent to drill <i>sha</i> unt of surface pipe as specified plidated materials plus a minim le, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud data inically	etion and eventual plus be met:  ding of well;  all be posted on each discovery between the posted on each discovery between the period of the plus between the period between the perio	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set le underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE IOr pursuant to Appmust be completed  ubmitted Electror  For KCC Use ONLY  API # 15  Conductor pipe required Minimum surface pipe required Approved by:  This authorization expires	ring minimum requirements will atte district office <i>prior</i> to spudd oved notice of intent to drill <i>sha</i> unt of surface pipe as specified plidated materials plus a minim le, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud data inically	etion and eventual plus be met:  ding of well;  all be posted on each discovery be per ALT. I I II	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set le underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: \_

Side Two



For KCC Use ONLY	
API # 15	_

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage:	
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
D	N AT
	PLAT lease or unit boundary line. Show the predicted locations of
•	quired by the Kansas Surface Owner Notice Act (House Bill 2032).
You may attach a s	separate plat if desired.
330 ft.	
0	2344 ft. LEGEND
	O Well Location
	Tank Battery Location
	Pipeline Location
	: Electric Line Location
	Lease Road Location
	:
	EXAMPLE : :
15	
	·······
	: SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



### Kansas Corporation Commission Oil & Gas Conservation Division

1253723

Form CDP-1
May 2010
Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A  Is the bottom below ground level?  Yes No  Pit dimensions (all but working pits):  Depth fro  If the pit is lined give a brief description of the line material, thickness and installation procedure.	Artificial Liner? Yes N Length (fee	(bbls)  No  lo epest point:	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty  Chloride concentration: mg/l
Distance to nearest water well within one-mile of	of pit:	. ,	west fresh water feet.
feet Dorth of water well	foot	Source of inform	mation:  well owner electric log KDWR
feet Depth of water well Emergency, Settling and Burn Pits ONLY:	feet		over and Haul-Off Pits ONLY:
Producing Formation:			Il utilized in drilling/workover:
Number of producing wells on lease:			king pits to be utilized:
Barrels of fluid produced daily:			procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No			e closed within 365 days of spud date.
Submitted Electronically			
	KCC (	OFFICE USE O	NLY  Liner Steel Pit RFAC RFAS
Date Received: Permit Numl	per:	Permi	t Date: Lease Inspection:



### Kansas Corporation Commission Oil & Gas Conservation Division

1253723

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East West
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tar are preliminary non-binding estimates. The locations may be entered a Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax,  I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface of task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.
form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	g fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.
Submitted Electronically	

NE. 1/4. SECTION 15. T25S. R13W STAFFORD COUNTY, KANSAS



<sup>\*</sup> Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

Elevations derived from National Geodetic Vertical Datum.

\*Ingress plat is opened t tenant d

June 1, 2015 Date .

Approximate section lines were determined using the normal standard of care of oilfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillisite location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Kansas Diffield Services, Inc., its officers and employees harmless from all losses, costs and expenses and said entities released from any liability from incidental or consequential damages

For KCC Use ONLY	
API # 15	


# IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Thomas Garner Inc.	Location of Well: County: Stafford  330 Feet from N / S Line of Section
Lease: Garner Well Number: 6	2,344 feet from X E / W Line of Section Sec. 15 Twp. 25 S. R. 13 E X W
Field: Leiss Northwest	Sec. 10 1Wp. 20 0. 1%.
Number of Acres attributable to well: 160  QTR/QTR/QTR/QTR of acreage: W2 - NW - NE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

### PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

June 11, 2015

Tom Garner Thomas Garner, Inc. 305 E 7TH ST JOHN, KS 67576-1652

Re: Drilling Pit Application Garner 6 NE/4 Sec.15-25S-13W Stafford County, Kansas

### Dear Tom Garner:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.