

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KC	C Use:
Effective	Date:
District #	#
SGA?	Yes No

SGA?

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# **NOTICE OF INTENT TO DRILL**

	month day	vear	Spot Description:
	monun uay	year	Sec Twp S. R 🔲 E
PERATOR: License#			feet from N / S Line of Sec
ame:			feet from E / W Line of Sec
ddress 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip:		County:
Contact Person:			Lease Name: Well #:
hone:			Field Name:
ONTRACTOR: License#			Is this a Prorated / Spaced Field?
ame:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class: Type	e Equipment:	Ground Surface Elevation:feet N
Oil Enh Re	ec Infield	Mud Rotary	Water well within one-quarter mile:
Gas Storag	pe Pool Ext.	Air Rotary	
Dispos		Cable	
Seismic ;# of			Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OWWO: old well i	nformation as follows:		Surface Pipe by Alternate: II III
			Length of Surface Pipe Planned to be set:
•			Length of Conductor Pipe (if any):
			Projected Total Depth:
Original Completion Dat	te: Original Total	I Depth:	Formation at Total Depth:
inactional Devictor or Hon	inantal wallhara 2	□ Voo □ No	Water Source for Drilling Operations:
Directional, Deviated or Hori	izontai welibore?	Yes No	Well Farm Pond Other:
			DWR Permit #:
			(Note: Apply for Permit with DWR )
			Will Cores be taken? Yes
			If Yes, proposed zone:
		AF	FIDAVIT
he undersigned hereby a	offirms that the drilling, compl		ugging of this well will comply with K.S.A. 55 et. seq.
-	affirms that the drilling, compling minimum requirements w	letion and eventual pl	agging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the followi	ing minimum requirements w	letion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
is agreed that the followi  1. Notify the appropria		letion and eventual pli rill be met: dding of well;	
t is agreed that the followi  1. Notify the appropriat  2. A copy of the approv  3. The minimum amou	ing minimum requirements wate district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specifie	letion and eventual plinill be met:  dding of well;  nall be posted on eached below shall be set	n drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b>
<ol> <li>is agreed that the followi</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amouthrough all unconso</li> </ol>	ing minimum requirements wate district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specificallidated materials plus a minir	letion and eventual plinill be met:  dding of well;  nall be posted on eached below shall be set mum of 20 feet into the	n drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.
<ol> <li>agreed that the followi</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hole</li> </ol>	ing minimum requirements wate district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specified didated materials plus a mining an agreement between the	letion and eventual plinill be met:  dding of well;  nall be posted on each ed below shall be set mum of 20 feet into the e operator and the dis	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging;
<ol> <li>is agreed that the followi</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dist</li> </ol>	ing minimum requirements wate district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specificalidated materials plus a minime, an agreement between the trict office will be notified before	letion and eventual plinill be met:  dding of well;  nall be posted on each ed below shall be set mum of 20 feet into the e operator and the dis ore well is either plug.	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
<ol> <li>is agreed that the followi</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dist</li> <li>If an ALTERNATE II</li> </ol>	ing minimum requirements wate district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specificalidated materials plus a minime, an agreement between the trict office will be notified before COMPLETION, production produ	letion and eventual plinill be met:  dding of well;  nall be posted on each ed below shall be set mum of 20 feet into the e operator and the dis ore well is either plug pipe shall be cemente	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging;
is agreed that the followi     Notify the appropriat     A copy of the appropriat     The minimum amouthrough all unconsol     If the well is dry hole     The appropriate dist     If an ALTERNATE II     Or pursuant to Appe	ing minimum requirements wate district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specified didated materials plus a mining, an agreement between the trict office will be notified before COMPLETION, production pendix "B" - Eastern Kansas su	letion and eventual plinill be met: dding of well; hall be posted on each below shall be set mum of 20 feet into the operator and the discore well is either plugpipe shall be cemente urface casing order #	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
t is agreed that the followi  1. Notify the appropriat 2. A copy of the appropriat 3. The minimum amouthrough all unconsof 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe	ing minimum requirements wate district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specified didated materials plus a mining, an agreement between the trict office will be notified before COMPLETION, production pendix "B" - Eastern Kansas su	letion and eventual plinill be met: dding of well; hall be posted on each below shall be set mum of 20 feet into the operator and the discore well is either plugpipe shall be cemente urface casing order #	In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the followi</li> <li>Notify the appropriat</li> <li>A copy of the appropriat</li> <li>The minimum amouthrough all unconsol</li> <li>If the well is dry hole</li> <li>The appropriate dist</li> <li>If an ALTERNATE II</li> <li>Or pursuant to Appear</li> </ol>	ing minimum requirements wate district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specified didated materials plus a mining, an agreement between the trict office will be notified before COMPLETION, production pendix "B" - Eastern Kansas su	letion and eventual plinill be met: dding of well; hall be posted on each below shall be set mum of 20 feet into the operator and the discore well is either plugpipe shall be cemente urface casing order #	In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
is agreed that the followi  1. Notify the appropria 2. A copy of the approv 3. The minimum amou through all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed	ing minimum requirements we te district office <i>prior</i> to spucy ved notice of intent to drill <i>sh</i> and of surface pipe as specifically specified in the specifical specified in the specified with the specified in the specified before the specified in the specifi	letion and eventual plinill be met: dding of well; hall be posted on each below shall be set mum of 20 feet into the operator and the discore well is either plugpipe shall be cemente urface casing order #	In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>agreed that the followi</li> <li>Notify the appropria</li> <li>A copy of the approx</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dist</li> <li>If an ALTERNATE II         Or pursuant to Appendix     </li> </ol>	ing minimum requirements we te district office <i>prior</i> to spucy ved notice of intent to drill <i>sh</i> and of surface pipe as specifically specified in the specifical sp	letion and eventual plinill be met: dding of well; hall be posted on each below shall be set mum of 20 feet into the operator and the discore well is either plugpipe shall be cemente urface casing order #	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  trict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.
1. Notify the appropriat 2. A copy of the appropriat 3. The minimum amouthrough all unconsot 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed  ubmitted Electron	ing minimum requirements we te district office <i>prior</i> to spucy ved notice of intent to drill <i>sh</i> and of surface pipe as specifically specified in the specifical sp	letion and eventual plinill be met: dding of well; hall be posted on each below shall be set mum of 20 feet into the operator and the discore well is either plugpipe shall be cemente urface casing order #	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
1. Notify the appropria 2. A copy of the approv 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed and the completed of the completed of the complete of t	ing minimum requirements we te district office <i>prior</i> to spucyed notice of intent to drill <i>sh</i> and of surface pipe as specificallidated materials plus a mining, an agreement between the trict office will be notified before COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud danically	letion and eventual place in the met:  dding of well;  nall be posted on each ed below shall be set mum of 20 feet into the experience of the place of the mum of 20 feet into the experience of the mum of 20 feet into the experience of the well is either plugpipe shall be cemented urface casing order # attein or the well shall be atteined to the well shall be atteined to the method of the met	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
is agreed that the followi  1. Notify the appropria 2. A copy of the approv 3. The minimum amou through all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed.  Ibmitted Electron  For KCC Use ONLY  API # 15 -	ing minimum requirements we atte district office <i>prior</i> to spucy ved notice of intent to drill <i>sh</i> and of surface pipe as specificallidated materials plus a mining, an agreement between the trict office will be notified before COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud data	letion and eventual place in the posted on each ed below shall be set mum of 20 feet into the operator and the discore well is either plugpipe shall be cemented urface casing order # ate or the well shall be	In drilling rig; In drilling rig; In by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. It is a specific to the KCC District 3 area, alternate II cementing is plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the followi  1. Notify the appropria  2. A copy of the approv  3. The minimum amouthrough all unconso  4. If the well is dry hole  5. The appropriate dist  6. If an ALTERNATE II  Or pursuant to Appermust be completed  Ibmitted Electron  For KCC Use ONLY  API # 15 -  Conductor pipe required —	ing minimum requirements we lite district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specified lidated materials plus a mining e, an agreement between the trict office will be notified before COMPLETION, production pendix "B" - Eastern Kansas st within 30 days of the spud data.	letion and eventual planill be met:  dding of well;  nall be posted on each ed below shall be set mum of 20 feet into the e operator and the dis ore well is either plug pipe shall be cemente urface casing order # ate or the well shall be eet	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
is agreed that the followi  1. Notify the appropria  2. A copy of the approv  3. The minimum amouthrough all unconso  4. If the well is dry hole  5. The appropriate dist  6. If an ALTERNATE II  Or pursuant to Appermust be completed  Ibmitted Electron  For KCC Use ONLY  API # 15 -  Conductor pipe required —	ing minimum requirements we atte district office <i>prior</i> to spucy ved notice of intent to drill <i>sh</i> and of surface pipe as specificallidated materials plus a mining, an agreement between the trict office will be notified before COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud data	letion and eventual planill be met:  dding of well;  nall be posted on each ed below shall be set mum of 20 feet into the e operator and the dis ore well is either plug pipe shall be cemente urface casing order # ate or the well shall be eet	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing by plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
is agreed that the followi  1. Notify the appropria 2. A copy of the approv 3. The minimum amou through all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe must be completed  Ibmitted Electron  For KCC Use ONLY  API # 15 -  Conductor pipe required —  Minimum surface pipe required	ing minimum requirements we lite district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specified lidated materials plus a mining e, an agreement between the trict office will be notified before COMPLETION, production pendix "B" - Eastern Kansas st within 30 days of the spud data.	letion and eventual place in the posted on each ed below shall be set mum of 20 feet into the experience of the posted on each ed below shall be set mum of 20 feet into the experience of the place of the place of the place of the well is either place or the well shall be eater or the well shall be eet the per ALT.	re drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appearust be completed  Jubmitted Electron  For KCC Use ONLY  API # 15 -  Conductor pipe required  Minimum surface pipe required  Approved by:	ing minimum requirements we te district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specificalliated materials plus a minime, an agreement between the trict office will be notified before COMPLETION, production pendix "B" - Eastern Kansas so within 30 days of the spud days	letion and eventual place in the posted on each ed below shall be set mum of 20 feet into the experience of the posted on each ed below shall be set mum of 20 feet into the experience of the place of the place of the place of the well is either place or the well shall be eater or the well shall be eet the per ALT.	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropria 2. A copy of the approva 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appearust be completed  Submitted Electron  For KCC Use ONLY  API # 15  Conductor pipe required  Minimum surface pipe required  Approved by:  This authorization expires:	ing minimum requirements we te district office <i>prior</i> to spuce ved notice of intent to drill <i>sh</i> and of surface pipe as specificalliated materials plus a minime, an agreement between the trict office will be notified before COMPLETION, production pendix "B" - Eastern Kansas so within 30 days of the spud days	letion and eventual planil be met: dding of well; nall be posted on each deal below shall be set mum of 20 feet into the experience of the well shall be experienced or the well shall be eat or the we	re drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: \_



For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:				Location of Well: County:				
Lease:				feet from N / S Line of Section				
Well Numb	oer:					feet from E / W Line of Section		
Field:					SecTwpS. R			
					Is Section:	Regular or Irregular		
QIR/QIR	QIR/QIR 0I acii	eage ַ	<u> </u>					
						Irregular, locate well from nearest corner boundary.		
					Section corne	er used: NE NW SE SW		
				PL				
			-			dary line. Show the predicted locations of		
	lease roads, tar	ik batteries, pipel			-	sas Surface Owner Notice Act (House Bill 2032).		
	800	ft.	You ma	y attach a sep	arate plat if des	irea.		
				•	:	]		
					:			
		: :	:	:	:	LEGEND		
650 ft.				:		O Well Location		
300 11.				:	:	Tank Battery Location		
	:	: :	:	:	:	Pipeline Location		
	:	: :	:	:	:	Electric Line Location		
				:		Lease Road Location		
		· · · · · · · · · · · · · · · · · · ·						
	:	: :		:	:			
				:	:	EXAMPLE : :		
	:	: :	:	:	<u>:</u>			
			15	:				
					:	: : : :		
	•••••		•••••		•••••			
				•		:		
	:	: :	·····	·	:	: : :		
	:	: : :	:	:	:	1980' FSL		
					:			
	:	:	:					
	:	: :	:	:	:			
				:	: :	:         : : :		
	:	<u>: : : : : : : : : : : : : : : : : : : </u>	:	:	:	SEMAND CO. 3330 FEL		

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

254435

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:    Emergency Pit   Burn Pit	Pit is:	Fuinting	 Sec. Twp R			
Emergency Pit Burn Pit  Settling Pit Drilling Pit	Proposed  If Existing, date con	Existing				
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from North / South Line of SectionFeet from East / West Line of Section			
		(bbls)	County			
Is the pit located in a Sensitive Ground Water A	rea? Yes 1	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?  Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits			
Depth fro	om ground level to dee	pest point:	(feet) No Pit			
If the pit is lined give a brief description of the line material, thickness and installation procedure.	ner		dures for periodic maintenance and determining any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallowest fresh water feet. Source of information:				
feet Depth of water well	feet	measured well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all splow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS						
Date Received: Permit Numb	ber:	Permi	it Date: Lease Inspection: Yes No			



## Kansas Corporation Commission Oil & Gas Conservation Division

1254435


Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent)			
OPERATOR: License #	Well Location:			
Name:				
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of			
Contact Person:	the lease below:			
Phone: ( ) Fax: ( )				
Email Address:				
Surface Owner Information:				
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.			
Address 1:				
Address 2:				
City:				
the KCC with a plat showing the predicted locations of lease roads, tan	odic Protection Borehole Intent), you must supply the surface owners and the batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.			
☐ I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.			
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this s of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.			
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP	g fee with this form. If the fee is not received with this form, the KSONA-1 -1 will be returned.			
Submitted Electronically				
I	_			



TRANS PACIFIC OIL CORPORATION BUTCH 'A' /#1-15 Sec. 15-7s-21w Graham County, Kansas



**Notice:** Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

Bill Robinson

## Kansas Corporation Commission Oil & Gas Conservation Division

#### 1155001

✓ Employee of Operator or ☐ Operator on above-described well,

Form CP-4
March 2009
Type or Print on this Form
Form must be Signed
All blanks must be Filled

#### WELL PLUGGING RECORD K.A.R. 82-3-117

OPERATOR: License #: 34559				API No. 15 - 15-065-23484-00-00			
Name: WM KS Energy Resources LLC				Spot Description:			
Address 1: P.O. Box H				NE_SW_NW_NW_Sec. 15_ Twp. 7 S_R. 21_ East West			
Address 2:					800 Feet from North / South Line of Section		
City: Plainville State: KS Zip: 67663 +				650 Feet from East / West Line of Section			
Contact Person: Bill Robinson				Footages Calculated from Nearest Outside Section Corner:			
Phone: (785) 688-4040				NE ✓ NW SE SW			
Type of Well: (Check one) 🗹 Oil Well 🔲 Gas Well 🔲 OG 🔲 D&A 📗 Cathodic				County: Graham			
Water Supply Well         □ Other: □ SWD Permit #: □				Lease Name: BUTCH Well #: 1			
ENHR Permit#:         Gas Storage Permit#:				Date Well Completed: 11/15/2008			
Is ACO-1 filed? 🗸 Yes 🗌 No If not, is well log attached? 📗 Yes 📗 No				The pluggi	ng proposal was appro	oved on: 08/02/2013 (Date)	
Producing Formation(s): List A				by: Rich Williams (KCC District Agent's Name)			
Toronto Depth to	Top: <u>3372</u> Bottor	m: <u>3374</u> T.D. <u>3742</u>		Plugging Commenced: 08/08/2013			
Depth to	·	m: T.D			completed: 08/08		
Depth to	Top: Bottor	m:T.D					
Show depth and thickness of a	Ill water, oil and gas forma	tions.					
Oil, Gas or Water	-		Casing I	Record (Surfa	ce, Conductor & Produc	ition)	
Formation	Content	Casing	Size		Setting Depth	Pulled Out	
Toronto	oil and water	Surface	8.625		221	0	
		Production	5.5		3742	0	
Describe in detail the manner cement or other plugs were us		•				ds used in introducing it into the hole. If	
Ran tbg to 3,340', pgel. Pulled tbg to 1	oumped 11 sks o I,784', mixed and pipe and pumpe	of gel, mixed and p d pumped 175 sks ed 50 sks, pressur	oumpoumpound of 60 ed to	ed 200# 0/40 poz	hulls w/ 50 sk + 5% gel. Ce	s of 60/40 poz + 5% ment circ to surface. In head and cut off 5'	
				ne: ALLIED CEMENT COMPANY			
Address 1: 612 N CLA	Y AVE		Address	2:			
city: _MEDICINE LODGE				_ State: _KS	5	zip: <u>67104</u> +	
Phone: (620 ) 793-58	861			-			
Name of Party Responsible for			s, LLC	)			
State of Kansas County, Graham				, SS.			

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

(Print Name)