

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1255988

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | API No. 15 | | | |
|---|--|--|--|--|
| Name: | Spot Description: | | | |
| Address 1: | SecTwpS. R 🔲 East 🗌 West | | | |
| Address 2: | Feet from North / South Line of Section | | | |
| City: State: Zip:+ | Feet from _ East / _ West Line of Section | | | |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: | | | |
| Phone: () | □NE □NW □SE □SW | | | |
| CONTRACTOR: License # | GPS Location: Lat:, Long: | | | |
| Name: | (e.g. xx.xxxxx) (e.gxxx.xxxxx) | | | |
| Wellsite Geologist: | Datum: NAD27 NAD83 WGS84 | | | |
| Purchaser: | County: | | | |
| Designate Type of Completion: | Lease Name: Well #: | | | |
| ☐ New Well ☐ Re-Entry ☐ Workover | Field Name: | | | |
| Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows: | Producing Formation: Elevation: Ground: Kelly Bushing: Feet Total Vertical Depth: Plug Back Total Depth: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet | | | |
| Operator: | If Alternate II completion, cement circulated from: | | | |
| Well Name: | feet depth to:w/sx cmt. | | | |
| Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Plug Back Conv. to GSW Conv. to Producer Commingled Permit #: Dual Completion Permit #: SWD Permit #: | Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) Chloride content: ppm Fluid volume: bbls Dewatering method used: Location of fluid disposal if hauled offsite: | | | |
| ☐ ENHR Permit #: ☐ GSW Permit #: | Operator Name: | | | |
| | Lease Name: License #: | | | |
| Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date | Quarter Sec. Twp. S. R. East West County: Permit #: | | | |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY |
|-----------------------------|
| Confidentiality Requested |
| Date: |
| Confidential Release Date: |
| Wireline Log Received |
| Geologist Report Received |
| UIC Distribution |
| ALT I II Approved by: Date: |



Page Two

| Operator Name: | | | | _ Lease l | Name: _ | | | Well #: | | |
|--|--|---------------------------------------|---------------------------|--------------------------|------------------------|-------------------------------------|--------------------------|------------------|----------------|---------------------|
| Sec Twp | S. R | East \ | West | County | : | | | | | |
| INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to | ring and shut-in pres o surface test, along | sures, whether s with final chart(| shut-in pre s). Attach | ssure reac extra shee | hed stati t if more | c level, hydrosta space is neede | tic pressures, bot d. | tom hole temp | erature, flui | d recovery, |
| Final Radioactivity Lo- files must be submitte | | | | | | ogs must be ema | iled to kcc-well-lo | gs@kcc.ks.go | v. Digital el | ectronic log |
| Drill Stem Tests Taker (Attach Additional S | | Yes | ☐ No | | _ | | on (Top), Depth ar | | | mple |
| Samples Sent to Geo | logical Survey | Yes | No | | Nam | е | | Тор | Da | tum |
| Cores Taken Electric Log Run | | Yes Yes | ☐ No ☐ No | | | | | | | |
| List All E. Logs Run: | | | | | | | | | | |
| | | | CASING | | ☐ Ne | | | | | |
| | | 1 | | | | ermediate, product | | T | _ | |
| Purpose of String | Size Hole Drilled | Size Cas Set (In O | | Weig Lbs./ | | Setting Depth | Type of Cement | # Sacks Used | | d Percent itives |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | AD | DITIONAL | CEMENTIN | NG / SQL | JEEZE RECORD | | | | |
| Purpose: | Depth Top Bottom | Type of Ce | ement | # Sacks | Used | | Type and P | ercent Additives | | |
| Perforate Protect Casing | 100 20111111 | | | | | | | | | |
| Plug Back TD Plug Off Zone | | | | | | | | | | |
| 1 lug 0 li 20110 | | | | | | | | | | |
| Did you perform a hydrau | ulic fracturing treatment | on this well? | | | | Yes | No (If No, ski | p questions 2 ar | nd 3) | |
| Does the volume of the to | | | | | | | | p question 3) | | |
| Was the hydraulic fractur | ing treatment information | on submitted to the | e chemical c | disclosure re | gistry? | Yes | No (If No, fill | out Page Three | of the ACO-1 |) |
| Shots Per Foot | | ION RECORD - I | | | | | cture, Shot, Cement | | d | Depth |
| | | | | | | , | | , | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| TUBING RECORD: | Size: | Set At: | | Packer A | t: | Liner Run: | | | | |
| | | | | | | | Yes No | | | |
| Date of First, Resumed | Production, SWD or Ef | | ducing Meth Flowing | od: | g 🗌 | Gas Lift (| Other (Explain) | | | |
| Estimated Production Per 24 Hours | Oil | Bbls. | Gas | Mcf | Wate | er B | bls. 0 | as-Oil Ratio | | Gravity |
| DISPOSITIO | ON OF GAS: | | N/ | 1ETHOD OF | COMPLE | TION: | | PRODUCTION |)N INTER\/^ | 1. |
| Vented Sold | | Open I | _ | Perf. | Dually | Comp. Cor | mmingled | THODOCTIC | ZIN IIN I ERVA | L. |
| | bmit ACO-18.) | Other | (Specific) | | (Submit) | | mit ACO-4) | | | |

| Form | ACO1 - Well Completion | | | |
|-----------|------------------------|--|--|--|
| Operator | Laymon Oil II, LLC | | | |
| Well Name | Coffield 22-15 | | | |
| Doc ID | 1255988 | | | |

Tops

| Name | Тор | Datum |
|---------------------|-----|-------|
| Soil | 0 | 15 |
| Shale | 15 | 40 |
| Lime | 40 | 90 |
| Shale | 90 | 110 |
| Lime | 110 | 175 |
| Black Shale | 175 | 180 |
| Lime | 180 | 270 |
| Sandy Lime | 270 | 300 |
| Lime | 300 | 345 |
| Black Shale | 345 | 348 |
| Lime | 348 | 515 |
| Sandy Lime | 515 | 520 |
| Lime | 520 | 540 |
| Big Shale | 540 | 670 |
| Lime/Shale | 670 | 780 |
| Lime | 780 | 820 |
| Black Shale | 820 | 822 |
| Shale | 822 | 859 |
| Black Shale | 859 | 862 |
| 5' Lime | 862 | 866 |
| Black Shale | 866 | 868 |
| Upper Squirrel Sand | 868 | 883 |
| Shale | 883 | 910 |
| Cap Rock | 910 | 911 |
| | | • |

| Form | ACO1 - Well Completion | |
|-----------|------------------------|--|
| Operator | Laymon Oil II, LLC | |
| Well Name | Coffield 22-15 | |
| Doc ID | 1255988 | |

Tops

| Name | Тор | Datum |
|---------------------|-----|-------|
| Shale | 911 | 912 |
| Cap Rock | 912 | 913 |
| Lower Squirrel Sand | 913 | 933 |
| Shale | 933 | 1020 |

C A

THE NEW KLEIN LUMBER COMPANY 201 W. MADISON

P.O. BOX 865 IOLA, KS 66749

IULA, KS 66749 PHONE: (620) 365-2201

TIME EXTENSION 383994 10:32 DOC# 383994 ***** 1, 898, 68 DATE 98.88 1836.88 1890.00 CRUR 9/30/14 PRICE/PER 9.45 /EA CLERK HON-TAXABLE 9/36/14 TERM 1 SUBTOTAL TAXABLE 661 IOLA IOLA UNITS 냀 8,00 2,048,76 8,00 98 TERMS NET 10TH OF MONTH DEL. DATE: LECTION IN TEX ** ORDER ** ORDER ** ORDER ** ORDER ** ORDER * ** PAYMENT RECEIVED ** DESCRIPTION ** DEPOSIT AMOUNT ** ** BALANCE DUE ** REFERENCE PORTLAND CEMENT 0000 10,01 AND 12-14 10 DEC. 17 A & B 12-14 10 south BIT 10 0 I - L 27-14 10 Dacks hee 210-14- 110 packs JOB NO. PURCHASE ORDER NO. 28-15 SKU 43-17 1-14 KS 66758 品品 ORDERED UN RECEIVED BY 4 PODE 1998 SQUIRREL RD LAYMEN OIL II NEDSHO FALLS CUSTOMER NO. CHIPPED 3447 20

IE-R. Call Epicor Business Products @ 800-857-4275

158.76

TAX PEGINT

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588 NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

LEASE: COFFIELD

54 W TO QUAIL RD (6MI PAST)

| TIME | FORMULA | LOAD SIZE | YARDS ORDERED | | DRIVER/TRUCK | % Air | PLANT/TRANSACTION # |
|---------|----------|-----------|---------------|--------|--------------|-------|---------------------|
| 2:17 PM | WELL | 16.00 | 16.00 | | 1C 35 | | WOOCO |
| DATE | PO NUMBE | LOAD# | YARDS DEL. | BATCH# | WATER TRIM | SLUMP | TICKET NUMBER |
| | | | | | | | |

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

WELL#82-

CONCRETE'S A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

CODE

A \$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$60/HR.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IP DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relevely him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, diseases, curbs, etc., by the delivery of this material; and that you can also agree to help him amove much from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

4:00 in

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

UNIT PRICE

EXTENDED PRICE

16.00

QUANTITY

. 4

16.00 2.50

| RETURNED TO PLANT | LEFT JOB | FINISH UNLOADING | DELAY EXPLANATION/CYLINDER TEST TAKEN | TIME ALLOWED |
|-------------------|--------------|--|--|--------------|
| | | 321 | JOB NOT READY 6. TRUCK BROKE DOWN 7. ACCIDENT TRUCK AHEAD ON JOB 8. CITATION | 1/2 |
| LEFT PLANT | ARRIVED JOB | START UNLOADING | CONTRACTOR BROKE DOWN OTHER ADDED WATER | TIME DUE |
| 239 | 302 | | | |
| TOTAL ROUND TRIP | TOTAL AT JOB | UNLOADING TIME | | DELAY TIME |
| | | | | |
| | | The state of the s | | |

DESCRIPTION

7.15

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2

GRAND TOTAL