

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:			
Effective	Date:			
District #				
SGA?	Yes	No		

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# **NOTICE OF INTENT TO DRILL**

•	month	day	vear	Spot Description:	
	monur	uay	year	Sec Twp S. R	E \
PERATOR: License#				foot from   N /   S line	of Section
ame:					of Section
ddress 1:				Is SECTION: Regular Irregular?	
ddress 2:					
City:		•		County:	
Contact Person:				Lease Name: Well #:	
hone:				Field Name:	
CONTRACTOR: License#				Is this a Prorated / Spaced Field?	es No
lame:				Target Formation(s):	
Well Drilled For:	Well Class	. Type F	quipment:	Nearest Lease or unit boundary line (in footage):	
				Ground Surface Elevation:	_feet MS
Oil Enh F		=	lud Rotary ir Rotary		es N
Dispo	~ <del> </del>		able		es 🔲 N
Seismic ;# o				Depth to bottom of fresh water:	
Other:				Depth to bottom of usable water:	
				Surface Pipe by Alternate: I II	
If OWWO: old well	information as follo	ows:		Length of Surface Pipe Planned to be set:	
Operator:				Length of Conductor Pipe (if any):	
Well Name:				Projected Total Depth:	
Original Completion Da	ate:	Original Total De	epth:	_ Formation at Total Depth:	
				Water Source for Drilling Operations:	
Directional, Deviated or Ho			Yes No	Well Farm Pond Other:	
f Yes, true vertical depth: _				DWR Permit #:	
Bottom Hole Location:				( <b>Note:</b> Apply for Permit with DWR)	
(CC DKT #:				Will Golds be taken:	es N
				If Yes, proposed zone:	
			AF	FIDAVIT	
The undersigned hereby	affirms that the di	rilling, completion		*FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq.	
			on and eventual p		
t is agreed that the follow	ving minimum req	uirements will b	on and eventual poe met:		
	ving minimum req	uirements will b	on and eventual poe met:	lugging of this well will comply with K.S.A. 55 et. seq.	
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amo	ving minimum requate district office poved notice of integrate of surface pip	uirements will be prior to spuddirent to drill shall be as specified by	on and eventual poe met:  ng of well;  I be posted on each below shall be se	lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be set	
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amo through all unconsor	ving minimum requate district office poved notice of integrate of surface pipolidated materials	uirements will b prior to spuddir ent to drill shall e as specified b s plus a minimu	on and eventual p be met: ng of well; I be posted on each below shall be se m of 20 feet into the	lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.	
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amo through all unconso  4. If the well is dry ho	ving minimum req ate district office poved notice of inte unt of surface pip blidated materials le, an agreement	uirements will be prior to spudding to drill shall be as specified be plus a minimulative of the option of the opt	on and eventual poe met:  Ing of well;  I be posted on each pelow shall be seem of 20 feet into the perator and the dispersion and dispersio	lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging.	g;
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amo through all uncons  4. If the well is dry ho  5. The appropriate dis	ving minimum requate district office poved notice of integrated pipelidated materials le, an agreement strict office will be	uirements will be prior to spudding to drill shall be as specified be splus a minimulative the open the open outfied before	on and eventual poe met:  Ing of well; Ing of well ing of well ing of well is either plug	lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in;	
<ol> <li>t is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amothrough all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE I</li> </ol>	ving minimum requate district office poved notice of integrated into the surface pipolidated materials le, an agreement strict office will be I COMPLETION,	uirements will be prior to spudding to drill shall be as specified be splus a minimulative the open the open to differ the production pipeling production producti	on and eventual poe met:  Ing of well;  I be posted on each pelow shall be seem of 20 feet into the perator and the dise well is either pluge shall be cement	lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging.	e.
<ol> <li>t is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amonthrough all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE In Or pursuant to Appropriate of the App</li></ol>	ving minimum requate district office poved notice of integrated into the properties of the properties	uirements will be prior to spudding to drill shall be as specified be plus a minimulative the open to differ the production pipern Kansas surfa	on and eventual poe met:  Ing of well; Ing of well be seen of 20 feet into the perator and the district well is either pluge shall be cement acce casing order #	lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.	e. iing
<ol> <li>t is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amonthrough all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE In our pursuant to Appropriate of the Ap</li></ol>	ving minimum requate district office poved notice of integrated into the properties of the properties	uirements will be prior to spudding to drill shall be as specified be plus a minimulative the open to differ the production pipern Kansas surfa	on and eventual poe met:  Ing of well; Ing of well be seen of 20 feet into the perator and the district well is either pluge shall be cement acce casing order #	lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement	e. iing
<ol> <li>s agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum among through all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE In Or pursuant to Appropriate of the Appr</li></ol>	ving minimum requate district office poved notice of integrated into the surface pipolidated materials le, an agreement strict office will be II COMPLETION, pendix "B" - Easter	uirements will be prior to spudding to drill shall be as specified be plus a minimulative the open to differ the production pipern Kansas surfa	on and eventual poe met:  Ing of well; Ing of well be seen of 20 feet into the perator and the district well is either pluge shall be cement acce casing order #	lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement	e. iing
1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis  Or pursuant to Appropriate dispute	ving minimum requate district office poved notice of integrate unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, endix "B" - Easte I within 30 days of	uirements will be prior to spudding to drill shall be as specified be plus a minimulative the open to differ the production pipern Kansas surfa	on and eventual poe met:  Ing of well; Ing of well be seen of 20 feet into the perator and the district well is either pluge shall be cement acce casing order #	lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement	e. iing
1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis  Or pursuant to Appropriate dispute	ving minimum requate district office poved notice of integrate unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, endix "B" - Easte I within 30 days of	uirements will be prior to spudding to drill shall be as specified be plus a minimulative the open to differ the production pipern Kansas surfa	on and eventual poe met:  Ing of well; Ing of well be seen of 20 feet into the perator and the district well is either pluge shall be cement acce casing order #	ch drilling rig; It by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.  Strict office on plug length and placement is necessary <b>prior to plugging</b> aged or production casing is cemented in; ed from below any usable water to surface within <b>120 DAYS</b> of spud date \$133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.	e. iing
1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis  Or pursuant to Appropriate dispute	ving minimum requate district office poved notice of integrate unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, endix "B" - Easte I within 30 days of	uirements will be prior to spudding to drill shall be as specified be plus a minimulative the open to differ the production pipern Kansas surfa	on and eventual poe met:  Ing of well; Ing of well be seen of 20 feet into the perator and the district well is either pluge shall be cement acce casing order #	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging goed or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement the plugged. In all cases, NOTIFY district office prior to any cementing.	e. ing
1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed	ving minimum requate district office poved notice of integrate unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, endix "B" - Easte I within 30 days of	uirements will be prior to spudding to drill shall be as specified be splus a minimule between the open notified before production pipern Kansas surfaft the spud date	on and eventual poe met:  Ing of well; Ing of well be seen of 20 feet into the perator and the district well is either pluge shall be cement acce casing order #	ch drilling rig; It by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.  Strict office on plug length and placement is necessary <b>prior to plugging</b> aged or production casing is cemented in; ed from below any usable water to surface within <b>120 DAYS</b> of spud date \$133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.	e. ing
1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed  Ubmitted Electroi  For KCC Use ONLY  API # 15 -	ving minimum requate district office poved notice of integrated materials le, an agreement strict office will be II COMPLETION, sendix "B" - Easte II within 30 days on iically	uirements will be prior to spudding to drill shall be as specified be splus a minimule between the openotified before production pipern Kansas surfaft the spud date	on and eventual poe met:  Ing of well;  I be posted on each pelow shall be seem of 20 feet into the perator and the dise well is either pluge shall be cement ace casing order # or the well shall be	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging goed or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notific	e. ing
1. Notify the appropria 2. A copy of the appropria 3. The minimum amosthrough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis 6. If completed  Ibmitted Electroi  For KCC Use ONLY  API # 15  Conductor pipe required	ving minimum requate district office poved notice of integrated materials le, an agreement strict office will be I COMPLETION, rendix "B" - Easter within 30 days of the completion of the compl	uirements will be prior to spuddirent to drill shall e as specified be splus a minimulative between the open officed before production pipern Kansas surfat the spud date	on and eventual poe met:  Ing of well;  I be posted on each pelow shall be seem of 20 feet into the perator and the dise well is either pluge shall be cement ace casing order # or the well shall be	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging goed or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;	e. ing
1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis 9. Or pursuant to Appropriate dis 1. Or pursuant to Appropriate dispension of the completed dispension of the completed dispension of the complete dispension	ving minimum requate district office poved notice of integrated unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, bendix "B" - Easte II within 30 days of the complete of the complet	uirements will be prior to spuddirent to drill shall e as specified be splus a minimule between the open of the production pipern Kansas surfate the spud date	on and eventual poe met:  Ing of well;  I be posted on each pelow shall be seem of 20 feet into the perator and the district well is either pluge shall be cement acce casing order # or the well shall be contained to the well shall be certained to t	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging goed or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;	e. ing
1. Notify the appropria 2. A copy of the appropria 3. The minimum amo through all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed  Ubmitted Electron  For KCC Use ONLY  API # 15  Conductor pipe required	ving minimum requate district office poved notice of integrated unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, bendix "B" - Easte II within 30 days of the complete of the complet	uirements will be prior to spuddirent to drill shall e as specified be splus a minimule between the open of the production pipern Kansas surfate the spud date	on and eventual poe met:  Ing of well;  I be posted on each pelow shall be seem of 20 feet into the perator and the district well is either pluge shall be cement acce casing order # or the well shall be contained to the well shall be certained to t	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging goed or production casing is cemented in;  ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;	e. ing ation
1. Notify the appropria 2. A copy of the appropria 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis Computed Electron  For KCC Use ONLY  API # 15  Conductor pipe required  Minimum surface pipe recompleted by:  This authorization expires	ving minimum requate district office poved notice of integrated provided in the control of surface pipolidated materials le, an agreement strict office will be II COMPLETION, rendix "B" - Easter I within 30 days of the control of t	uirements will be prior to spuddirent to drill shall be as specified be splus a minimule tween the open totified before production pipern Kansas surfate the spud date	on and eventual poe met:  Ing of well; I be posted on each pelow shall be seem of 20 feet into the perator and the dise well is either pluge shall be cement acce casing order # or the well shall be certain the well shall be ce	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging to production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days)	e. ing ation
1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Approved by conductor pipe required.  Minimum surface pipe reconductor by:	ving minimum requate district office poved notice of integrated provided in the control of surface pipolidated materials le, an agreement strict office will be II COMPLETION, rendix "B" - Easter I within 30 days of the control of t	uirements will be prior to spuddirent to drill shall be as specified be splus a minimule tween the open totified before production pipern Kansas surfate the spud date	on and eventual poe met:  Ing of well; I be posted on each pelow shall be seem of 20 feet into the perator and the dise well is either pluge shall be cement acce casing order # or the well shall be certain the well shall be ce	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging goed or production casing is cemented in;  ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;	e. e. eiing ation



For KCC Use ONLY	
API # 15	_

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: _					Location of	Well: County: _	
Lease:							feet from N / S Line of Section
Well Numb	er:						feet from E / W Line of Section
Field:					Sec	Twp	S. R
					Is Section:	Regular	or Irregular
					If Section is Section con		ate well from nearest corner boundary.  NE NW SE SW
			pipelines and elec	e to the nearest le	uired by the Kar	nsas Surface O	w the predicted locations of wner Notice Act (House Bill 2032).
2310 ft		:					LEGEND
							O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
			13			EX	AMPLE : : : : :
							1980' FSL
						 SEWA	ARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

256067

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:		Pit Location (QQQQ):			
Type of Pit:  Emergency Pit  Burn Pit  Proposed  If Existing, date cons  Workover Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water Area?  Yes  No  Pit dimensions (all but working pits):  Length (feet)  Depth from ground level to deep  If the pit is lined give a brief description of the liner		(bbls)  No  lo epest point:	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty  Chloride concentration: mg/l		
material, thickness and installation procedure.  Distance to nearest water well within one-mile of	of pit:	. ,	west fresh water feet.		
feet Dorth of water well	foot	Source of information:  measured well owner electric log KDWR			
feet Depth of water well Emergency, Settling and Burn Pits ONLY:	feet				
Producing Formation:		Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:			
Does the slope from the tank battery allow all splow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
	KCC	OFFICE USE O	NLY  Liner Steel Pit RFAC RFAS		
Date Received: Permit Number:		Permi	t Date: Lease Inspection:		



## Kansas Corporation Commission Oil & Gas Conservation Division

1256067

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #			
Name:	· — —		
Address 1:	•		
Address 2:	Lease Name: Well #:		
City:         State:         +	the lease heless.		
Phone: ( ) Fax: ( )			
Email Address:	-		
Surface Owner Information:			
Name:			
Address 1:	owner information can be found in the records of the register of deeds for the		
Address 2:			
City: State: Zip:+	_		
are preliminary non-binding estimates. The locations may be entered	ank batteries, pipelines, and electrical lines. The locations shown on the plat If on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
Select one of the following:			
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.		
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.		
Submitted Electronically			
I			

## The surface owners in connection with the

Commerford #1-13 SWD are: Sec. 13-15S-3W Saline Co., KS

Donald C. Commerford & Catherine B. Commerford, h/w 2829 East Ray Avenue Salina, KS 67402

William R. Commerford & Patricia K. Commerford, h/w 152 Aspen Road Salina, KS 67402

Philip E. Commerford Trust No. 1 dated 6/1/1998, Saba Ann Commerford LaRandeau, Trustee 3917 N. 161st St. Omaha, NE 68116

Robert K. Commerford 5803 Pendlton Place Drive Sugarland, TX 77479

For KCC Use ONLY	
API # 15	-

Operator: \_

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: \_\_\_

SEWARD CO. 3390' FEL

ease:		feet from N / S Line of Section
/ell Number:		feet from E / W Line of Section
ield:	Sec	Twp S. R
umber of Acres attributable to well: TR/QTR/QTR/QTR of acreage:	is section.	Regular or Irregular
		Irregular, locate well from nearest corner boundary.  or used: NE NW SE SW
	PLAT Show footage to the nearest lease or unit bound nes and electrical lines, as required by the Kans	
330	You may attach a separate plat if desi	
2310 ft.	•	LEGEND
		O Well Location Tank Battery Location Pipeline Location Electric Line Location
	42	Lease Road Location
	- 13	
		1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

## NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

July 29, 2015

Bob Blevins Mustang Fuel Corporation 9800 N. OKLAHOMA AVE. OKLAHOMA CITY, OK 73114-7406

Re: Drilling Pit Application Commerford 1-13 SWD NW/4 Sec.13-15S-03W Saline County, Kansas

#### Dear Bob Blevins:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (316) 630-4000.