

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1255298

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | | | API No. 15 | | | | |
|-------------------------------------|------------|---------------------|--|-------------------------|----------------------|--|--|
| Name: | | | Spot Description: | | | | |
| Address 1: | | | SecTwpS. R East West | | | | |
| Address 2: | | | Feet from North / South Line of Section | | | | |
| City: | State: Z | ip:+ | Fe | eet from East / | West Line of Section | | |
| Contact Person: | | | Footages Calculated from Nearest Outside Section Corner: | | | | |
| Phone: () | | | □NE □NW □SE □SW | | | | |
| CONTRACTOR: License # | | | GPS Location: Lat: | , Long: | | | |
| Name: | | | | (e.g. xx.xxxxx) | (e.gxxx.xxxxx) | | |
| Wellsite Geologist: | | | Datum: NAD27 | NAD83 WGS84 | | | |
| Purchaser: | | | County: | | | | |
| Designate Type of Completion: | | | Lease Name: | W | ell #: | | |
| New Well Re-Entry Workover | | | Field Name: | | | | |
| | _ | | Producing Formation: | | | | |
| Oil WSW SWD SIOW | | | Elevation: Ground: Kelly Bushing: | | | | |
| ∐ Gas | ☐ ENHR | ☐ SIGW ☐ Temp. Abd. | Total Vertical Depth: | Plug Back Total D | epth: | | |
| CM (Coal Bed Methane) | dow | Temp. Abd. | Amount of Surface Pipe Se | et and Cemented at: | Feet | | |
| Cathodic Other (Core, Expl., etc.): | | | Multiple Stage Cementing Collar Used? Yes No | | | | |
| If Workover/Re-entry: Old Well I | | | If yes, show depth set: | | | | |
| Operator: | | | If Alternate II completion, c | cement circulated from: | | | |
| Well Name: | | | feet depth to: | w/ | sx cmt. | | |
| Original Comp. Date: | | | | | | | |
| Deepening Re-perf | J | ENHR Conv. to SWD | Drilling Fluid Managemer | nt Plan | | | |
| Plug Back | Conv. to G | | (Data must be collected from to | | | | |
| Commingled | Permit # | | Chloride content: | ppm Fluid volume | : bbls | | |
| Dual Completion | | | Dewatering method used:_ | | | | |
| SWD | | | Location of fluid disposal if | hauled offsite: | | | |
| ENHR | Permit #: | | | | | | |
| GSW | Permit #: | | Operator Name: | | | | |
| | | | Lease Name: | | | | |
| Spud Date or Date R | eached TD | Completion Date or | Quarter Sec | TwpS. R | East West | | |
| Recompletion Date | | Recompletion Date | County: | Permit #: | | | |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY | | | | | |
|---------------------------------|--|--|--|--|--|
| Confidentiality Requested | | | | | |
| Date: | | | | | |
| Confidential Release Date: | | | | | |
| Wireline Log Received | | | | | |
| Geologist Report Received | | | | | |
| UIC Distribution | | | | | |
| ALT I II III Approved by: Date: | | | | | |



| Operator Name: | | | Lease Name: _ | | | Well #: | |
|--|-------------------------|--|--|---|----------------------|-------------------|-------------------------------|
| Sec Twp | S. R | East West | County: | | | | |
| open and closed, flowin | ng and shut-in pressu | formations penetrated. If ures, whether shut-in preview final chart(s). Attach | essure reached stati | c level, hydrosta | atic pressures, bot | | |
| | | otain Geophysical Data a or newer AND an image | | gs must be ema | ailed to kcc-well-lo | gs@kcc.ks.go | v. Digital electronic log |
| Drill Stem Tests Taken (Attach Additional Sh | neets) | ☐ Yes ☐ No | | | on (Top), Depth ar | | Sample |
| Samples Sent to Geolo | gical Survey | ☐ Yes ☐ No | Nam | е | | Тор | Datum |
| Cores Taken Electric Log Run | | ☐ Yes ☐ No ☐ Yes ☐ No | | | | | |
| List All E. Logs Run: | | | | | | | |
| | | CASING | RECORD Ne | w Used | | | |
| | | | conductor, surface, inte | | tion, etc. | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | |
| | | | | | | | |
| | | ADDITIONAL | CEMENTING / SQL | EEZE RECORD | 1 | | |
| Purpose: Depth Top Bottom Perforate Protect Casing Plug Back TD Plug Off Zone | | Type of Cement | # Sacks Used | Type and Percent Additives | | | |
| Did you perform a hydrauli | _ | on this well? raulic fracturing treatment ex | xceed 350,000 gallons | Yes[? Yes[| | ip questions 2 ai | nd 3) |
| Was the hydraulic fracturin | g treatment informatior | submitted to the chemical | disclosure registry? | Yes | No (If No, fill | out Page Three | of the ACO-1) |
| Shots Per Foot PERFORATION RECORD - Bridge Plug Specify Footage of Each Interval Per | | | gs Set/Type forated | Set/Type Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) | | | d Depth |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| TUBING RECORD: | Size: | Set At: | Packer At: | Liner Run: | Yes No | | |
| Date of First, Resumed P | roduction, SWD or EN | HR. Producing Met | | Gas Lift (| Other (Explain) | | |
| Estimated Production Per 24 Hours | Oil E | Bbls. Gas | Mcf Wat | er B | Bbls. C | Gas-Oil Ratio | Gravity |
| DISPOSITION Vented Sold (If vented, Subm | Used on Lease | Open Hole | METHOD OF COMPLE Perf. Dually (Submit) | Comp. Con | mmingled omit ACO-4) | PRODUCTIO | ON INTERVAL: |

| Form | ACO1 - Well Completion | | | |
|-----------|--|--|--|--|
| Operator | SandRidge Exploration and Production LLC | | | |
| Well Name | BRITT EOR 3406 1-20H | | | |
| Doc ID | 1255298 | | | |

Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | Weight | Setting Depth | Type Of Cement | Number of Sacks Used | Type and Percent Additives |
|----------------------|----------------------|-----------------------|--------|------------------|-------------------|----------------------------|---|
| Conductor | 24 | 20 | 75 | 112 | Class A | 50 | None |
| Surface | 12.25 | 9.625 | 36 | 747 | Class A | 380 | 280 Sks Class A Lead w/ 3% CaCl2, 0.25 lbm Poly-E- Flake, followed by 100 Sx, 2% CaCl2, 0.125 lbm Poly-E- Flake |
| Intermedia te | 9.63 | 7 | 29 | 5190 | Class A | 250 | N/A |
| Production | 7.63 | 4.5 | 11.6 | 9055 | Class A | 450 | 2% Bentonite, 0.4% Halad, 2 Ibm Kol- Seal |