



BASICSM
ENERGY SERVICES
PRESSURE PUMPING & WIRELINE

10244 NE Hwy. 61
P.O. Box 8613
Pratt, Kansas 67124
Phone 620-672-1201

FIELD SERVICE TICKET
1718 12409 A

DATE _____ TICKET NO. _____

| DATE OF JOB: 04-11-15 DISTRICT: Pratt KS | | NEW WELL <input checked="" type="checkbox"/> OLD WELL <input type="checkbox"/> PROD <input type="checkbox"/> INJ <input type="checkbox"/> WDW <input type="checkbox"/> CUSTOMER ORDER NO.: | | | | | | | |
|--|-----|--|-----|------------------|-----|----------------------------|----------------|-----|--------------|
| CUSTOMER: L.O. Drilling | | LEASE: Limited owned 1-31 WELL NO.: | | | | | | | |
| ADDRESS: | | COUNTY: DOVE | | STATE: KS | | | | | |
| CITY: _____ STATE: _____ | | SERVICE CREW: Sullivan, Egan, Green, Gibson | | | | | | | |
| AUTHORIZED BY: | | JOB TYPE: new longstrut | | | | | | | |
| EQUIPMENT# | HRS | EQUIPMENT# | HRS | EQUIPMENT# | HRS | TRUCK CALLED | DATE | APP | TIME |
| | | | | | | | 4-11-15 | | 5:00 |
| | | | | | | ARRIVED AT JOB | | AM | 10:45 |
| | | | | | | START OPERATION | | AM | 2:45 |
| | | | | | | FINISH OPERATION | | AM | 4:30 |
| | | | | | | RELEASED | | AM | 5:15 |
| | | | | | | MILES FROM STATION TO WELL | | | 170 |

CONTRACT CONDITIONS: (This contract must be signed before the job is commenced or merchandise is delivered).

The undersigned is authorized to execute this contract as an agent of the customer. As such, the undersigned agrees and acknowledges that this contract for services, materials, products, and/or supplies includes all of and only those terms and conditions appearing on the front and back of this document. No additional or substitute terms and/or conditions shall become a part of this contract without the written consent of an officer of Basic Energy Services LP.

SIGNED: *Michael W. White*
(WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)

| ITEM/PRICE REF. NO. | MATERIAL, EQUIPMENT AND SERVICES USED | UNIT | QUANTITY | UNIT PRICE | \$ AMOUNT |
|---------------------|---------------------------------------|------|----------|------------|-----------|
| CP 105 | AA-2 cont | sk | 175 | | 2,975.00 |
| CP 101 | A-coat cont | sk | 350 | | 6,300.00 |
| CP 103 | W/40/12 cont | sk | 30 | | 360.00 |
| CC 102 | Coll/Dave | lb | 138 | | 510.60 |
| CC 109 | Calcium chloride | lb | 1065 | | 1,118.25 |
| CC 111 | SALT | lb | 954 | | 477.00 |
| CC 113 | By Ramo | lb | 825 | | 618.75 |
| CC 129 | 100 3/2 | lb | 132 | | 990.00 |
| CC 201 | Filsort's | lb | 1050 | | 703.50 |
| CF 401 | Two stage cont collar 5 1/2 | ea | 1 | | 6,100.00 |
| CF 601 | Latex down plug a 80/10 | ea | 1 | | 850.00 |
| CF 1251 | Reddy Gill Hook Stone | ea | 1 | | 360.00 |
| CF 1651 | Tank | ea | 7 | | 770.00 |
| CF 1901 | Basket | ea | 2 | | 580.00 |
| CC 101 | muo flush | gal | 1000 | | 1,500.00 |
| SUB TOTAL | | | | | |

| CHEMICAL / ACID DATA: | | | |
|-----------------------|--|--|--|
| | | | |
| | | | |
| | | | |

| | | |
|---------------------|------------|------------------|
| SERVICE & EQUIPMENT | %TAX ON \$ | |
| MATERIALS | %TAX ON \$ | |
| TOTAL | | 16,000.00 |

SERVICE REPRESENTATIVE: *Robert Sullivan* THE ABOVE MATERIAL AND SERVICE ORDERED BY CUSTOMER AND RECEIVED BY: *Michael W. White*
(WELL OWNER OPERATOR CONTRACTOR OR AGENT)

FIELD SERVICE ORDER NO.



BASICSM
ENERGY SERVICES
PRESSURE PUMPING & WIRELINE

10244 NE Hwy. 61
P.O. Box 8613
Pratt, Kansas 67124
Phone 620-672-1201

FIELD SERVICE TICKET
1718 ~~12410~~ A

CONT

DATE _____ TICKET NO. 12409

| | | | | | | | | | |
|---|-----|--|-----|------------|-----|----------------------------|------|-------|------|
| DATE OF JOB <u>4-11-15</u> DISTRICT <u>Pratt Ks</u> | | NEW WELL <input checked="" type="checkbox"/> OLD WELL <input type="checkbox"/> PROD <input type="checkbox"/> INJ <input type="checkbox"/> WDW <input type="checkbox"/> CUSTOMER ORDER NO.: | | | | | | | |
| CUSTOMER <u>L.O. Orthing</u> | | LEASE <u>Limited access 1-31</u> WELL NO. | | | | | | | |
| ADDRESS | | COUNTY <u>DOUG</u> STATE <u>Ks</u> | | | | | | | |
| CITY STATE | | SERVICE CREW | | | | | | | |
| AUTHORIZED BY | | JOB TYPE: <u>CNW longstay</u> | | | | | | | |
| EQUIPMENT# | HRS | EQUIPMENT# | HRS | EQUIPMENT# | HRS | TRUCK CALLED | DATE | AM PM | TIME |
| | | | | | | ARRIVED AT JOB | | AM PM | |
| | | | | | | START OPERATION | | AM PM | |
| | | | | | | FINISH OPERATION | | AM PM | |
| | | | | | | RELEASED | | AM PM | |
| | | | | | | MILES FROM STATION TO WELL | | | |

CONTRACT CONDITIONS: (This contract must be signed before the job is commenced or merchandise is delivered).

The undersigned is authorized to execute this contract as an agent of the customer. As such, the undersigned agrees and acknowledges that this contract for services, materials, products, and/or supplies includes all of and only those terms and conditions appearing on the front and back of this document. No additional or substitute terms and/or conditions shall become a part of this contract without the written consent of an officer of Basic Energy Services LP.

SIGNED: [Signature]
(WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)

| ITEM/PRICE REF. NO. | MATERIAL, EQUIPMENT AND SERVICES USED | UNIT | QUANTITY | UNIT PRICE | \$ AMOUNT |
|---------------------|---------------------------------------|------|----------|------------|-----------|
| E 100 | pumps and | mi | 100 | | 450 00 |
| E 101 | Heavy grade air | mi | 300 | | 2,250 00 |
| E 113 | Bulk delivery time | mi | 2600 | | 6,500 00 |
| CE 205 | Depth charge 4,000-5,000 | SL | 1 | | 2,520 00 |
| CE 240 | Blowdown mixing | SL | 555 | | 777 00 |
| CE 504 | plug container Nitel | SL | 1 | | 250 00 |
| 9003 | Sodium Cyanide | SL | 1 | | 175 00 |
| SUB TOTAL | | | | | 37,135.10 |

| CHEMICAL / ACID DATA: | | | |
|-----------------------|--|--|--|
| | | | |
| | | | |
| | | | |

| | | |
|---------------------|------------|-----------|
| SERVICE & EQUIPMENT | %TAX ON \$ | |
| MATERIALS | %TAX ON \$ | |
| TOTAL | | 24,137.82 |

| | |
|---|---|
| SERVICE REPRESENTATIVE <u>[Signature]</u> | THE ABOVE MATERIAL AND SERVICE ORDERED BY CUSTOMER AND RECEIVED BY: <u>[Signature]</u> (WELL OWNER OPERATOR CONTRACTOR OR AGENT) |
|---|---|

FIELD SERVICE ORDER NO.

BASIC

energy services, L.P.

TREATMENT REPORT

| | | |
|-----------------------------------|------------------------------|--------------------------------------|
| Customer <i>L. D. Drilling</i> | Lease No. <i>Limited</i> | Date <i>04-11-15</i> |
| Lease <i>Limited</i> | Well # <i>1-31</i> | |
| Field Order # <i>12409</i> | Station <i>PRATT KS</i> | Casing <i>5 1/2</i> |
| | | Depth <i>4396'</i> |
| Type Job <i>CNW 5" Loring</i> | Formation <i>TD-4399'</i> | Legal Description <i>31-14-29</i> |
| | | County <i>GOVE</i> |
| | | State <i>KS</i> |

| PIPE DATA | | PERFORATING DATA | | FLUID USED | | TREATMENT RESUME | | |
|------------------------------|--------------|------------------|----|------------|------------|------------------|-------|------------------|
| Casing Size <i>5 1/2</i> | Tubing Size | Shots/Ft | | Acid | | RATE | PRESS | ISIP |
| Depth <i>4396</i> | Depth | From | To | Pre Pad | Max | | | 5 Min. |
| Volume <i>704</i> | Volume | From | To | Pad | Min | | | 10 Min. |
| Max Press <i>2,500</i> | Max Press | From | To | Frac | Avg | | | 15 Min. |
| Well Connection <i>PC</i> | Annulus Vol. | From | To | | HHP Used | | | Annulus Pressure |
| Plug Depth <i>4358'</i> | Packer Depth | From | To | Flush | Gas Volume | | | Total Load |

| | | |
|---|--------------------------------------|-----------------------------------|
| Customer Representative | Station Manager <i>DAVE SCOTT</i> | Treater <i>Robert Sullivan</i> |
| Service Units <i>37900 33702 20920 19960 19862 19923 19860</i> | | |
| Driver Names <i>Sullivan Springs GRAVES Gibson</i> | | |

| Time | Casing Pressure | Tubing Pressure | Bbls. Pumped | Rate | Service Log |
|--------------|-----------------|-----------------|--------------|------------|--|
| <i>10:45</i> | | | | | <i>on loc.</i> |
| | | | | | <i>cont. 1, 2, 3, 5, 7, 9, 58. Select 59-10"</i> |
| | | | | | <i>Run 5" 155 gpc w/ DL TOOL @ 2059'</i> |
| | | | | | <i>111 5# DL TO 59 38' shoe str.</i> |
| | | | | | <i>CASING ON BOTTOM @ 4396'</i> |
| <i>1:50</i> | | | | | <i>HOOK UP CIRC. Csg.</i> |
| <i>2:45</i> | | | <i>2F</i> | <i>3.5</i> | <i>St mud stat</i> |
| | | | <i>4</i> | | <i>St SPACER</i> |
| | | | | | <i>mix 175 sk AA-2. cont @ 14.6 gpg</i> |
| | <i>200</i> | | <i>50</i> | <i>5</i> | <i>cont mix @ shot down with Loring pump</i> |
| | | | <i>60</i> | <i>6</i> | <i>Release Plug</i> |
| | | | <i>44</i> | | <i>St Disp w/ 4"</i> |
| | | | | <i>4</i> | <i>St mud</i> |
| | | | | | <i>Slow Rate</i> |
| <i>3:30</i> | <i>1600</i> | | <i>104</i> | | <i>Stop down</i> |
| | | | | | <i>Release B. Check float.</i> |
| | | | | | <i>DROP P.V. OPEN TOOL</i> |
| | <i>900</i> | | <i>6</i> | | <i>OPEN O.V. TOOL</i> |
| <i>3:40</i> | | | | | <i>Hook Rig circ.</i> |
| | | | | | <i>Bottom Stage Complete</i> |
| | | | | | <i>THANK</i> |

BASIC

energy services, L.P.

TREATMENT REPORT

TOP STAGE 2 of 2

| | | |
|-----------------------------------|----------------------------|--------------------------------------|
| Customer <i>L.O. O'Neill</i> | Lease No. | Date <i>04-11-15</i> |
| Lease <i>limited O.W.W.U</i> | Well # <i>1-31</i> | |
| Field Order # <i>12409</i> | Station <i>Pratt KS</i> | Casing <i>5 1/2</i> |
| Type Job <i>CDW Andy St...</i> | Depth | County <i>GOVE</i> |
| | Formation | State <i>KS</i> |
| | | Legal Description <i>31-14-29</i> |

| PIPE DATA | | PERFORATING DATA | | FLUID USED | | TREATMENT RESUME | | |
|------------------------------|--------------|------------------|----|------------|------------|------------------|------------------|--|
| Casing Size | Tubing Size | Shots/Ft | | Acid | RATE | PRESS | ISIP | |
| <i>5 1/2</i> | | | | | | | | |
| Depth <i>2059'</i> | Depth | From | To | Pre Pad | Max | | 5 Min. | |
| Volume <i>49</i> | Volume | From | To | Pad | Min | | 10 Min. | |
| Max Press <i>2,500</i> | Max Press | From | To | Frac | Avg | | 15 Min. | |
| Well Connection <i>PC</i> | Annulus Vol. | From | To | | HHP Used | | Annulus Pressure | |
| Plug Depth | Packer Depth | From | To | Flush | Gas Volume | | Total Load | |

| | | |
|-------------------------|--------------------------------------|----------------------------------|
| Customer Representative | Station Manager <i>NAME Scott</i> | Treater <i>Robert Lull...</i> |
|-------------------------|--------------------------------------|----------------------------------|

| | | | | | | | | | |
|---------------|--|--|--|--|--|--|--|--|--|
| Service Units | | | | | | | | | |
| Driver Names | | | | | | | | | |

| Time | Casing Pressure | Tubing Pressure | Bbls. Pumped | Rate | Service Log |
|-------------|-----------------|-----------------|--------------|------------|--|
| | | | | | TOP STAGE c 2059' |
| <i>3:45</i> | <i>200</i> | | | | <i>St mixing cont 350 sk A-cw @ 11.6 PPg</i> |
| | | | <i>172</i> | <i>4.5</i> | <i>cont mixed shut down wash pump lift</i> |
| | | | | <i>6</i> | <i>Balance Plug</i> |
| | <i>250</i> | | | | <i>St Dip</i> |
| | | | | | <i>Lift</i> |
| <i>4:30</i> | <i>1600</i> | | <i>49</i> | <i>3.5</i> | <i>slow rate</i> |
| <i>4:50</i> | <i>1450</i> | | | | <i>plug down</i> |
| | | | | | <i>Close DV. Tool and check close</i> |
| | | | | | <i>Circ 25 Bbl cont P.t</i> |
| | | | | | <i>Plug RH w/ 3.14</i> |
| | | | | | <i>plug 11.4 w/ 10 sk</i> |
| | | | | | <i>Seals complete</i> |
| | | | | | <i>Frank J</i> |