

Summary Report



Sales Order #: 0902401703
 WO #: 0902401703
 PO/AFE #: NA

Crew: _____
 Job Start Date: 5/15/2015

Customer: TAPSTONE ENERGY LLC
 UWI / API Number: 15-077-22106-01
 Well Name: ROGER 19-33-7
 Well No: 1H

Field:
 County/Parish: HARPER
 State: KANSAS
 Latitude: 37.151169
 Longitude: -98.127975
 Sect / Twn / Rng: 30/33/7

Job Type: CMT SURFACE CASING BOM
 Service Supervisor: Nicholas Ralston
 Cust Rep Name: CM
 Cust Rep Phone #:

Remarks:		
The Information Stated Herein Is Correct	Customer Representative Signature <i>Sharon Gray</i>	Date
	Customer Representative Printed Name	

The Road to Excellence Starts with Safety

Sold To #: 372073	Ship To #: 3611528	Quote #: 0022044796	Sales Order #: 0902401703
Customer: TAPSTONE ENERGY LLC		Customer Rep: CM	
Well Name: ROGER 19-33-7	Well #: 1H	API/UWI #: 15-077-22106-01	
Field:	City (SAP): ANTHONY	County/Parish: HARPER	State: KANSAS
Legal Description: NE NW NW NW-30-33S-7W-225FNL-580FWL			
Contractor: NOMAC		Rig/Platform Name/Num: NOMAC 07	
Job BOM: 7521			
Well Type: HORIZONTAL OIL			
Sales Person: HALAMERICA\HX25353		Srvc Supervisor: Nicholas Raiston	
Job			

Formation Name	
Formation Depth (MD)	Top Bottom
Form Type	BHST
Job depth MD	800ft Job Depth TVD
Water Depth	Wk Ht Above Floor
Perforation Depth (MD)	From To

Well Data										
Description	New / Used	Size in	ID in	Weight lbm/ft	Thread	Grade	Top MD ft	Bottom MD ft	Top TVD ft	Bottom TVD ft
Open Hole Section			12.25				0	800		
Casing	3	9.625	8.921	36	LTC	J-55	0	800		

Tools and Accessories									
Type	Size in	Qty	Make	Depth ft	Type	Size in	Qty	Make	
Guide Shoe	9.625			800	Top Plug	9.625	1	HES	
Float Shoe	9.625				Bottom Plug	9.625		HES	
Float Collar	9.625				SSR plug set	9.625		HES	
Insert Float	9.625				Plug Container	9.625		HES	
Stage Tool	9.625				Centralizers	9.625		HES	

Miscellaneous Materials									
Gelling Agt	Conc	Surfactant	Conc	Acid Type	Qty	Conc			
Treatment Fld	Conc	Inhibitor	Conc	Sand Type	Size	Qty			

Fluid Data									
Stage/Plug #: 1									
Fluid #	Stage Type	Fluid Name	Qty	Qty UoM	Mixing Density lbm/gal	Yield ft ³ /sack	Mix Fluid Gal	Rate bbl/min	Total Mix Fluid Gal
1	Water Spacer	Water Spacer	10	bbl	8.33			2	
Stage/Plug #: 2									
Fluid #	Stage Type	Fluid Name	Qty	Qty UoM	Mixing Density lbm/gal	Yield ft ³ /sack	Mix Fluid Gal	Rate bbl/min	Total Mix Fluid Gal
2	Tail Cement	SWIFTCEM (TM) SYSTEM	500	sack	15.1	1.3		4	6.1

2 %	CALCIUM CHLORIDE, PELLET, 50 LB (101509387)								
6.10 Gal	FRESH WATER								
94 lbm	CMT - STANDARD - CLASS A REG OR TYPE I, BULK (100003684)								
0.1250 lbm	POLY-E-FLAKE (101216940)								
Fluid #	Stage Type	Fluid Name	Qty	Qty UoM	Mixing Density lbm/gal	Yield ft³/sack	Mix Fluid Gal	Rate bbl/mi n	Total Mix Fluid Gal
3	Displacement	Displacement	59.6	bbl	8.33			6	
Cement Left In Pipe	Amount	45.69ft		Reason	Shoe Joint				
Comment 48 BBLs CMT TO SURFACE									