

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1256639

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows:	Producing Formation: Kelly Bushing: Total Vertical Depth: Plug Back Total Depth: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name: Original Total Depth: Original Total Depth:	feet depth to: w/ sx cmt. Drilling Fluid Management Plan
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #: Dual Completion Permit #:	Chloride content: ppm Fluid volume: bbls Dewatering method used:
☐ SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	Operator Name:
GSW Permit #:	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	Quarter Sec. Twp. S. R. East West County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

Page Two



Operator Name:				_ Lease I	Name: _			Well #:	
Sec Twp	S. R	East	West	County	:				
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in press o surface test, along v	ures, whe	ther shut-in pre chart(s). Attach	ssure reac extra shee	hed stati	c level, hydrosta space is neede	tic pressures, b d.	ottom hole temp	erature, fluid recov
Final Radioactivity Lo files must be submitte						ogs must be ema	alled to kcc-well-	logs@kcc.ks.go	v. Digital electronic
Drill Stem Tests Taker (Attach Additional		Y	es No			J	on (Top), Depth		Sample
Samples Sent to Geo	logical Survey	Y	es No		Nam	е		Тор	Datum
Cores Taken Electric Log Run			es No						
List All E. Logs Run:									
				RECORD	Ne				
	0: 11.1					ermediate, product		" 0 1	T 15
Purpose of String	Size Hole Drilled		ze Casing t (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Percer Additives
			ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD			
Purpose:	Depth Top Bottom	Туре	of Cement	# Sacks	Used		Type and	Percent Additives	
Perforate Protect Casing	Top Dottom								
Plug Back TD Plug Off Zone									
1 lug 0 li 20 lio									
Did you perform a hydrau	ulic fracturing treatment	on this well	?			Yes	No (If No, s	skip questions 2 a	nd 3)
Does the volume of the t			-		-			skip question 3)	
Was the hydraulic fractur	ing treatment informatio	n submitted	to the chemical of	disclosure re	gistry?	Yes	No (If No, i	ill out Page Three	of the ACO-1)
Shots Per Foot			RD - Bridge Plug Each Interval Perl				cture, Shot, Ceme	nt Squeeze Recor	rd Depth
						(* *			200
TUBING RECORD:	Size:	Set At:		Packer A	t·	Liner Run:			
		0017111				[Yes N	o	
Date of First, Resumed	Production, SWD or EN	HR.	Producing Meth	nod:	g 🗌	Gas Lift (Other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gravity
DIODOCITI	01.05.040			4ETUOD 05	. 00145/	TION:		DDOD! ICT!	
DISPOSITION Solo	ON OF GAS: Used on Lease		N Open Hole	∥ETHOD OF Perf.			mmingled	PRODUCTION	ON INTERVAL:
	bmit ACO-18.)		Other (Specify)		(Submit		mit ACO-4)		

Miami County, KS Town Oilfield Service, Inc. Commenced Spudding: Well: Barkis T-1 (913) 837-8400 3-16-2015

Lease Owner: Triple T Oil

WELL LOG

Thickness of Strata	Formation	Total Depth
0 - 4	Soil - Clay	4
10	Lime	14
19	Shale	33
7	Lime	40
13	Shale	53
68	Lime	121
22	Shale	143
12	Lime	155
10	Shale	165
13	Lime	178
19	Shale	197
3	Lime	200
40	Shale	240
10	Lime	250
15	Shale	265
25	Lime	290
8	Shale	298
21	Lime	319
3	Shale	322
4	Lime	326
3	Shale	329
10	Lime	339
38	Shale	377
6	Sand	383
11	Sand	394
76	Shale	420
4	Sand	474
4	Sandy Shale	478
64	Shale	542
10	Lime	552
19	Shale	571
4	Lime	575
7	Shale	582
3	Lime	585
5	Shale	590
1	Lime	591
2	Shale	593
7	Lime	600
22	Shale	622
2	Lime	624

Miami County, KS Town Oilfield Service, Inc. Well: Barkis T-1 (913) 837-8400

Commenced Spudding: 3-16-2015

Lease Owner: Triple T Oil

	Chala	677
53	Shale	677
6	Sand	683
26	Sandy Shale	709
127	Shale	836
4	Sand	840
60	Shale	900 TD
V 10 10 10 10 10 10 10 10 10 10 10 10 10 		
	12	
		As a substitute of the substit
	A410-9020-AV	
	A William VI	

Short Cuts

TANK CAPACITY

BBLS. (42 gal.) equals D2x.14xh D equals diameter in feet. h equals height in feet.

BARRELS PER DAY Multiply gals. per minute x 34.2

HP equals BPH x PSI x .0004 BPH - barrels per hour PSI - pounds square inch

TO FIGURE PUMP DRIVES

- * D Diameter of Pump Sheave
- * d Diameter of Engine Sheave

SPM - Strokes per minute

RPM - Engine Speed

R - Gear Box Ratio

*C - Shaft Center Distance

D - RPMxd over SPMxR

d - SPMxRxD over RPM

SPM - RPMXD over RxD

R - RPMXD over SPMxD

BELT LENGTH - 2C + 1.57(D + d) + $\frac{(D-d)^2}{4C}$

* Need these to figure belt length

TO FIGURE AMPS:

WATTS = AMPS

746 WATTS equal 1 HP

Log Book

Well No	T-1	
Farm_Ba	rkis	
KS (State)	/	Miami (County)
/7 (Section)	(Township)	24 (Range)
For_Tripl	e T 0	: (

Town Oilfield Services, Inc.

1207 N. 1st East Louisburg, KS 66053 913-710-5400

Backis Farm: Miami County	CA	SING A	ND TUBING MEAS	HEMENTS	
K5 State; Well No. T-1			ı — — —		T -
Elevation1078	Feet	In.	Feet In.	Feet	ln.
Commenced Spuding 3 - 14 20 15	709.	55	Batt	2	
Finished Drilling 3-25	737.	70	FLoat	À	7/
Driller's Name Wesley Dollard	757.	10	TOAT	_ <u> </u>	18
Driller's Name	900	TD	B:11		
Driller's Name	760	70	Acc	3.5	
Tool Dresser's Name Ryan Ward	CF	_	-	. 4136	
Tool Dresser's Name	C	_	* 7. **-	1.87	
Tool Dresser's Name			27 1 10-	3,33	
Contractor's Name	3.4	-	7		
17 16 24			Frank .		
	A		3 -,-	1000	
(Section) (Township) (Range) Distance from S line, ft.	Page 2	7	** 1, SA	1.7	
	UCA		7 - 24 - 3	* 24	
Distance non	Chilip-		3-10-5		
4 sacks	523 pr		14		
9 415	7.25		3	7.	·
55/8 born hele	(m) x * ±		77.00	1.0	
	Description of the second		7.25		
2 78 (asing and tubing	The factor		J. 1912		
RECORD			The Same of The	190	
	2		174 - 1	suff is	
10" Set 10" Pulled	144		1.010	13.5	
8" Set 8" Pulled	C. G C		100	121	
76%" Set	n'e.F		1000)	
4" Set 4" Pulled	-1-4			1921	

-1-

2" Set _

2" Pulled

Thickness of	Formation	Total	<u> </u>
Strata		Depth	Remarks
0-4	Soil-clay	39	AND THE RESERVE
10	Lime 1	14	J. 100 C. 100 C.
19	Shale	3,3	redbed
7	Sand	40	no bil
13	lime	53	a c
68	shale	121	
22	Lime	143	The state of the s
12	Shal-e	155	9.00
10	Lime	165	100 100 Departs
13	Shale	178	sandy
19	Shale	197	OOC SAME
3	Lime	200	
40	Shele	240	TO STATE OF THE ST
10	Line	250	1 1 2
15	Shel-e	265	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
25	lime	290	MOS DIEK DENE
8	Shale	298	T WEN THE TANK
21	Lime	319	1.50
3	Shale	322	O.V 97,5718 Del
4	Lime	326	
3	Shale	329	
10	Lime	339	Heltha
38	Shalle.	377	
6	Sanel	383	great show- good saturation soli
11	Sand	394	grey - 18 Oil
76	Shale	470	1 July 1001
4	Sane	474	no Dil

-2-

	-		1
и	1	L	,
-	•		

Thickness of		Total	u ·
Strata	Formation	Depth	Remarks
4	sandy shelf	478	
64	shale	542	
10	Lime	552	
19	Shal-e	571	
4	Lim-e	575	20.0
7	shale	582	
3	Lime	585	
5	Shale	590	6 1 5 12 11 15
1	Lime	591	1 1 1 1 1 1
2	shele	593	1
.7	Lime	600	a company of the control of the cont
22	Shale	622	Total Market States
2	Lime	624	
53	Shale	677	Vice
6	Sard	683	broken-good show
26	sandy shale shale	709	J. 22 07 02
127	shale	836	
4	Sand	840	no oil
60	Shale	900	TD
		1	
		11.	
to the second	risk lend of a	- 12	1
	1. 11 at 1		
, de			
9.500 (658)		CONTRACT DATE	

-5-

-4-

Town Oilfield Service

P.O Box 339 Louisburg, Ks 66053 913-837-8400

Ticket Number	
Location	
Foreman	

Field Ticket & Treatment Report

Cement

			CCII	ICIIC			
Date Cu	ıstomer#	Well Name 8	& Number	Section	Township	Range	County
3-23-15		Barkis -	T-1	17	14	24	MI
Customer			Mailing	Address			
			City		State	Zip Code	
Job Type <u>lovg</u>	String Hole Siz	e 5 5/8	_ Hole Dep	oth_ <i>740</i>	Casing Size	& Weight <u>2</u>	7/8
Casing Depth 7	37.70 Drill Pipe		Tubing		Other		
Displacement 4.	, 4 Displacen	nent PSI <u>250</u>	Mix PSI_	300	Rate	BPM	
Remarks				,			
<u> </u>		1517-1					 .
				1000			
			- 				-
Account Code	Quantity or U	Inits	 Description	of Services o	r Product	Unit Price	Total
			oump Char				700
The state of the s			Cement Tru				250
		,	Water Truc	:k			150
	104		Cement			8	832
			Gel				
			Plug				25
				1077			
	W-1			-			
		esconario e e e e e e e e e e e e e e e e e e e				Sales Tax	
						Estimated Tot	al 1957
ration (Daniel Daniel	Title			Date		

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.