

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:			
Effective	Date:			
District #				
SGA?	Yes	No		

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

month day year	Spot Description:
PERATOR: License#	feet from N / S Line of Section
ame:	
ddress 1:	
ddress 2:	
ty:	County.
ontact Person:hone:	Lease Name: Well #:
ione.	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field? Yes No
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWN/Or old wall information as follows:	Surface Pipe by Alternate: III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
f Yes, true vertical depth:	Tam Fold Substitution
ottom Hole Location:	DWK Pellill #.
CC DKT #:	(Note: Apply for Fernit With DVV (
	vviii Cores de takerr?
	If Yes, proposed zone:
	AFFIDAVIT
he undersigned hereby affirms that the drilling, completion and eventu	al plugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office <i>prior</i> to spudding of well;	
2. A copy of the approved notice of intent to drill shall be posted or	each drilling rig;
	e set by circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet in	, ,
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the	e district office on plug length and placement is necessary prior to plugging;
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either	e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in;
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cere	e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date.
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cer Or pursuant to Appendix "B" - Eastern Kansas surface casing or the content of t	e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in;
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cer Or pursuant to Appendix "B" - Eastern Kansas surface casing or the content of t	e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cer Or pursuant to Appendix "B" - Eastern Kansas surface casing or the content of t	e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cern or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed.	e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cern Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed.	the district office on plug length and placement is necessary <i>prior to plugging</i> ; plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing hall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cern or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed.	the district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date. In the der #133,891-C, which applies to the KCC District 3 area, alternate II cementing hall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:
through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and th  5. The appropriate district office will be notified before well is either  6. If an ALTERNATE II COMPLETION, production pipe shall be cer  Or pursuant to Appendix "B" - Eastern Kansas surface casing or  must be completed within 30 days of the spud date or the well sh  Ubmitted Electronically  For KCC Use ONLY	re district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing hall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and th  5. The appropriate district office will be notified before well is either  6. If an ALTERNATE II COMPLETION, production pipe shall be cer  Or pursuant to Appendix "B" - Eastern Kansas surface casing or  must be completed within 30 days of the spud date or the well sh  Ubmitted Electronically  For KCC Use ONLY  API # 15 -	the district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date. In the der #133,891-C, which applies to the KCC District 3 area, alternate II cementing hall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:
through all unconsolidated materials plus a minimum of 20 feet ir  4. If the well is dry hole, an agreement between the operator and th  5. The appropriate district office will be notified before well is either  6. If an ALTERNATE II COMPLETION, production pipe shall be cer  Or pursuant to Appendix "B" - Eastern Kansas surface casing or  must be completed within 30 days of the spud date or the well sh  Ubmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	re district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing hall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and th  5. The appropriate district office will be notified before well is either  6. If an ALTERNATE II COMPLETION, production pipe shall be cer  Or pursuant to Appendix "B" - Eastern Kansas surface casing or  must be completed within 30 days of the spud date or the well sh  ubmitted Electronically  For KCC Use ONLY  API # 15 -	re district office on plug length and placement is necessary prior to plugging; replugged or production casing is cemented in; renented from below any usable water to surface within 120 DAYS of spud date.  Ider #133,891-C, which applies to the KCC District 3 area, alternate II cementing reall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
through all unconsolidated materials plus a minimum of 20 feet ir  4. If the well is dry hole, an agreement between the operator and th  5. The appropriate district office will be notified before well is either  6. If an ALTERNATE II COMPLETION, production pipe shall be cer  Or pursuant to Appendix "B" - Eastern Kansas surface casing or  must be completed within 30 days of the spud date or the well sh  ubmitted Electronically  For KCC Use ONLY  API # 15	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;
through all unconsolidated materials plus a minimum of 20 feet ir  4. If the well is dry hole, an agreement between the operator and th  5. The appropriate district office will be notified before well is either  6. If an ALTERNATE II COMPLETION, production pipe shall be cer  Or pursuant to Appendix "B" - Eastern Kansas surface casing or  must be completed within 30 days of the spud date or the well sh  UDMITTED Electronically  For KCC Use ONLY  API # 15	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);
through all unconsolidated materials plus a minimum of 20 feet ir  4. If the well is dry hole, an agreement between the operator and th  5. The appropriate district office will be notified before well is either  6. If an ALTERNATE II COMPLETION, production pipe shall be cere  Or pursuant to Appendix "B" - Eastern Kansas surface casing order  must be completed within 30 days of the spud date or the well shall be completed.  Library Conductor pipe required	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);

\_ Agent: .

Side Two



For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County:

Operator:	Location of Well: County:		
Lease:	feet from N / S Line of Section		
Well Number:	feet from E / W Line of Section		
Field:	SecTwpS. R 🗌 E 🔲 W		
Number of Acres attributable to well:	la Castiana Dogular ar Urragular		
QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular		
	If Section is Irregular, locate well from nearest corner boundary.		
	Section corner used: NE NW SE SW		
PL			
Show location of the well. Show footage to the nearest lea lease roads, tank batteries, pipelines and electrical lines, as requ			
You may attach a sep			
	2133 ft.		
	LEGEND		
	<u> </u>		
	Tank Battery Location  ———————————————————————————————————		
	: Electric Line Location		
	Lease Road Location		
	: Lease Road Location		
	⊕: 830 ft.		
	EXAMPLE : :		
28			
	1980' FSL		
	SEWARD CO. 3390' FEI		

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

56654 Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A	Pit is:  Proposed Existing  If Existing, date constructed:  Pit capacity:  (bbls)  Area? Yes No		SecTwp R East WestFeet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l mg/l mg/l reference from reference from mg/l mg/l mg/l reference from reference from mg/l reference from reference from mg/l reference from	
Is the bottom below ground level?  Yes No			How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):Length (fee				
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining acluding any special monitoring.	
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all s		Type of materia	over and Haul-Off Pits ONLY:  all utilized in drilling/workover:  king pits to be utilized:  procedure:	
flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.  Submitted Electronically				
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No	



#### Kansas Corporation Commission Oil & Gas Conservation Division

1256654


Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East West		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City:	If filling a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name: When filing a Form T-1 involving multiple surface owners,			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.		
Address 2:			
City:			
the KCC with a plat showing the predicted locations of lease roads, tar are preliminary non-binding estimates. The locations may be entered a Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax,  I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface of task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.  If the fee is not received with this form, the KSONA-1		
form and the associated Form C-1, Form CB-1, Form T-1, or Form CF  Submitted Electronically	- I wiii be returnea.		
T.			





000537K

# PRO-STAKE

P.O. Box 2324 Garden City, Kansas 67846 Office/Fax: (620) 276-6159 - Cell: (620) 272-1499

Construction Site Staking

LLC

12661 INVOICE NO. Nebraska Kansas Oklah

Palomino Petroleum, Inc.

5s

LEGEND

Cheyenne County, KS COUNTY

37w Twp. Rng.

burt@pro-stakellc.kscoxmail.com gravel / sand rd. ( irr. well --Wwater line - water hydrant gravel trail / lease rd E transmission powerline tank battery dirt rd 3 phase powerline • staked loc. single phase powerline prod. well/aband. well dirt trail / lease rd. -××× fence house building Hwy/blacktop rd.

# #1 Junior Magley Trust

**LEASE NAME** 

Main = 2133' FNL - 880' FEL = 3342.4' = gr. elev. Alt. #1 = 2133' FNL - 830' FEL = 3341.9' = gr. elev. Alt. #2 = 2133' FNL - 780' FEL = 3344.7' = gr. elev. LOCATION SPOT

1" = 1000' DATE STAKED: June 28th, 2015 MEASURED BY: Kent C. DRAWN BY: Norby S. AUTHORIZED BY: Klee W. & Nick G.

& Hwy 161 North / Rd. 28 South - Now go 10 miles South on Rd. 28 - Now go 4 miles East on Rd. D - Now go 0.5 mile South on Rd. 32 - Now go 0.5 mile South on poor trail to the NE corner of section 28-5s-37w - Now go approx. 2133' South through pasture to ingress stake West into - Now go approx. 880' West through pasture, into main staked location. Final ingress must be verified with landowner or operator.

**DIRECTIONS:** From the NW side of Bird City, KS at the intersection of Hwy 36

This drawing does not constitute a monumented survey or a land survey plat. This drawing is for construction purposes only.

