

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	<u> </u>
SGA?	Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1256925

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

	d	Spot Description:
month	day year	
DPERATOR: License#		feet from N / S Line of Section
lame:		feet from E / W Line of Section
address 1:		Is SECTION: Regular Irregular?
ddress 2:		(Note: Locate well on the Section Plat on reverse side)
Dity: State:		County:
Contact Person:		Lease Name: Well #:
Phone:		
CONTRACTOR: License#		Field Name: Is this a Prorated / Spaced Field? Yes No.
Name:		
variie.		Target Formation(s):
Well Drilled For: Well Class	:: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield	Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool E	Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildca	at Cable	Public water supply well within one mile:
Seismic ; # of Holes Other		Depth to bottom of fresh water:
Other:		Depth to bottom of usable water:
		Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	OWS:	Length of Surface Pipe Planned to be set:
Operator:		Length of Conductor Pipe (if any):
Well Name:		Projected Total Depth:
Original Completion Date:	Original Total Depth:	Formation at Total Depth:
		Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?		Well Farm Pond Other:
If Yes, true vertical depth:		DWR Permit #:
Bottom Hole Location:		(Note: Apply for Permit with DWR)
KCC DKT #:		Will Cores be taken?
		If Yes, proposed zone:
	٨٥	EIDAVIT
The undersigned hereby affirms that the d	= ==	FIDAVIT
	rilling, completion and eventual pl	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum req	rilling, completion and eventual pluriements will be met:	
It is agreed that the following minimum req 1. Notify the appropriate district office Page 1	rilling, completion and eventual pl quirements will be met: prior to spudding of well;	ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum req 1. Notify the appropriate district office 2. A copy of the approved notice of inte	rilling, completion and eventual pl quirements will be met: prior to spudding of well; ent to drill shall be posted on each	ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig;
It is agreed that the following minimum req 1. Notify the appropriate district office 2. A copy of the approved notice of inte 3. The minimum amount of surface pip	rilling, completion and eventual pl quirements will be met: prior to spudding of well; ent to drill shall be posted on each be as specified below shall be se	ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set
 t is agreed that the following minimum req Notify the appropriate district office / A copy of the approved notice of inte The minimum amount of surface pip through all unconsolidated materials 	rilling, completion and eventual pl quirements will be met: prior to spudding of well; ent to drill shall be posted on each be as specified below shall be se is plus a minimum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
 t is agreed that the following minimum req Notify the appropriate district office / A copy of the approved notice of inte The minimum amount of surface pip through all unconsolidated materials If the well is dry hole, an agreement 	rilling, completion and eventual pl quirements will be met: prior to spudding of well; ent to drill shall be posted on each be as specified below shall be se is plus a minimum of 20 feet into the between the operator and the dis	ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set
 It is agreed that the following minimum req Notify the appropriate district office / A copy of the approved notice of inte The minimum amount of surface pip through all unconsolidated materials If the well is dry hole, an agreement The appropriate district office will be 	rilling, completion and eventual pl quirements will be met: prior to spudding of well; ent to drill shall be posted on each be as specified below shall be set is plus a minimum of 20 feet into the between the operator and the distance in the object of the plug	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. the underlying formation. the trict office on plug length and placement is necessary prior to plugging;
 t is agreed that the following minimum req Notify the appropriate district office / A copy of the approved notice of inte The minimum amount of surface pip through all unconsolidated materials If the well is dry hole, an agreement The appropriate district office will be If an ALTERNATE II COMPLETION, Or pursuant to Appendix "B" - Easter 	rilling, completion and eventual pl quirements will be met: prior to spudding of well; ent to drill shall be posted on each be as specified below shall be set is plus a minimum of 20 feet into the between the operator and the distance in the plug is production pipe shall be cementation.	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. thrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum req 1. Notify the appropriate district office (2. A copy of the approved notice of inte 3. The minimum amount of surface pip through all unconsolidated materials 4. If the well is dry hole, an agreement 5. The appropriate district office will be 6. If an ALTERNATE II COMPLETION, Or pursuant to Appendix "B" - Easter	rilling, completion and eventual pl quirements will be met: prior to spudding of well; ent to drill shall be posted on each be as specified below shall be set is plus a minimum of 20 feet into the between the operator and the distance in the plug is production pipe shall be cementation.	h drilling rig; thy circulating cement to the top; in all cases surface pipe <i>shall be set</i> the underlying formation. Attrict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; and from below any usable water to surface within <i>120 DAYS</i> of spud date.
 It is agreed that the following minimum req Notify the appropriate district office / A copy of the approved notice of inte The minimum amount of surface pip through all unconsolidated materials If the well is dry hole, an agreement The appropriate district office will be If an ALTERNATE II COMPLETION, Or pursuant to Appendix "B" - Easter 	rilling, completion and eventual pl quirements will be met: prior to spudding of well; ent to drill shall be posted on each be as specified below shall be set is plus a minimum of 20 feet into the between the operator and the distance in the plug is production pipe shall be cementation.	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. thrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 t is agreed that the following minimum req Notify the appropriate district office / A copy of the approved notice of inte The minimum amount of surface pip through all unconsolidated materials If the well is dry hole, an agreement The appropriate district office will be If an ALTERNATE II COMPLETION, Or pursuant to Appendix "B" - Easter 	rilling, completion and eventual pl quirements will be met: prior to spudding of well; ent to drill shall be posted on each be as specified below shall be set is plus a minimum of 20 feet into the between the operator and the distance in the plug is production pipe shall be cementation.	h drilling rig; thy circulating cement to the top; in all cases surface pipe <i>shall be set</i> the underlying formation. trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ted from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropriate district office in the second of the approved notice of inte into integration in the second of the approved notice of inte integration in the second of the approved notice of inte integration in the approved notice of integration in the integration in	rilling, completion and eventual pl quirements will be met: prior to spudding of well; ent to drill shall be posted on each be as specified below shall be set is plus a minimum of 20 feet into the between the operator and the distance in the plug is production pipe shall be cementation.	h drilling rig; thy circulating cement to the top; in all cases surface pipe <i>shall be set</i> the underlying formation. trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ted from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropriate district office in the second of the approved notice of inte into integration in the second of the approved notice of inte integration in the second of the approved notice of inte integration in the approved notice of integration in the integration in	rilling, completion and eventual pl quirements will be met: prior to spudding of well; ent to drill shall be posted on each be as specified below shall be set is plus a minimum of 20 feet into the between the operator and the distance in the plug is production pipe shall be cementation.	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. thrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropriate district office in the second of the approved notice of inte into integration in the second of the approved notice of inte integration in the second of the approved notice of inte integration in the approved notice of integration in the integration in	rilling, completion and eventual pl quirements will be met: prior to spudding of well; ent to drill shall be posted on each be as specified below shall be set is plus a minimum of 20 feet into the between the operator and the distance in the plug is production pipe shall be cementation.	th drilling rig; the circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office in the second of the approved notice of interest. A copy of the approved notice of interest. The minimum amount of surface pip through all unconsolidated materials in the well is dry hole, an agreement of the appropriate district office will be find an ALTERNATE II COMPLETION, Or pursuant to Appendix "B" - Easter must be completed within 30 days or unbmitted Electronically.	rilling, completion and eventual pluirements will be met: prior to spudding of well; ent to drill shall be posted on each be as specified below shall be set is plus a minimum of 20 feet into the between the operator and the dise is notified before well is either plug it production pipe shall be cemente in Kansas surface casing order # if the spud date or the well shall be	th drilling rig; the prior to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office of the appropriate district office of the approved notice of interest. A copy of the approved notice of interest. The minimum amount of surface pip through all unconsolidated materials of the well is dry hole, an agreement of the appropriate district office will be offer an ALTERNATE II COMPLETION, Or pursuant to Appendix "B" - Easter must be completed within 30 days of the appropriate	rilling, completion and eventual pluirements will be met: prior to spudding of well; ent to drill shall be posted on each be as specified below shall be set is plus a minimum of 20 feet into the between the operator and the dise notified before well is either plug in production pipe shall be cemente in Kansas surface casing order # if the spud date or the well shall be	th drilling rig; the vicinculating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropriate district office (1) 2. A copy of the approved notice of inte (2) 3. The minimum amount of surface pip through all unconsolidated materials (4) 4. If the well is dry hole, an agreement (5) 5. The appropriate district office will be (6) 6. If an ALTERNATE II COMPLETION, Or pursuant to Appendix "B" - Easter must be completed within 30 days or uncompleted within 30 days or which the complete of the comple	rilling, completion and eventual planterments will be met: prior to spudding of well; ent to drill shall be posted on each eas specified below shall be set into the between the operator and the distending of the production pipe shall be cementer than the spuddate or the well shall be the spuddate or the well shall be feet.	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
1. Notify the appropriate district office of the appropriate district office of the approved notice of interest. A copy of the approved notice of interest. The minimum amount of surface pip through all unconsolidated materials of the well is dry hole, an agreement of the appropriate district office will be offer an ALTERNATE II COMPLETION, Or pursuant to Appendix "B" - Easter must be completed within 30 days of the appropriate district office will be completed within 30 days of the appropriate district of the appropriate district office will be completed within 30 days of the appropriate district office will be completed within 30 days of the appropriate district office will be completed within 30 days of the appropriate district office of the appropriate district office of the appropriate district office of the approved notice of the appropriate district office of the appropria	rilling, completion and eventual planterments will be met: prior to spudding of well; ent to drill shall be posted on each eas specified below shall be set into the between the operator and the distending of the production pipe shall be cementer than the spuddate or the well shall be the spuddate or the well shall be feet.	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office (1) 2. A copy of the approved notice of inte (2) 3. The minimum amount of surface pip through all unconsolidated materials (4) 4. If the well is dry hole, an agreement (5) 5. The appropriate district office will be (6) 6. If an ALTERNATE II COMPLETION, Or pursuant to Appendix "B" - Easter must be completed within 30 days or uncompleted within 30 days or which the complete of the comple	rilling, completion and eventual pluirements will be met: prior to spudding of well; ent to drill shall be posted on each be as specified below shall be set is plus a minimum of 20 feet into the between the operator and the dise is notified before well is either plug is production pipe shall be cemente in Kansas surface casing order # if the spud date or the well shall be feet feet feet per ALT. I I II	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum req 1. Notify the appropriate district office into the composition of surface pipe through all unconsolidated materials that the well is dry hole, an agreement the appropriate district office will be the appropriate of the complete of th	rilling, completion and eventual pluirements will be met: prior to spudding of well; ent to drill shall be posted on each be as specified below shall be set is plus a minimum of 20 feet into the between the operator and the dise is notified before well is either plug is production pipe shall be cemente in Kansas surface casing order # if the spud date or the well shall be feet feet feet per ALT. I I II	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set le underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
It is agreed that the following minimum req 1. Notify the appropriate district office into the composition of the composition	rilling, completion and eventual plantered pla	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set le underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:							_ Lo	cation of W	/ell: County:
Lease:									feet from N / S Line of Section
Well Num	ber:								feet from E / W Line of Section
Field:			_ Se	Sec Twp S. R					
Number o	f Acres attri	ibutable t	o well:				_ lo	Section:	Regular or Irregular
QTR/QTR	/QTR/QTR	of acrea	ge:					Section.	Negulai of Integulai
							If S	Section is	Irregular, locate well from nearest corner boundary.
							Se	ection corne	er used: NE NW SE SW
							PLAT		
	C	!	:	Ch	f1 1-	41			dometica. Chavetha madiatad lagaticae of
					_				dary line. Show the predicted locations of
	lease roa	ds, tank l	batteries, pi	ipelines an	d electrica	l lines, as	required b	y the Kans	as Surface Owner Notice Act (House Bill 2032).
					You ma	ay attach	a separate	e plat if desi	ired.
		:	:	:		:	:	:	
		:		:		:		:	LEGEND
			•	•					O W. W
		:	:	:		:	:	:	O Well Location
		:	:	:		:	:	:	Tank Battery Location
	•••••				•••••				Pipeline Location
		:		:		:		:	Electric Line Location
		:	:	:		:	:	:	Lease Road Location
	********	:		:	•••••	········ :		:	
		:		:		:		:	EVANDUE
		:	:	<u>: </u>		:	:	:	EXAMPLE :
		:	:	2	7	•	:	:	
			:	_	'		:	:	
			·			•••••			
		•	:	:		: :	:	:	
		:	:	:		:	:	:	
		:		:		······· :		:	0-1 1980' FSL
						: :	:	:	
			:	:		:	:	:	
		:	:	:		:	:	:	
		•		:		• •		:	:
65 ft.	\perp		•	:		:	•	•	SEWARD CO. 3390' FEL

165 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 256925

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed Existing		SecTwp R		
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section		
Workover Pit Haul-Off Pit			Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	County		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l		
			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner? Yes	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
	om ground level to dee	,			
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining any special monitoring.		
material, inickness and installation procedure.		iner integrity, ir	icluding any special monitoring.		
Distance to nearest water well within one-mile	of pit:		west fresh water feet.		
feet Depth of water well	feet	Source of information measured	mation: well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:	1661		over and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment p	procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
Individual by the state of the					
Submitted Electronically					
KCC OFFICE USE ONLY					
But Bushed	h		Liner Steel Pit RFAC RFAS		
Date Received: Permit Num	nei:	Permi	t Date: Lease Inspection: Yes No		

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form KSONA-1 January 2014 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-	1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #			
Name:	·		
Address 1:			
Address 2: City: State: Zip:+			
Contact Person:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	and the second is the second actata assessment that the second of the second se		
City: State: Zip:+	-		
the KCC with a plat showing the predicted locations of lease roads, ta	hodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat I on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this , and email address.		
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ss of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handlir form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.		
Submitted Electronically			
1			

Summary of Changes

Lease Name and Number: Volunteer 66

API/Permit #: 15-205-28358-00-00

Doc ID: 1256925

Correction Number: 1

Approved By: Rick Hestermann 07/07/2015

Field Name	Previous Value	New Value
KCC Only - Approved By	Rick Hestermann 07/06/2015	Rick Hestermann 07/07/2015
KCC Only - Approved Date	07/06/2015	07/07/2015
Nearest Lease Or Unit Boundary	990	165
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=12 56873	//kcc/detail/operatorE ditDetail.cfm?docID=12 56925