

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC Use:	
Effective Date:	-
District #	-
SGA? Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1257282

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
monur day year	Sec Twp S. R E \
PERATOR: License#	feet from N / S Line of Section
lame:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City:	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWING, old well information on fallows.	Surface Pipe by Alternate: II II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No f Yes, true vertical depth:	Well Farm Pond Other:
Bottom Hole Location:	DWR Permit #:
CCC DKT #:	(Note: Apply for Permit with DWR)
	Will Cores be taken? Yes Yes N If Yes, proposed zone:
AF	FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plu	gging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	
· ·	
Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each	n drilling rig;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> 	by circulating cement to the top; in all cases surface pipe shall be set
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the distriction 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Trict office on plug length and placement is necessary prior to plugging ;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Thick office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Thick office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Thick office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the distinct of the surface of the specified before well is either pluggered. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be submitted Electronically 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be about the complete of the complete of the spud date or the well shall be a supported by the complete of the complete of the spud date or the well shall be a supported by the spud date or the well shall be a supported by the spud date or the well shall be a supported by the spud date or the well shall be supported by the spud date or the well shall be supported by the spud date or the well shall be supported by the spud date or the well shall be supported by the spud date or the well shall be supported by the spud date or the well shall be supported by the spud date or the well shall be supported by the spud date or the well shall be supported by the spud date or the well shall be supported by the spud date or the well shall be supported by the spud date or the well shall be supported by the spud date or the well shall be supported by the spud date or the well shall be supported by the spud date or the well shall be supported by the spud date or the well shall be supported by the spud date or the well shall be supported by the spud date or the well shall be supported by the spud date or the well shall be supported by the spud date or the supported by the spud date or the supported by the supported by the supported by the spud date or the supported by the suppo	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be ### **IDMITTED COMPLY** **PORTION OF THE OFFICE OFFIC	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Inicit office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be a submitted Electronically For KCC Use ONLY API # 15	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Inicit office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be Ubmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Inicit office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a submitted Electronically For KCC Use ONLY API # 15	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be approved by: Description	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Inicit office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	_

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
.ease:	feet from N / S Line of Section
Vell Number:	feet from E / W Line of Section
ield:	SecTwp S. R
Number of Acres attributable to well:	is section. Integular of Integular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
	Section corner usedINEINVVSESVV
	PLAT
	st lease or unit boundary line. Show the predicted locations of required by the Kansas Surface Owner Notice Act (House Bill 2032).
You may attach a	a separate plat if desired.
350 ft.	a separate plat if desired.
	: :
	2500 ft. LEGEND
	·
	O Well Location
	Tank Battery Location Pipeline Location
	: : : Electric Line Location
	Lease Road Location
	Lease Road Location
	: :
	EXAMPLE : :
· · · · · · · · · · · · · · · · · · ·	
23	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

257282

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date collination Pit capacity:	Existing	SecTwp R East WestFeet from Bast / West Line of SectionFeet from East / West Line of Section
		(bbls)	County
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	epest point:	(feet) No Pit
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.			
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:		over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	al utilized in drilling/workover:
Number of producing wells on lease: Number of work		king pits to be utilized:	
Barrels of fluid produced daily: Abandonment p		procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must b		be closed within 365 days of spud date.	
Submitted Electronically			
KCC OFFICE USE ONLY			
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form KSONA-1 January 2014 Form Must Be Typed Form must be Signed

All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed:C-1 (Intent)CB-	.1 (Cathodic Protection Borehole Intent)
OPERATOR: License #	_ Well Location:
Name:	
Address 1:	_ County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	_
Email Address:	-
Surface Owner Information:	
Name:	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	
City: State: Zip:+	_
are preliminary non-binding estimates. The locations may be entered Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice	ank batteries, pipelines, and electrical lines. The locations shown on the plated on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. E. Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form
	m being filed is a Form C-1 or Form CB-1, the plat(s) required by this
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ing fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.
Submitted Electronically	
T.	

TOPOGRAPHIC LAND SURVEYORS
6709 NORTH CLASSEN BLVD., OKLA. CITY, OKLA. 73116 * LOCAL (405) 843-4847 * OUT OF STATE (800) 654-3219

Certificate of Authorization No. LS-99, Exp. Dec. 31, 2015 HARPER _____ County, Kansas Township <u>34S</u> Range 350'FNL - 2500'FEL Section 9W_P.M. _ Range X= 2068538 Y= 150497 X= 2065854 Y= 150481 330' HARDLINE 11 11 2500 181 11 11 2306' 330 HARDLINE X= 2065902 Y= 147839 X= 2071285 Y= 147845 23 123 2335 GRID NAD-27 KS SOUTH US Feet BOTTOM HOLE 330'FSL-1980'FEL NAD-27 (US Feet) 37'03'57.7" N 98'15'44.2" W 37.066037730' N 98.262290638' W Note: 3.280833 Ft.=1 Meter Scale: 1"= 1000' 1/1980' 330' HARDLINE 500' 1000 X=2069363 Y=145508 3303 X= 2065954 Y= 145179 X= 2068653 Y= 145178 1 X= 2071352 Y= 145177 BOTTOM HOLE AND DRILL PATH INFORMATION PROVIDED BY OPERATOR LISTED, NOT SURVEYED. A boundary survey of the said section(s) shown hereon was <u>not</u> performed per the request of the operator shown hereon. Operator: TAPSTONE ENERGY **ELEVATION:** Lease Name: HAZEL 23-34-9 Well No.: 2H 1288' Gr. at Stake Topography & Vegetation Loc. fell in sandy grass pasture, pad under construction, ±190' South of E-W water line Reference Stakes or Alternate Location Yes Stakes Set None Good Drill Site? _____ Best Accessibility to Location From North off county road Distance & Direction From Anthony, KS, go ±12.5 mi. West, then ±5.0 mi. South to from Hwy Jct or Town_ the NE Cor. of Sec. 23-T34S-R9W Date of Drawing: <u>Jul. 06,</u>
Invoice # <u>247171</u> Date Staked: <u>Jul. 02, 2015</u> Jul. 06, 2015 AC NAD-27 NAD-27 NAD-27 NAD-27 NAD-27 NAD-27 NAD-27 LAT: 37'04'43.6"N LONG: 98'15'52.0"W **CERTIFICATE:** LAT: <u>37.078785628</u> N Lee K. Goss __a Kansas Licensed Land LONG: 98.264431169° W Surveyor and an authorized agent of Topographic Land Surveyors, do hereby certify to the information STATE PLANE COORDINATES: (US Feet) shown herein ZONE: KS SOUTH X:__2068727 Y: 150148

Summary of Changes

Lease Name and Number: Hazel 23-34-9 2H

API/Permit #: 15-077-22151-01-00

Doc ID: 1257282

Correction Number: 1

Approved By: Rick Hestermann 07/08/2015

Field Name	Previous Value	New Value
Elevation Source	Surveyed	Estimated
ElevationPDF	1288 Surveyed	1288 Estimated
KCC Only - Approved By	Rick Hestermann 07/01/2015	Rick Hestermann 07/08/2015
KCC Only - Approved Date	07/01/2015	07/08/2015
KCC Only - Date Received	07/01/2015	07/08/2015
KCC Only - Regular Section Quarter Calls	NW NW NW NE	SW NW NW NE
LocationInfoLink Number of Feet North	https://kolar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=23&t 290	https://kolar.kgs.ku.edu/kcc/detail/locationInformation.cfm?section=23&t350
or South From Section Line		
Number of Feet North or South From Section Line	290	350
Quarter Call 4 - Smallest	NW	SW

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Quarter Call 4 - Smallest	NW	SW
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=12 56613	//kcc/detail/operatorE ditDetail.cfm?docID=12 57282
Water Well Within One- Quarter Mile	Yes	No

Summary of Attachments

Lease Name and Number: Hazel 23-34-9 2H

API: 15-077-22151-01-00

Doc ID: 1257282

Correction Number: 1

Approved By: Rick Hestermann 07/08/2015

Attachment Name