

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1257757

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R
DPERATOR: License#	(Q/Q/Q/Q) feet from N / S Line of Section
Name:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
hone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: III
	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):Projected Total Depth:
Well Name: Original Total Depth:	Frojected Total Depth:
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
pirectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
(CC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	, p
ΔΕΕ	
	DAVIT
he undersigned hereby affirms that the drilling, completion and eventual plu	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met:	DAVIT
he undersigned hereby affirms that the drilling, completion and eventual plu	DAVIT ging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> the	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions are the content of the c	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in;
he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1.	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	payth ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
the undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
the undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 -	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be Ibmitted Electronically For KCC Use ONLY API # 15	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be **Jubmitted Electronically** For KCC Use ONLY API # 15	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1. In the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1. In the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1. The minimum surface of the well shall be represented to the	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ### IDMITTED COMPLETION #### IDMITTED COMPLETION ##### IDMITTED COMPLETION ###### IDMITTED COMPLETION ###### IDMITTED COMPLETION ######### IDMITTED COMPLETION ###################################	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Side Two




For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage:	
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
DI AT	-

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

330 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

257757

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit: Emergency Pit Burn Pit	Pit is:	Fuinting				
Emergency Pit Burn Pit Settling Pit Drilling Pit	Proposed If Existing, date con	Existing	SecTwp R East West			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from North / South Line of SectionFeet from East / West Line of Section			
		(bbls)	County			
Is the pit located in a Sensitive Ground Water A	rea? Yes 1	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits			
Depth fro	om ground level to dee	pest point:	(feet) No Pit			
If the pit is lined give a brief description of the line material, thickness and installation procedure.	ner		dures for periodic maintenance and determining and special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallo	west fresh water feet. mation:			
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	over and Haul-Off Pits ONLY:			
Producing Formation:		Type of materia	al utilized in drilling/workover:			
Number of producing wells on lease:		Number of work	king pits to be utilized:			
Barrels of fluid produced daily:		Abandonment p	procedure:			
Does the slope from the tank battery allow all splow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
	ксс с	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS			
Date Received: Permit Numb	ber:	Permi	it Date: Lease Inspection: Yes No			



Kansas Corporation Commission Oil & Gas Conservation Division

1257757

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East West
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tar are preliminary non-binding estimates. The locations may be entered a Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface of task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1
form and the associated Form C-1, Form CB-1, Form T-1, or Form CF Submitted Electronically	'- I wiii be returnea.
T.	

For KCC Use ONLY	API # 15 -

IN ALL CASES PLOT THE ANTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

	Line of Section	× ×		dary.								1980' FSL		
	N / X S Line			sarest corner boun		ocations of House Bill 2032).	QNI	Well Location Tank Battery Location Pineline Location	Fiperine Location Electric Line Location Lease Road Location			 		
r, Graham	feet from	S. R. 22	r or 🔲 Irregular	ocate well from ne		how the predicted k Owner Notice Act	LEGEND	O Well L	Electr	EXAMPLE		 0	######################################	
Location of Well: County: Graham	0	2 Twp. 8	Is Section: X Regular or	If Section is Irregular, locate well from nearest corner boundary. Section corner used:		location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.						:	297	
Pocal	330		Is Se	If Ser		age to the nearest lease or unit boundary sctrical lines, as required by the Kansas S You may attach a separate plat if desired.						 		
/		7	38 - 3E		/	show footage to the			>//	<u> </u>	7 2		4	
Inc.			.¦	>		Show location of the well. Show footage to the nexast legoads, tank batteries, pipelines and electrical lines, as reduceds, tank batteries properly and secured to the may attend a secure of the secu		6		\ }				 >
perator: H & C Oil Operating Inc.	ease: Griffith SWD	Field: Buckner West	Number of Acres attributable to well: 10			Show loc lease roads, tar			\searrow	/				••
)perator	ease: (Field: Bt	lumber TR/QT											

NOTE: In all cases locate the spot of the proposed drilling locaton.

330 ft. In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
 - 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO-7 for oil wells; CG-8 for gas wells).
 - 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

STATE OF KANSAS
STATE CORPORATION COMMISSION

Give All Information Completely Make Required Affidavit

FORMATION PLUGGING RECORD Strike out upper line when regretary plug-

State Corporation Commission 800 Bitting Building		ten			Φ	~ 22
Wichita, Kansas	Grah	.e.m	Count	y. Sec	T_{wp}	ge(*) 22 (*)
NORTH	Location as "N	E4NW4SW4" Sunt av	or footage from	n lines	3 10000 10011	
	Lease Owner	Dunwand	7			Well No. 1
	Lease Name,	Box 19	5. Great	Bend. 1	Cansas	. Well 110
	Character of V	Vall (completed a	s Oil Gas or T	ry Hole)	ory hole	
		pleted				3 19.4
	Application for	pieceu plugging filed			No va	3 10 4
	Application for	plugging filedr plugging approv	ed (11-3-	.44 by K	err)Nov.	19
	701				13 O. A. *	"## 10 ⁷
	Plugging com	aleted			Nov.	19 19 19 19 19 19 19 19 19 19 19 19 19 1
	Reason for abs	andonment of wel	ll or producing	formation		le
1 22						19
						ore plugging was co
Locate well correctly on above Section Plat	menced?	ye s	**************************************	. Tr		
Name of Conservation Agent who su	upervised plugging of t	his well	Her	o Kerr		2021
Producing formation None			Bottom.		Total Depth of	Well 0701 1
show depth and thickness of all water		ns.				alania praes
OIL, GAS OR WATER RECORD	DS					CASING RECOR
Formation	Content	From	То	Size ·	Put In	Pulled Out
	Dry	1670	***	10 3/4	276	none
Anhydrite Topeka		3105				
Lsg K.C.	***	3328		***************************************		
Conglomerate	177	3635				
Arbuckle	Wtr.	3690	3731			
					1	
was placed from 3 to surface with 1 issued by Mr. Ker	300' to 255'. 15 sax of ce	mudded 1	from 255 cordanc	' to 25'	20 sax o: ; then construction	emen ted
was placed from 3 to surface with 1	300' to 255'. 15 sax of ce	mudded in ac	from 255 cordanc	' to 25'	; then co	emen ted
was placed from 3 to surface with 1	300' to 255'. 15 sax of ce	mudded in ac	from 255 cordanc	' to 25'	; then co	emen ted
was placed from 3 to surface with 1	300' to 255'. 15 sax of ce	mudded in ac	from 255 cordanc	to 25'e with i	; then construction	emen ted
was placed from 3 to surface with 1	300' to 255'. 15 sax of ce	mudded in ac	from 255 cordanc	to 25' e with i	; then construction	emen ted
was placed from 3 to surface with 1	300' to 255'. 15 sax of ce	mudded in ac	from 255 cordanc	to 25' e with i	; then construction	emen ted
was placed from 3 to surface with 1	300' to 255'. 15 sax of ce	mudded in ac	from 255 cordanc	to 25' e with i	; then construction	emen ted
was placed from 3 to surface with 1	300' to 255'. 15 sax of ce	mudded in ac	from 255 cordanc	to 25' e with i	; then construction	emen ted
was placed from 3 to surface with 1	300' to 255'. 15 sax of ce	mudded in ac	from 255 cordanc	to 25' e with i	; then construction	emen ted
was placed from 3 to surface with 1	300' to 255'. 15 sax of cer	ment in ac	from 255 cordanc	to 25'e with i	; then construction	emen ted
was placed from 3 to surface with 1 issued by Mr. Ker	300' to 255'. 15 sax of cerr. (If additional	ment in ac	from 255 cordanc	to 25' e with i	; then construction	emen ted ons
was placed from 3 to surface with 1 issued by Mr. Ker	300' to 255'. 15 sax of cer r. (If additional well should be addresse	ment in accessared to.	from 255 cordanc	to 25' e with i	; then construction	emen ted ons
was placed from 3 to surface with 1 issued by Mr. Ker Correspondence regarding this vaddress.	300' to 255'. 15 sax of cerr. (If additional well should be addresse	men t in accessard to St.	From 255 cordanc	to 25' e with i	tion at the state of the struction at the state of the st	emen ted ons
was placed from 3 to surface with 1 issued by Mr. Ker Correspondence regarding this valddress.	300' to 255'. 15 sax of cerr. (If additional well should be addresse	men t in accessared to	From 255 Geordanc	to 25' e with i	tion at the state of the struction at th	emen ted ons
was placed from 3 to surface with 1 issued by Mr. Ker Correspondence regarding this valddress.	300' to 255'. 15 sax of cerr. (If additional well should be addresse	men t in accessared to	From 255 Geordanc	to 25' e with i	tion at the state of the struction at th	emen ted ons
was placed from 3 to surface with 1 issued by Mr. Ker Correspondence regarding this valdress. TATE OF Kansas	(If additional well should be addresse	description is necessaried to St. Bo	ry, use BACK of an analysis of the second and second and second and second and second analysis of the second analy	this sheet) Corpor Great Be	ation nd, Kans	emen ted ons as
to surface with issued by Mr. Ken issued by Mr. Ken Correspondence regarding this valued of the correspondence regarding this value of the correspondence regarding the corre	(If additional well should be addressed), COUL	description is necessared to St. NTY OF (em. dge of the facts, see the section)	From 255 ceordanc 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	this sheet) Corpor Great Be	ation nd, Kans	emen ted ons as
was placed from 3 to surface with 1 issued by Mr. Ker Correspondence regarding this values. STATE OF Kansas	(If additional well should be addressed), COUL	description is necessared to St. NTY OF (em. dge of the facts, see	From 255 ceordanc 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	this sheet) Corpor Great Be	ation nd, Kans	emen ted ons as
to surface with issued by Mr. Ken issued by Mr. Ken Correspondence regarding this valued of the correspondence regarding this value of the correspondence regarding the corre	(If additional well should be addressed), COUL	description is necessared to St. NTY OF (em dige of the facts, sect. So help me	ry, use BACK of the part on aployee of ownestatements, and God.	this sheet) Corpor Great Be	ation nd, Kans	emen ted ons as
to surface with issued by Mr. Ken issued by Mr. Ken Correspondence regarding this was a starte of Kenses TATE OF Kenses	(If additional well should be addressed), COUL	description is necessared to St. NTY OF (em. dge of the facts, see	ry, use BACK of the part on aployee of ownestatements, and God.	this sheet) Corpor Great Be	ation nd, Kans	emen ted ons as
to surface with issued by Mr. Ken issued by Mr. Ken Correspondence regarding this was a starte of Kenses TATE OF Kenses	(If additional well should be addressed), COUL	description is necessared to St. NTY OF (emdge of the facts, sect. So help me (Signature)	ry, use BACK of the part on aployee of ownestatements, and God.	this sheet) Corpor Great Be er) or (owner of matters here)	ation nd, Kans	emen ted ons as
Correspondence regarding this valdress. Carrespondence regarding this valdress. Carrespondence regarding this valdress. Carrespondence regarding this valdress.	(If additional well should be addressed), COUT: That I have knowlessame are true and corr	description is necessared to Signature)	ry, use BACK of an applyee of ownestatements, and God. Box 195.	to 25 e with i	ation nd, Kans	emen ted ons as
to surface with issued by Mr. Ken issued by Mr. Ken Correspondence regarding this valddress. TATE OF Kan sas ceing first duly sworn on oath, says	(If additional well should be addressed), COUT: That I have knowlessame are true and corr	description is necessared to Signature)	ry, use BACK of an applyee of ownestatements, and God. Box 195.	to 25 e with i	ation nd, Kans	emen ted ons as
Correspondence regarding this valdress. Carrespondence regarding this valdress. Carrespondence regarding this valdress. Carrespondence regarding this valdress.	(If additional well should be addressed), COUT: That I have knowlessame are true and corr	description is necessared to Signature)	ry, use BACK of an applyee of ownestatements, and God. Box 195.	to 25 e with i	ation nd, Kans	emen ted ons as

Sunray Oil Corporation Tulsa, Oklahoma

Dunwoody #1

SE-SE-SW/4 Sec. 2-8-22W

Graham County, Kansas

Contractor: Parker Drilling Co. Commenced: 10-19-44

Completed: 11-4-44

	DRILLER'S LOG				
sand rock	0-55				
gravel	55-150	~-+	30 8/14 0	once/	150
shale & shells	150-285		10 3/4 " @		T90
shale	285-350	sax	Lone Star	cement.	
sandy shale	350-395				
shale & shells	395-710				
sand	710-785				
Red Bed & sand	785-825				
shale & shells	825-1130				
sand & shale Red Beds	1130-1350				
	1350-1495				
Red Bed & sand	1495-1670				
Anhydrite Red Bed & shells	1670-1710				
shale & shells	1710-1865				
shale & shells	1865-2015				
shale & shells	2015-2100				
shale & shells	2100-2200				
lime & shale	2200-2300				
shale & shells	23 00 - 2370 237 0- 2485				
shale & shells	2485 - 2565				
lime & shale	2565 - 2655				
lime & shale	2655 - 2757				
lime & shale	2757-2841				
lime & shale	2841-2970				
lime & shale	2970-3060				
lime & shale	3060-3145				
lime-& shale	3145-3235				
lime & shale	3835-3310				
lime	3310-3375		•	4	(*)
chert & lime	3375-3418			2 8	2200
lime	3418-3505		, k	138	38
lime & shale	3505-3573				
broken lime	3573-3640				
lime, chert & shale	3640-3673				
chert	3673-3688				
chert	3688-3731	TD			
····· शर्माच्या विष		1.1.7			

I, Fred McDaniel, do hereby certify that the above information is true and correct to the best of my knowledge.

Signed Sud M Danie

Subscribed and sworn to before this of <u>Movember</u> 1944.

My Commission Expires

Notary Public

STATE COPPORTING CONMISSION NOV 1

CLANS MAN

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.