Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION

OIL & GAS CONSERVATION DIVISION

1258129

Form CP-4 March 2009 Type or Print on this Form Form must be Signed All blanks must be Filled

WELL PLUGGING RECORD K.A.R. 82-3-117

OPERATOR: License #:	API No. 15
Name:	Spot Description:
Address 1:	Sec Twp S. R East West
Address 2:	Feet from North / South Line of Section
City: State: Zip: +	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	NE NW SE SW
Type of Well: (Check one) Oil Well Gas Well OG D&A Cathodic Water Supply Well Other: SWD Permit #: SWD Permit #: SWD Permit #: ENHR Permit #: Gas Storage Permit #: Is ACO-1 filed? Yes No If not, is well log attached? Yes No Producing Formation(s): List All (If needed attach another sheet) Depth to Top: Bottom: T.D. Depth to Top: Bottom: T.D.	County: Well #: Uell #: Date Well Completed: The plugging proposal was approved on: (Date) by: (KCC District Agent's Name) Plugging Commenced: Plugging Completed: Plugging

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water	Records	Casing Record (Surface, Conductor & Production)				
Formation	Content	Casing	Size	Setting Depth	Pulled Out	

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugging Contractor License #:		Name:		
Address 1:		Address 2:		
City:		State:	Zip:	+
Phone: ()				
Name of Party Responsible for Plu	ugging Fees:			
State of	County,	, SS.		
	(Print Name)		tor or Operator on ab	
		statements, and matters herein contained, and the		

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Submitted Electronically

QUALI	TY OILW		L CF		TING	IN	C	
Phone 785-483-2025 Cell 785-324-1041	Feder	ral Tax	I.D.# 20-2	886107 sell, KS 6766			1826	
Date 6 16 15 26	Twp. Range	(A)	ounty	KS	On Lo	cation	6:4	s pr
F 9.1		Locatio	n Pawne	e Rock, K	5-46.4	K 80	th Aue	
Lease Fenwill	Well No. 2-	26	Owner 25	wInt	5/60 4	6 Ria	1 19 19 19 19 19 19 19 19 19 19 19 19 19	14
Contractor Stesling	Signal and signal	4.23YT 29	To Quality Oi	lwell Cementing,	Inc.			
Type Job Susface	1.000 (ACC) (1.01-0)		rou are nere cementer and	by requested to r d helper to assist	owner or contra	actor to do	work as lis	ted.
Hole Size 121/4 "	T.D. 9951		Charge	rolling Re	sources			
Csg. 85/8"	Depth 99D ⁱ	100.00 2 1	Street	RIDG IN		5 14 5	ni se se s	520 N
Tbg. Size	Depth		City	OF parameters and	State	inder en		
Tool	Depth	and the second sec	at the second second	s done to satisfaction	THE PROPERTY	n of ownor	agent or con	tractor
Cement Left in Csg. 42	1121	2	Cement Amo	1.00		3244	2% Gol	Val
CALCER A MARK AND A MARK NO STATE	Shoe Joint 92				N WIN		- 10 (B)	100
Meas Line EQUIPI	Displace 66 19 WENT		Floseed Common	270	1 (1999) (19			
Cementer	6			100		1.00		
Pumptrk 27 Helper	phie		Poz. Mix	80				
No. Driver			Gel. 9					<u></u>
Bulktrk P.U., Driver MyC	2 DEMADIZE		Calcium / 2	F			nod Lang B	
0	1 00 11.		Hulls	·			<u> </u>	
Remarks: Cement d.	d Licculate	Carlor Starts	Salt	184				
Rat Hole	Collat		Flowseal	0.5#				
Mouse Hole \mathcal{PN} (certa		Kol-Seal				when the state	
Centralizers			Mud CLR 48					
Baskets	<u>, , , , , , , , , , , , , , , , , , , </u>	A 19	CFL-117 or C	D110 CAF 38	<u></u>	<u></u>		
D/V or Port Collar Water	Cellas 1	tor :	Sand					
200	.]	I	Handling 4			1	-1-1-S	
	P	I	Mileage					
				FLOAT EQUI	PMENT		en and Vitt	ACUIC:
D,X	Not fall	(Guide Shoe	1 Dir	r $6n$	0	1	
n an			C ontraliz er	Battle	2 phile			
	· · · · · · · · · · · · · · · · · · ·	F	Baskets	1 Kubber	pluor		4 (B. ¹ .) A (F	
		/	AFU Inserts		1 1	Contraction of the second s		
		F	Float Shoe				Illeren etc.	1. p. 1.
	dan first states se	L.	_atch Down					de U.
	" the transformer of the second	9 ¹⁰⁹ 9 ¹⁰ 9	1 - 1 - <u>1</u> - 4		1 9 M 1 .		16 - 14 - 14 - 14 - 14 - 14 - 14 - 14 -	
							শঞ্জ মহ	5
re i a contra la contra de servir.		(j	^p umptrk Cha	rge Long	Surface		 x = x x = x x = x 	
an a		N	Vileage 20			818 ¹⁸ 21 1	ан <u>а</u> н а	2
Setting of Larry	n Ballen en sa	silve i i				Тах		
in a strand of the strand of t	and a second	17 AL 2	t Andre to			Discount	1999 and 19	1
X Signature alan Lotte			n ten Million Germanischer Germanischer		Tota	I Charge		
						Ļ	e a la	11

QUALITY OILW	ELL CEMENTING, INC. al Tax I.D.# 20-2886107
Phone 785-483-2025 Home Office F Cell 785-324-1041	P.O. Box 32 Russell, KS 67665 No. 1830
Date 6-21- 15 26 21 16	County State On Location Finish Pawnee KS II DO AN
	Location Pawnee Rock Ks - W to 80Rd, 25, W
Lease Fenwick Well No. 2-2	6 Owher
Contractor Sterling 5	To Quality Oilwell Cementing, Inc.
Type Job Plugy	You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.
Hole Size 77/8" T.D. 4025'	Charge
Csg. Depth	To Shelby Kesonsces
Tbg. Size 44" D.P. Depth 3876'	Street
Tool Depth	City State
	Cement Amount Ordered 210 60/46 49/601 1/4 Fib
Cement Left in Csg. Shoe Joint	ud i
Meas Line Displace NCO/M EQUIPMENT	Common 126
1/ No Cementer Oall	
Pumptrk / No. Driver	Poz. Mix & 9
No. Driver De IV	Gel.
Bulktik D. U. Driver COU JOB SERVICES & REMARKS	Calcium
A STATE AND A STAT	Hulis
Remarks:	Salt
Rat Hole 22 3876' - 505X	Flowseal 304
Mouse Hole 1026 - 505X	Kol-Seal
Centralizers 230' - 40 SX	Mud CLR 48
Baskets 60 - 20 5X	CFL-117 or CD110 CAF 38
DN or Port Collar Rathole - 30 5X	Sand
Mousehole - 20 SX	Handling 2/7
100 0-11	Mileage
Cement and Circulat	FLOAT EQUIPMENT
	Guide Shoe
	Centralizer
	Baskets
	AFU Inserts
	Float Shoe
	Latch Down
	Pumptrk Charge pluc
	Mileage 5/
	Tax
	Discount
X Signature alar Lott	Total Charge
- com copes	

(