

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

| For KCC | Use: | | | |
|------------|-------|----|--|--|
| Effective | Date: | | | |
| District # | | | | |
| SGA? | Yes | No | | |

SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

| | | | Spot Description: |
|---|--|--|--|
| | month day | year | SecTwpS. R 🔲 E 🔲 V |
| OPERATOR: License# | | | feet from N / S Line of Section |
| | | | feet from E / W Line of Section |
| ddress 1: | | | Is SECTION: Regular Irregular? |
| | | | (Note: Locate well on the Section Plat on reverse side) |
| | State: Zip: | | County: |
| Contact Person: | | | Lease Name: Well #: |
| hone: | | | Field Name: |
| CONTRACTOR: License# | | | Is this a Prorated / Spaced Field? |
| lame: | | | Target Formation(s): |
| | | | Nearest Lease or unit boundary line (in footage): |
| Well Drilled For: | Well Class: Type | Equipment: | Ground Surface Elevation:feet MS |
| Oil Enh R | Rec Infield | Mud Rotary | Water well within one-quarter mile: |
| Gas Storag | ge Pool Ext. | Air Rotary | |
| Dispo | | Cable | , |
| Seismic ;# c | | | Depth to bottom of fresh water: |
| Other: | | | Depth to bottom of usable water: |
| If OWWO: old well | information as follows: | | Surface Pipe by Alternate: II III |
| | | | Length of Surface Pipe Planned to be set: |
| Operator: | | | Length of Conductor Pipe (if any): |
| | | | Projected Total Depth: |
| Original Completion Da | ate: Original Total | Depth: | |
| Directional Devicted or He | rizontal wallhara? | Yes No | Water Source for Drilling Operations: |
| Directional, Deviated or Hol | nzontai welibore? | | Well Farm Pond Other: |
| • | | | DWR Permit #: |
| | | | (Note: Apply for Permit with DWR) |
| | | | Will Cores be taken? |
| | | | If Yes, proposed zone: |
| | | | |
| | | AF | FIDAVIT |
| The undersigned hereby a | affirms that the drilling, comple | | FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. |
| | affirms that the drilling, comple | etion and eventual pl | |
| It is agreed that the follow | ring minimum requirements wil | etion and eventual pl | |
| t is agreed that the follow 1. Notify the appropria | ring minimum requirements will attend district office <i>prior</i> to spude | etion and eventual pl Il be met: ding of well; | ugging of this well will comply with K.S.A. 55 et. seq. |
| t is agreed that the follow 1. Notify the appropria 2. A copy of the appro | ring minimum requirements wil ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> | etion and eventual pl Il be met: ding of well; all be posted on eac | ugging of this well will comply with K.S.A. 55 et. seq. |
| t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amount through all unconsor | ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minim | etion and eventual pl Il be met: ding of well; all be posted on each d below shall be se num of 20 feet into th | ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. |
| t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hole | ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the | etion and eventual pl Il be met: ding of well; all be posted on each d below shall be se num of 20 feet into the operator and the dis | ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. the underlying formation. the trict office on plug length and placement is necessary prior to plugging; |
| t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis | ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befo | etion and eventual plus be met: ding of well; all be posted on each discount be seen and feet into the operator and the discrete well is either plug | ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. the underlying formation. the trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; |
| t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I | ring minimum requirements will ate district office <i>prior</i> to spudd oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production p | etion and eventual plus be met: ding of well; all be posted on each discount be below shall be senum of 20 feet into the operator and the discrete well is either plugipe shall be cemented. | h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. thrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. |
| t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App | ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su | etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order # | ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. the underlying formation. the trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App | ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su | etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order # | h drilling rig; thy circulating cement to the top; in all cases surface pipe <i>shall be set</i> the underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; and from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App | ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su | etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order # | h drilling rig; thy circulating cement to the top; in all cases surface pipe <i>shall be set</i> the underlying formation. trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ted from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed | ring minimum requirements will atte district office <i>prior</i> to spudo oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da | etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order # | h drilling rig; thy circulating cement to the top; in all cases surface pipe <i>shall be set</i> the underlying formation. trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ted from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed | ring minimum requirements will atte district office <i>prior</i> to spudo oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da | etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order # | th drilling rig; the prior to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. |
| t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed | ring minimum requirements will atte district office <i>prior</i> to spudo oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da | etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order # | th drilling rig; the circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE IOr pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY | ring minimum requirements will atte district office <i>prior</i> to spudoved notice of intent to drill <i>she</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da | etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order # | th drilling rig; the vicinculating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 - | ring minimum requirements will atte district office <i>prior</i> to spudo oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud danically | etion and eventual plus be met: ding of well; all be posted on each discovery before the posted of the plug ipe shall be cemented the plug ipe shall be p | h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; |
| t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE IOr pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 - | ring minimum requirements will atte district office <i>prior</i> to spudoved notice of intent to drill <i>she</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da | etion and eventual plus be met: ding of well; all be posted on each discovery before the posted of the plug ipe shall be cemented the plug ipe shall be p | h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; |
| t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 Conductor pipe required | ring minimum requirements will atte district office <i>prior</i> to spudo oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud danically | etion and eventual plants be met: ding of well; all be posted on each discovery be p | h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; |
| t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 - Conductor pipe required - Minimum surface pipe required - | ring minimum requirements will atte district office <i>prior</i> to spuddoved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas sur within 30 days of the spud data inically | etion and eventual plus be met: ding of well; all be posted on each discovery between the posted on each discovery between the period of the plus between the period between the perio | h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; |
| 1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 - Conductor pipe required - Minimum surface pipe required Approved by: | ring minimum requirements will atte district office <i>prior</i> to spudd oved notice of intent to drill <i>sha</i> unt of surface pipe as specified plidated materials plus a minim le, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud data inically —————————————————————————————————— | etion and eventual plus be met: ding of well; all be posted on each discovery between the posted on each discovery between the period of the plus between the period between the perio | h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set le underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; |
| 1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE IOr pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 Conductor pipe required Minimum surface pipe required Approved by: This authorization expires | ring minimum requirements will atte district office <i>prior</i> to spudd oved notice of intent to drill <i>sha</i> unt of surface pipe as specified plidated materials plus a minim le, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud data inically —————————————————————————————————— | etion and eventual plus be met: ding of well; all be posted on each discovery be per ALT. I I II | h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set le underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

Side Two



| For KCC Use ONLY | |
|------------------|--|
| API # 15 | |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: | Location of Well: County: |
|---------------------------------------|--|
| Lease: | feet from N / S Line of Section |
| Well Number: | feet from E / W Line of Section |
| Field: | SecTwpS. R 🔲 E 🔲 W |
| Number of Acres attributable to well: | Is Section: Regular or Irregular |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

1980 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

258401

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | License Number: | |
|--|---|------------------------------------|--|
| Operator Address: | | | |
| Contact Person: | | | Phone Number: |
| Lease Name & Well No.: | | | Pit Location (QQQQ): |
| Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A | Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls) Area? Yes No | | SecTwp R East WestFeet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l mg/l mg/l reference from reference from mg/l mg/l mg/l reference from reference from mg/l reference from reference from mg/l reference from |
| Is the bottom below ground level? Yes No | Artificial Liner? | No | How is the pit lined if a plastic liner is not used? |
| Pit dimensions (all but working pits): | Length (fee | | |
| If the pit is lined give a brief description of the li material, thickness and installation procedure. | | | dures for periodic maintenance and determining acluding any special monitoring. |
| Distance to nearest water well within one-mile of pit: | | Depth to shallo Source of infor | west fresh water feet. nation: |
| feet Depth of water wellfeet | | measured | well owner electric log KDWR |
| Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to | | Type of materia | over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure: |
| flow into the pit? Yes No Submitted Electronically | | ' | e closed within 365 days of spud date. |
| | KCC | OFFICE USE O | NLY Liner Steel Pit RFAC RFAS |
| Date Received: Permit Num | ber: | Permi | t Date: Lease Inspection: Yes No |



Kansas Corporation Commission Oil & Gas Conservation Division

1258401

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

| OPERATOR: License # | | | |
|--|--|--|--|
| Name: | · — — | | |
| Address 1: | • | | |
| Address 2: | Lease Name: Well #: | | |
| City: State: + | the large heless. | | |
| Phone: () Fax: () | | | |
| Email Address: | - | | |
| Surface Owner Information: | | | |
| Name: | | | |
| Address 1: | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the | | |
| Address 2: | | | |
| City: State: Zip:+ | _ | | |
| are preliminary non-binding estimates. The locations may be entered | ank batteries, pipelines, and electrical lines. The locations shown on the plat If on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. | | |
| Select one of the following: | | | |
| owner(s) of the land upon which the subject well is or will be | e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. | | |
| KCC will be required to send this information to the surface | I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form. | | |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form C | ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned. | | |
| Submitted Electronically | | | |
| I | | | |



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

July 17, 2015

Mike Thompson HAT Production LLC 12371 KS HWY 7 MOUND CITY, KS 66056

Re: Drilling Pit Application Sergent 11 SE/4 Sec.09-20S-23E Linn County, Kansas

Dear Mike Thompson:

According to the drilling pit application referenced above, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through KOLAR. This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

| 82-3-607. (a) pit | DISPOSAL OF DIKE AND PIT CONTENTS. Each operator shall perform one of the following when disposing of dike or | |
|--------------------------|---|--|
| ρit | contents: | |
| (1) | Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department; | |
| (2) | dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well; | |
| or | | |
| (3) | dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following: (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f); (B) removal and placement of the contents in an on-site disposal area approved by the commission; (C) removal and placement of the contents in an off-site disposal area | |
| on | | |
| lease | acreage owned by the same landowner or to another producing | |
| | or unit operated by the same operator, if prior written permission | |
| from | the landowner has been obtained; or | |

| | (D) | removal of the contents to a permitted off-site disposal area |
|----------|-----------|---|
| approved | | |
| | | by the department. |
| (b) | Each | violation of this regulation shall be punishable by the following: |
| (1 |) A \$1,0 | 000 penalty for the first violation; |
| (2 | a \$2,5 | 00 penalty for the second violation; and |
| (3 | a \$5,0 | 000 penalty and an operator license review for the third violation. |

File Haul-Off Pit Application in KOLAR. Review the information below and attach all required documents to the pit application when submitting through KOLAR. This form will automatically generate and fill in from questions asked in KOLAR.

| Haul-off pit will be located in an on-site disposal area:YesNo |
|--|
| Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner: YesNo |
| Haul-off pit is located in an off-site disposal area on another producing lease or unit operated by the same operator:YesNo If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage where the haul-off pit is to be located, to the haul-off pit application. |