Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1259246

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:
OG GSW Temp. Abd. CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Duilling Fluid Management Dian
Plug Back Conv. to GSW Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Commingled Permit #: Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

				Page Iwo	12592		
Operator Na	me:			Lease Name:		_ Well #:	
Sec	Twp	_S. R	East West	County:			

(If No, skip questions 2 and 3)

Depth

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	eets)	Yes No		-	n (Top), Depth an		Sample
Samples Sent to Geolog	gical Survey	Yes No	Nam	ie		Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
		CASING Report all strings set-c		ew Used	on etc		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	JEEZE RECORD	•		
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and Pe	ercent Additives	
Protect Casing Plug Back TD							
Plug Off Zone							

Did you perform a hydraulic fracturing treatment on this well?	Yes	No
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes	No
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes	No

	otal base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?		No No	(If No, skip question 3)	2 41
ne nydraulic fractui	ing treatment information submitted to the chemical disclosure registry?	Yes	No	(If No, fill out Page Three of the ACC)-1)
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid,	,	ot, Cement Squeeze Record d Kind of Material Used)	

TUBING RECORD:	Si	ze:	Set At:		Packe	r At:	Liner Rur		No	
Date of First, Resumed	Product	ion, SWD or ENHF	}.	Producing M	ethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITI	ON OF (GAS:			METHOD	OF COMPLE	TION:		PRODUCTION I	NTERVAL:
Vented Solo		Used on Lease		Open Hole	Perf.	Dually (Submit A	Comp. ACO-5)	Commingled (Submit ACO-4)		
(If vented, Su	bmit ACC	D-18.)		Other (Specify)						

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Operator License #: 30345	API #: 15-001-31387-00-00				
Operator: Piqua Petro, Inc.	Lease: LaRue				
Address: 1331 Xylan Rd, Piqua, KS 66761	Well #: 1-15				
Phone: (620) 433-0099	Spud Date: 6-19-15 Completed: 6/22/15				
Contractor License: 34036	Location: SW/NE/NE/NE of 23-25-17E				
T.D.: 863 T.D. of Pipe: 860 Size: 2.875"	500 Feet From North				
Surface Pipe Size: 7" Depth: 22'	500 Feet From East				
Kind of Well: Oil	County: Allen				

LOG

Thickness	Strata	From	То	Thickness	Strata	From	То
5	Soil	0	5	3	Shale	762	765
21	Clay	5	26	3	Black Shale	765	768
78	Shale	26	104	3	Shale	768	771
14	Lime	104	118	4	Lime	771	775
29	Shale	118	147	19	Shale	775	804
52	Lime	147	199	1	Lime	804	805
16	Shale	199	215	1	Shale	805	806
22	Lime	215	237	1	Lime	806	807
49	Shale	237	286	11	Oil Sand	807	818
47	Lime	286	353	45	Shale	818	863
6	Shale/Black Shale	353	359				
27	Lime	359	386				
4	Black Shale	386	390				
34	Lime	390	424				
153	Shale	424	577				
4	Lime	577	581				
20	Shale	581	601				
9	Lime	601	610				
74	Shale	610	684				
3	Lime	684	687		T.D.		863
6	Shale	687	693		T.D. of Pipe		860
9	Lime	693	702				
7	Shale	702	709	-			
4	Lime	709	713				
2	Black Shale	713	715		and a first and a second second		
3	Shale	715	718				
3	Lime	718	721				
26	Shale	721	747				
15	Lime	747	762				

802 N. Industrial Rd. P.O. Box 664 tola, Kansas 66749

Phone: (620) 365-5588 Phone: 1020 Notice To ownER Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract. W/W CONDITIONS

CONDITIONS GONDITIONS GONDITIONS Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's readmarks, the made for holding trucks is 55 minutes per yard. A charge will be made for holding trucks is 55 minutes per yard. A charge will be made for holding trucks is 55 minutes per yard. A charge will be made for holding trucks is 55 minutes per yard. A charge will be made for holding trucks is 55 minutes per yard. A charge will be made for holding trucks is 55 minutes per yard. A charge will be made for holding trucks is concrete contains correct water contents for strength sadded at customer's request. Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyars responsibility.

LEASE: LARUE #1-15

54 W TO GOORD S 4MI TO MARYLAND

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK	24 1-13 P	PLANT/TRANSACTION	
7:54 AM	UELI.	11.50	11.50		LE 34	a Ran Barra a	ALLCO	
DATE	PO NUMBE	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER	
6/23/15		1	11.50	2	0.00	4.00 in	, 3917	
IRRITATII Contains Portland Cement. W	WARNING NG TO THE SKIN AN Year Rubber Boots and Gloves. Pl act With Eyes and Prolonged Co	ND EYES	PROPERTY DAMAGE TO BE SIGNED IF DELIVERY TO BE Dear Outsome The driver of this truck is you for your signature is of the option muck may possibly outside damage to property if if places the material in this	MADE INSIDE CURB LINE)	Excessive Water H ₂ 0 Ac	is Detrimental to Conc Ided By Request/Autho	rete Performance rized By	
CAUSE BURNS, Avoid Conta Contact With Skin or Eyes, F Attention, KEEP CHILDREN /	lush Thoroughly With Water, It in	ritation Persists, Get Medical	our wish to help you in every way eran t	We car, out at order to do and	WEIGHMASTER			
A DESCRIPTION OF A DESC	OMMODITY and BECOMES the PROP WGES OR CANCELLATION of ORIG	ERTY of the PURCHASER UPON	the onver is requesting that you sigh, in this supplier from any responsibility from to the premises and/or adjacent p driveways, curbs, etc., by the delivery also agree to help him remove mud fro			maker and the	har with the second	
TELEPHONED to the OFFICE BE	FORE LOADING STARTS. y all costs, including reasonable attor		also agree to help him remove mud fro that he will not litter the public street. F tion, the undersigned agrees to indemni of this truck and this supplier for any a	m the wheels of his vehicle so urther, as additional considera- ty and hold harmless the driver	NOTICE: MY SIGNATURE BEI	LOW INDICATES THAT I HAVE	READ THE HEALTH WARNIN	
All accounts not cald within 30 day	vs of delivery will bear interest at the rate	of 24% per annum.		nd all damage to the premises e claimed by anyone to have	LOAD RECEIVED BY:			
Matorial is Dalivorad	ggregate or Color Quality. No Claim		and/or adjacent property which may b arisin out of delivery of this order. SIGNED	and the second				
A \$30 Service Charge and Loss Excess Delay Time Charged @ \$8	s of the Cash Discount will be collect IO/HR	THE ON BE HEREITHE CHARAS.	X	transfer the second second	X	UNIT PRICE	EXTENDED PRICE	
QUANTITY	CODE	DESCRIPTION	1	and the		UNITERIOL	Entre Based in the	
	and the second se	a light a light of	N SACKS PER	T 10 1 E 10 0	11.50			
(11.50)	HELL .	WELL	163 with the 1 1 hours in	CHARK & Y				
2.50	TRUCKIN	IS. TRUCKIN	G CHARGE	and a set	2.50			
	and the second se	IS. TRUCKIN	163 with the 1 1 hours in					
2.50	TRUCKIN	IS. TRUCKIN	G CHARGE	5 sacks	2.50			
2,50 11,50	TRUCKIN	IS. TRUCKIN	G CHARGE	5 sacks	2.50	1		
2,50 11,50	TRUCKIN MIX&HAL	IG TRUCKIN	DELAY EXPLANATION/CYLL	5 Sacks INDER TEST TAKEN a TRUCK BROKE DOWN 7. ACOBENT 8. OTATION	2.50	TAX 7.4	0,	
2,50 11,50	TRUCKIN MIX&HAL	IG TRUCKIN		5 Sacks	2.50	TAX 7+4	0,	
2, 50 11, 50	TRUCKIN MIX&HAU LEFTJOB	IG TRUCKIN JL MIXING FINISH UNLOADING 9.12	G CHARGE AND HAULING #11- DELAY EXPLANATION/CYLL 1. JOB NOT READY 2. SLOW FOUR OR PUMP 3. TRUCK AVEAD ON JOB 4. CONTRACTOR BROKE DOWN	5 Sacks INDER TEST TAKEN a TRUCK BROKE DOWN 7. ACOBENT 8. OTATION	2.50 11.50 TIME ALLOWED	TAX 7.4	1 and 1	
ETURNED TO PLANT LEFT PLANT D, 12	TRUCKIN MIX&HAL LEFT JOB ARRIVED JOB	FINISH UNLOADING 9.1 START UNLOADING 9.50	G CHARGE AND HAULING #11- DELAY EXPLANATION/CYLL 1. JOB NOT READY 2. SLOW FOUR OR PUMP 3. TRUCK AVEAD ON JOB 4. CONTRACTOR BROKE DOWN	5 Sacks INDER TEST TAKEN a TRUCK BROKE DOWN 7. ACOBENT 8. OTATION	2.50 11.50 TIME ALLOWED	ADDITIONAL CHARGE	(1 <u></u>	
2, 50 11, 50 IETURNED TO PLANT	TRUCKIN MIX&HAU LEFTJOB	FINISH UNLOADING	G CHARGE AND HAULING #11- DELAY EXPLANATION/CYLL 1. JOB NOT READY 2. SLOW FOUR OR PUMP 3. TRUCK AVEAD ON JOB 4. CONTRACTOR BROKE DOWN	5 Sacks INDER TEST TAKEN a TRUCK BROKE DOWN 7. ACOBENT 8. OTATION	TIME ALLOWED		[1] [2]	

e Products, Inc.

3

P1002 PIQUA PETRO, INC. 1331 XYLAN RD

Payless Conc

Invoice

Leis Oil Services, LLC

1410 150th Rd Yates Center, KS 66783

Date	Invoice #
6/30/2015	1055

Bill To Piqua Petro, Inc. 1331 Xylan Rd Piqua, KS 66761

		P.O. No.	Terms	Project
			Due on receipt	
	Description	1	Rate	Amount
Quantity 1 Portable pit 8 Cement for surface 863 Drilling Shannon 1 Portable pit 8 Cement for surface 870 Drilling Shannon 1 Portable pit 8 Cement for surface 863 Drilling LaRue 1 1 Portable Pit 8 Cement for surface 1,223 Drilling for Dieb 1 Mississippi Bit Comparison	e 24-15 xe 25-15 			150.00 150.0 11.60 92.8 6.25 5,393.7 150.00 150.0 11.60 92.3 6.25 5,437.3 150.00 150.0 11.60 92.3 6.25 5,437.3 150.00 150.0 11.60 92.3 6.25 5,393.3 150.00 150.0 11.60 92.3 6.25 7,643. 800.00 800.3
			Total	\$25,639