

Well will not be drilled or Permit Expired Date: ___

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	<u> </u>
SGA?	Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Section Case Country State Zip: + Country	
SECTION: Regular Insert from E / W Lase Marker Regular Insert from E / W Lase Regular Insert from E /	E
Is SECTION: Regular Irregular/	ne of Secti
Wote: Locate well on the Section Plat on reverse side) Wote: Locate well on the Section Plat on reverse side) County: Lease Name: Well #:	e of Secti
State: Zip: + Countly: Lease Name: Well #: Flease Name: Well Drilled For: Well Class: Type Equipment: Is this a Prorated / Spaced Field? Target Formation(s): Name: Spaced Field? Target Formation(s): Spaced Field? Target Formation(s): Spaced Field? Target Formation(s): Spaced Field? Target Formation(s): Well Class: Name: Spaced Field? Well care well within none quarter mile: Public water supply well within one mile: Depth to bottom of tresh water: Depth to bottom of usable water: Surface Pipe by Alternate: I II User Well Name: Depth to bottom of tresh water: Depth to bottom of usable water: Surface Pipe by Alternate: II II User Well of Surface Pipe by Alternate: II II Well of Surface Pipe Surfa	
ontact Person: hone: ONTRACTOR: License#	
Lease Name:	
ONTRACTOR: License#_ Field Name: Field Name: Field Name: State Spaced Field? Target Formation(s): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Ground Surface Elevation: Water well writin one-quarter mile: Ground Surface Elevation: Ground Surface Elevation: Water well writin one-quarter mile: Ground Surface Elevation: Ground Surface Elevation: Ground Surface Elevation: Ground Surface Elevation: Ground Surface Plape Planned to be set: Length of Conductor Pipe (if any): Formation at Total Depth:	
Target Formation(s): Well Drilled For: Well Class: Type Equipment: Season Infield Mud Rotary Pool Ext. Air Rotary Public water supply well within one-quarter mile:	
Well Drilled For: Well Class: Type Equipment: Nearest Lease or unit boundary line (in footage): Ground Surface Elevation: Seismic ; so find Holes Other Othe	Yes N
Oil	
Gas Storage Pool Ext. Air Rotary Water well within one-quarter mile: Depth to bottom of resh water: Depth to bottom of	
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable Disposal Wildcat Cable Depth to bottom of tresh water: Depth to bottom of tresh water: Depth to bottom of usable water: Depth to depth to usable water of usable water of usable water in the usable water of usable water in the underlying formation. ### If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging in the underlying formation. ### If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging of the water in surface within 120 DAYS of spu	feet MS
Disposal Wildcat Cable Depth to bottom of fresh water: Depth to bottom of usable water: Surface Pipe by Alternate: I II Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Projected Total	Yes 1
Depth to bottom of usable water: Depth to bottom of usable water:	Yes 1
Surface Pipe by Alternate:	
Length of Surface Pipe Planned to be set: Length of Surface Pipe (if any):	
Operator: Well Name: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Formation at Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source for Deptiling Operations: Water Source for Drilling Op	
Well Name: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Formation at Total Depth:	
Formation at Total Depth: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: Well Farm Pond Other: Well Farm Po	
Water Source for Drilling Operations: Well	
irectional, Deviated or Horizontal wellbore? Yes, true vertical depth: CC DKT #: Well Farm Pond Other: DWR Permit #: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggin or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud dat Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing Notification of Compliance with the Kansas Surface Owner Notificate (KSONA-1) with Intent to Drill; File Complete Feet Within 120 days of spud date; File Complete Feet Within 120 days of spud date; File cortification of Compliance with the Kansas Surface Owner Notificate; File Complete Feet Within 120 days of spud date; File cortification form ACO-1 within 120 days of spud date; File cortification form ACO-1 within 120 days of spud date; File cortification form ACO-1 within 120 days of spud date; File careage attribution plat according to field proration orders;	
Yes, true vertical depth: Ottom Hole Location: CC DKT #: ** ** ** ** ** ** ** ** **	
Note: Apply for Permit with DWR () Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. Is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggin. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud dat Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing Ibmitted Electronically Remember to: - File Certification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File careage attribution plat according to field proration orders;	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggin 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud dat Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing the plugged of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing API #15 - Conductor pipe required	
If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggin. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud dat Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing IDMITTED TO THE ADVINGATION OF	Vaa 🗔
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggin. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud dat Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing **Demonstruction** **Remember to:** - File Certification of Compliance with the Kansas Surface Owner Notification (form CDP-1) with Intent to Drill; - File Certification Form ACO-1 within 120 days of spud date; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;	Yes N
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggin</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud dat Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing **DIMITION OF THE PROPRIES O	
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggin</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud dat Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing **Remember to: 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing **Remember to: 5. File Certification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill; 6. File Completion Form ACO-1 within 120 days of spud date; 7. File Completion Form ACO-1 within 120 days of spud date; 8. File acreage attribution plat according to field proration orders;	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggin</i>. The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud dat Or pursuant to Appendix "B". Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing 	
 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggin. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud dat Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing Jabmitted Electronically For KCC Use ONLY API # 15	
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggin 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing **DIDMITTED REPORT OF THE PROPRET OF THE PROPR	
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggin 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud dat Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing **DIDMITTED REPORT OF THE PROPRIES OF T	
 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggin</i>. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud dat Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing Library Grand Conductor pipe required	
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. For KCC Use ONLY API # 15	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing Image: Conductor pipe required	ıg;
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing Libmitted Electronically For KCC Use ONLY API # 15	te.
For KCC Use ONLY API # 15	
Remember to: For KCC Use ONLY API # 15	J.
Remember to: For KCC Use ONLY API # 15	
Remember to: For KCC Use ONLY API # 15	
Remember to: For KCC Use ONLY API # 15	
For KCC Use ONLY API # 15	
API # 15 Act (KSONA-1) with Intent to Drill; Conductor pipe required feet Minimum surface pipe required feet per ALTIII Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	cation
Conductor pipe requiredfeet	
Minimum surface pipe requiredfeet per ALTIII = - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;	
The acreage authorition plat according to held profation orders,	
Approved by: - Notify appropriate district office 48 hours prior to workover or re-entry;	
This authorization expires: Submit plugging report (CP-4) after plugging is completed (within 60 days and provided prov	
(This authorization void if drilling not started within 12 months of approval date.) - Obtain written approval before disposing or injecting salt water. - If well will not be drilled or permit has expired (See: authorized expiration)	
Sound date: Agent: Agent: Agent: Agent: Agent: Agent: Agent: Sound date: Agent: Agen	ays);

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

		in all cas	es, piease	tully comp	DIETE THIS S	ide of the	iorm. inci	ude items	i through 5	at the b	ottorn or	tnis page.		
Operator:					_ Lo	Location of Well: County:								
					_							of Section		
Well Number:				_										
				Se										
				– Is	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW									
					d electrica	l lines, as	required b		dary line. Si sas Surface ired.		•			
		:	:	:		:	:	:						
		:	:	:		: : :	:				LEC	SEND		
				:	•••••			······································		<u>_</u>		Location		
		:	:	:		:		:				k Battery I		
	•••••				•••••						-	eline Loca		
				:		:						tric Line L		
		:	:	:			:	:			L eas	se Road L	_ocation	
	•••••				•••••									
		:		:					_					
		:	:	:		:	:	<u>:</u>	1	EXAMPI	Ē	:	:	
		:	:	: ,		:	:	:						
		:	:	4	. 1	: : :	:	:						
		:	:	:		:	:	:			:		:	
		:	:	:		:	:	:			:	:	:	
		:	:	:			:	:	.					
			•	•		•	•	•						1980' FSL
		:	:	:		:	:	:			: Y			1300 1 31
		:	: :	:		: : :	:	:	.					
			•	•				•			<u> </u>		:	
		:	:	:		:	:	:			: —		:	

NOTE: In all cases locate the spot of the proposed drilling locaton.

205 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 259382

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:					
Operator Address:							
Contact Person:			Phone Number:				
Lease Name & Well No.:			Pit Location (QQQQ):				
Type of Pit: Emergency Pit Burn Pit	Pit is:	Existing	 SecTwp R				
Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	If Existing, date co	nstructed:(bbls)	Feet from North / South Line of Section Feet from East / West Line of Section County				
Is the pit located in a Sensitive Ground Water A	rea? Yes	No (DDIS)	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?				
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits				
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.				
Distance to nearest water well within one-mile	of pit:	Depth to shallowest fresh water feet. Source of information:					
feet Depth of water well	feet	measured	well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Type of materia	over and Haul-Off Pits ONLY: Il utilized in drilling/workover: king pits to be utilized: procedure:				
Does the slope from the tank battery allow all s flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.					
Submitted Electronically							
	KCC	OFFICE USE OI	NLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No				

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form KSONA-1 January 2014 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.


OPERATOR: License #	Well Location:				
Name:	SecTwpS. R				
Address 1:	County:				
Address 2:	Lease Name: Well #:				
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of				
Contact Person:	the lease below:				
Phone: () Fax: ()					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additiona				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.				
Address 2:					
City: State: Zip:+					
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathod the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following:	batteries, pipelines, and electrical lines. The locations shown on the plat				
I certify that, pursuant to the Kansas Surface Owner Notice Adowner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form cing filed is a Form C-1 or Form CB-1, the plat(s) required by this				
I certify that, pursuant to the Kansas Surface Owner Notice Adowner(s) of the land upon which the subject well is or will be lo CP-1 that I am filing in connection with this form; 2) if the form b form; and 3) my operator name, address, phone number, fax, ar	cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this id email address.				
 □ I certify that, pursuant to the Kansas Surface Owner Notice Adowner(s) of the land upon which the subject well is or will be lo CP-1 that I am filing in connection with this form; 2) if the form b form; and 3) my operator name, address, phone number, fax, ar □ I have not provided this information to the surface owner(s). I acked the surface owner(s) is considered to send this information to the surface owner(s). 	cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this id email address. knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and				
 □ I certify that, pursuant to the Kansas Surface Owner Notice Adowner(s) of the land upon which the subject well is or will be lo CP-1 that I am filing in connection with this form; 2) if the form b form; and 3) my operator name, address, phone number, fax, ar □ I have not provided this information to the surface owner(s). I ack KCC will be required to send this information to the surface own task, I acknowledge that I must provide the name and address 	cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this id email address. Eknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form. The with this form. If the fee is not received with this form, the KSONA-				

Producers

East Lidikay Lease

SE/4 Sec. 4

T/65-R2/E



From E. Line

Summary of Changes

Lease Name and Number: East Lidikay 53-HP

API/Permit #: 15-059-27034-00-00

Doc ID: 1259382

Correction Number: 1

Approved By: Rick Hestermann 07/29/2015

Field Name	Previous Value	New Value		
Feet to Nearest Water Well Within One-Mile of Pit	2373	2338		
KCC Only - Approved By	Rick Hestermann 06/17/2015	Rick Hestermann 07/29/2015		
KCC Only - Approved Date	06/17/2015	07/29/2015		
KCC Only - Date Received	06/17/2015	07/28/2015		
LocationInfoLink	https://kolar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=4&to	https://kolar.kgs.ku.edu/kcc/detail/locationInformation.cfm?section=4&to		
Number of Feet North or South From Section Line	165	205		
Number of Feet North or South From Section	165	205		
Line Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=12 55323	//kcc/detail/operatorE ditDetail.cfm?docID=12 59382		

Summary of Attachments

Lease Name and Number: East Lidikay 53-HP

API: 15-059-27034-00-00

Doc ID: 1259382

Correction Number: 1

Approved By: Rick Hestermann 07/29/2015

Attachment Name

Plot