Confidentiality Requested:

CORRECTION #1

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1257861

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15					
Name:	Spot Description:					
Address 1:						
Address 2:	Feet from Dorth / South Line of Section					
City: State: Zip:+	Feet from East / West Line of Section					
Contact Person:	Footages Calculated from Nearest Outside Section Corner:					
Phone: ()						
CONTRACTOR: License #	GPS Location: Lat:, Long:					
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)					
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84					
Purchaser:	County:					
Designate Type of Completion:	Lease Name: Well #:					
New Well Re-Entry Workover	Field Name:					
	Producing Formation:					
	Elevation: Ground: Kelly Bushing:					
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:					
OG GSW Temp. Abd. CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet					
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?					
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet					
Operator:	If Alternate II completion, cement circulated from:					
	feet depth to:w/sx cmt.					
Well Name:						
Original Comp. Date: Original Total Depth:						
Deepening Re-perf. Conv. to ENHR Conv. to SWD Plug Back Conv. to GSW Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)					
Plug Back Conv. to GSW Conv. to Producer						
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls					
Dual Completion Permit #:	Dewatering method used:					
SWD Permit #:	Location of fluid disposal if hauled offsite:					
ENHR Permit #:	Operator Nome					
GSW Permit #:	Operator Name:					
	Lease Name: License #:					
Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date	Quarter Sec TwpS. R East West County: Permit #:					

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I II III Approved by: Date:					

1257861

Operator Nar	me:					Lease Nan	ne:		Well #: _	 	
Sec	Twp	_S. F	٦	East	West	County:		 		 	
							_	 		 	

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taker (Attach Additional		Yes No] Log Forma	Log Formation (Top), Depth and Datum			
Samples Sent to Geo		Yes No	Na	ame		Тор	Datum	
Cores Taken Electric Log Run		Yes No						
List All E. Logs Run:								
		CASING Report all strings set-c		New Used intermediate, produ	ction, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
		ADDITIONAL	CEMENTING / S	QUEEZE RECOR	D			
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and Pe	ercent Additives		
Protect Casing Plug Back TD								
Plug Off Zone								
Did you perform a hydraulic fracturing treatment on this well? Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 Was the hydraulic fracturing treatment information submitted to the chemical disclosure reg					No (If No, skip	o questions 2 and o question 3) out Page Three o		
Shots Per Foot		ON RECORD - Bridge Plug Footage of Each Interval Perf			racture, Shot, Cement (Amount and Kind of Mat		Depth	

TUBING RECORD:	Siz	ze:	Set At:		Packe	At:	Liner Run	: Yes	No	
Date of First, Resumed	Product	ion, SWD or ENHF	۲.	Producing Meth	nod:	oing	Gas Lift	Other (Explain)	
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITIO	ON OF G	GAS:		N	IETHOD	OF COMPLE	TION:		PRODUCTION INT	ERVAL:
Vented Sold	I 🗌 I	Used on Lease		Open Hole	Perf.	Dually (Submit A		Commingled (Submit ACO-4)		
(If vented, Sul	bmit ACC)-18.)		Other (Specify)						

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Form	ACO1 - Well Completion
Operator	SandRidge Exploration and Production LLC
Well Name	Wrigley 1-11 SWD
Doc ID	1257861

Tops

Name	Тор	Datum
Base Heebner	3483	
Tonkawa	3815	
Cottage Grove	4110	
Oswego	4434	
Miss Lime	4750	
Kinderhook	5152	
Woodford	5215	
Viola	5242	
Simpson	5296	
Simpson Shale	5494	
Oil Creek	5470	
Arbuckle	5480	
Granite	6700	

						Spud Date	5/25/2012
SANDRIDG		Ľ	Curren	ht			
THE POWER OF US" Field Stranathan County Harper State KS Well WRIGLEY 1-11 SWD SH Location SEC 11, TWP 35S, RNG 8W Elevations 1235' KB; 1219' GL			Wellbore Sch 15-077-218 API No.	849		Original Co	npletion () Current X Workover Proposed
Well Bore Data	MD	TVD					
]		
20* 94# H-40 Conductor Pipe	85				24* Hole		
18 jts 9-5/8° 36# J-55 csg @ 36# J-55: Colg OD =10.625° ID=8.921 Drit=8.765 Collapse= 2020 Internal Y Cmt'd w/ 350 sxs Class a @ 12.4 ppg (Yield=2.12), followed by 230 sxs Std @ 15.6 ppg (Yield=1.18).	790 ⁄ield=3520				12 1/4" Hole		
KB 10" x 4-1/2" 11.6# NC Tbg 4-1/2" 17# J-55 LT&C IPC subs 137 Jis 4-1/2" 11.6# J-55 LT&C TK-16 IPC Tbg@ 3-1/2" X 4-1/2" Chrome XO 3-1/2" KO Cn/Off tool w/ 2.83" profile 7" x 3-1/2" 10K AS1-X SS & NC packer w/ carbide slips 6" X 3-1/2" Nickel Coated X win nipple w/ 2.66" No/Go 3-1/2" Nickel Coated WLEG EOT	16 10 5589 1 1 8 6 1 1	0 16 26 31 5620 5621 5622 5630 5636 5637 5638		TOC	g 3560'		
Well History Date Operations Summary 8/9/2015 MIT Passed - Start Injecting water. 9/24/2014 Tubing replacement 4/8/2015 RIH w/ SL 6709' 6/30/2015 RIH w/ SL 709' 7/1/2015 RIH w/ SL 556							
					Arbuckle Top 0'		
137 Jt 7* 26# J-55 LT&C Csg Float Collar Csg Jt	5560' 1' 43'	0' 5560' 5561'					
1 Jt 7" 24.5# 13 Cr-80 LT&C Csg Guide Shoe	38' 1'	5604' 5642'			0.044		
EOC 26# J-55: Cplg OD =7.656* ID=6.276 Drift=6.151 Collapse= 4320 Internal Yie	0' eld=4980	5643'		Cmt Plu			
Cmt'd w/ 300 sxs Class A mixed at 12 ppg (Yield=2.07).			}	6556' - 67 Tag Fill (09' @ 6709'		
<u>TD @</u>	6,735'		-	<u> </u>	6 1/8" Hole		
					Arbuckle Base 6700'		

6700'



Daily Operations WRIGLEY 1-11 SWD

Oklahoma City, OK 73102

09:00

05:00

20.00

24.00

Report Date: 7/2/2015, Report # 3, DFS: 1,133.21 Corporate ID API No. Operated? Operator Current Well Status Working Int (%) 121021 15077218490000 Yes SANDRIDGE EXPLORATION AND PRODUCTION LLC SERVICE 72.738400 Well Type Well Config Dual Completion? County/Parish District Well Sub-Status NRI (%) Division Subdivision State DEVELOPMENT SWD MIDCON DEVELOPMENT KS HARPER SWD .000000 No Range E/W Dir Township Twnshp N/S Dir Range Section Su Field Name tion ้ร W 11 WALDRON 35 8 **Daily Operations** Report Start Date Report End Date 7/1/2015 05:00 7/2/2015 05:00 Operations at Report Time WSI **Operations Summary** MIRU SLU. Tag TOC w/ SL @ 6556' KB. RDMO SLU. TOTP. FINAL REPORT. Operations Next 24 Hours TOTP **Daily Contacts** Job Contact Time Log Dpth Start (ftKB) Dpth End (ftKB) Cum Dur Start Time End Time Dur (hr) ladc Code (hr) Category Description 05:00 3.00 WSI 08:00 3.00 08:00 09:00 4.00 HSM JSA, MIRU Asher SL, RU 1 5/8" SB tool, RIH and tag TOC @ 1.00 6556' KB, POOH. KCC rep - Steve Van Gieson

TOC tag - 6556' KB

TOTP

Summary of Changes

Lease Name and Number: Wrigley 1-11 SWD API/Permit #: 15-077-21849-00-00 Doc ID: 1257861 Correction Number: 1 Approved By: NAOMI JAMES

Field Name	Previous Value	New Value
Approved Date	07/17/2012	07/14/2015
Cementing Purpose Plug Back TD	No	Yes
CementingDepth1_PDF	-	6556-6709
CementingDepthBase1		6709
CementingDepthTop1		6556
Completion Or Recompletion Date	6/6/2012	7/13/2015
Fracturing Question 1		No
LocationInfoLink	https://solar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=11&t	https://kolar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=11&t
Number Of Sacks Used for Cementing / Squeezing- Line 1	ation.cm/section=rrat	300
Plug Back Total Depth		6556

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10 83489	//kcc/detail/operatorE ditDetail.cfm?docID=12 57861
Type Of Cement Used for Cementing / Squeezing - Line 1		Class A

Summary of Attachments

Lease Name and Number: Wrigley 1-11 SWD API: 15-077-21849-00-00 Doc ID: 1257861 Correction Number: 1 Attachment Name

Wellbore Diagram



CONFIDENTIAL KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1083489

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: Plug Back Total Depth:
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Fee Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Fee If Alternate II completion, cement circulated from: feet depth to: w/ sx cm
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW	Chloride content: ppm Fluid volume: bble Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec TwpS. R East Wes
ENHR Permit #:	County: Permit #:
GSW Permit #:	County Fermit #
Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date: