

5/20

# Bar Drilling, LLC

# INVOICE

1317 105th Rd  
Yates Center, KS 66783  
(719) 210-8806 ,(620) 625-3679

DATE: April 8, 2015  
INVOICE #

**BILL TO:**  
Colt Energy Inc.  
P.O. Box 388  
Iola, KS 66749

**FOR:** Conger B10  
API# 15-001-31232


DESCRIPTION	Quantity	RATE	AMOUNT
set 21.5' of 8 5/8" surface casing with 8 sacks of cement drilled 970', (6 3/4" hole)	970.00	included 5.00	4,850.00

APPROVED JA 5/12/2015

SUBTOTAL	\$	4,850.00
TAX RATE		
SALES TAX		-
OTHER		
TOTAL	\$	4,850.00

114000  
D14033109

THANK YOU FOR YOUR BUSINESS!



Mud Rotary Drilling  
Andrew King - Manager/Driller

Bar Drilling, LLC  
Phone: (719) 210-8806

1317 105th Rd.  
Yates Center, KS 66782

<b>Company/Operator</b> Colt Energy Inc. P.O. Box 388 Iola, KS 66749		<b>Well No.</b> B10	<b>Lease Name</b> Conger	<b>Well Location</b> 191'fsl, 636'fel	<b>1/4</b> SW	<b>1/4</b> SE	<b>1/4</b> SE	<b>Sec.</b> 14	<b>Twp.</b> 25S	<b>Rge.</b> 19E									
<b>Job/Project Name/No.</b>		<b>Well API #</b> 15-001-31232	<b>Type/Well</b> Oil	<b>County</b> Allen	<b>State</b> KS	<b>Total Depth</b> 970'		<b>Date Started</b> 4/8/2015	<b>Date Completed</b> 4/27/2015										
<b>Driller/Crew</b> Andy King		<b>Surface Record</b>		<b>Bit Record</b>		<b>Coring Record</b>													
<b>Bit Size:</b>	11 1/4	<b>Type</b>	PDC	<b>Size</b>	11 1/4	<b>From</b>	0'	<b>To</b>	21.5'	<b>Core #</b>		<b>Size</b>		<b>From</b>		<b>To</b>		<b>% Rec.</b>	
<b>Casing Size:</b>	8 5/8	<b>Type</b>	PDC	<b>Size</b>	6 3/4	<b>From</b>	21.5'	<b>To</b>	970'	<b>Core #</b>		<b>Size</b>		<b>From</b>		<b>To</b>		<b>% Rec.</b>	
<b>Casing Length:</b>	21.5'	<b>Type</b>		<b>Size</b>		<b>From</b>		<b>To</b>		<b>Core #</b>		<b>Size</b>		<b>From</b>		<b>To</b>		<b>% Rec.</b>	
<b>Cement Used:</b>	8 sx	<b>Type</b>		<b>Size</b>		<b>From</b>		<b>To</b>		<b>Core #</b>		<b>Size</b>		<b>From</b>		<b>To</b>		<b>% Rec.</b>	
<b>Cement Type:</b>	Portland	<b>Type</b>		<b>Size</b>		<b>From</b>		<b>To</b>		<b>Core #</b>		<b>Size</b>		<b>From</b>		<b>To</b>		<b>% Rec.</b>	

From	To	Formation	From	To	Formation	From	To	Formation
0	6	overburden	832	841	broken oil sand			
6	45	lime	841	873	sandy shale (oil show)			
45	141	shale	873	925	shale			
141	262	lime	925	930	sand (oil show)			
262	438	shale	930	970	shale			
438	441	lime						
441	467	shale						
467	478	lime						
478	544	sandy shale						
544	546	lime						
546	551	shale						
551	573	lime						
573	576	shale						
576	583	lime						
583	620	shale						
620	644	lime						
644	718	shale						
718	721	coal						
721	734	shale						
734	736	lime						
736	783	shale						
783	793	oil sand						
793	805	sandy shale						
805	832	shale						

**Well Notes:**  
ran 925' 4 1/2" casing

