



Joshua R. Austin

Petroleum Geologist

report for



Lebsack Oil Production, Inc.

COMPANY: Lebsack Oil Production, Inc.

LEASE: Garden City #2-13

FIELD: West Ext. Dame

LOCATION: E2-E2-W2-Ne (1320' FNL & 1420' FEL)

SEC: 13 TWSP: 22s RGE: 34w

COUNTY: Finney STATE: Kansas

KB: 2925' GL: 2912'

API # 15-055-22417-00-00

CONTRACTOR: Sterling Drilling Co. (rig #5)

Spud: 07/09/2015 Comp: 07/17/2015

RTD: 4850 LTD: 4851

Mud Up: 3400' Type Mud: Chemical was displaced

Samples Saved From: 3700' to RTD.

Drilling Time Kept From: 3600' to RTD.

Samples Examined From: 3700' to RTD.

Geological Supervision From: 3850' to RTD.

Geologist on Well: Josh Austin

Surface Casing: 8 5/8" @418'

Production Casing: none


Electronic Surveys: By Pioneer Energy Services

NOTES

On the basis of the low structural position, negative drill stem test and after reviewing the electric logs it was recommended by all parties involved in the Garden City 2-13 that it be plugged and abandoned at the rotary total depth 4850.

Lebsack Oil Production, Inc.
well comparison sheet

DRILLING WELL					COMPARISON WELL			
Garden City 2-13					Garden City 1-13			
2925 KB					2923 KB		Structural Relationship	
Formation	Sample	Sub-Sea	Log	Sub-Sea	Log	Sub-Sea	Sample	Log
Anhydrite	2023	902	2018	907	2020	903	-1	4
Heebner	3808	-883	3808	-883	3796	-873	-10	-10
Toronto	3829	-904	3827	-902	3816	-893	-11	-9
Lansing	3905	-980	3912	-987	3893	-970	-10	-17
Base KC	4330	-1405	4333	-1408	4318	-1395	-10	-13
Marmaton	4355	-1430	4354	-1429	4341	-1418	-12	-11
Pawnee	4441	-1516	4440	-1515	4422	-1499	-17	-16
Ft. Scott	4474	-1549	4471	-1546	4450	-1527	-22	-19
Cherokee Sh.	4483	-1558	4482	-1557	4459	-1536	-22	-21
Morrow Shale	4666	-1741	4668	-1743	4642	-1719	-22	-24
Miss. St. Gen.	4737	-1812	4748	-1823	4708	-1785	-27	-38
St. louis C	4807	-1882	4809	-1884	4768	-1845	-37	-39
RTD	4850	-1925			4860	-1937		
LTD			4851	-1926	4858	-1935		



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Lebsack Oil Production Inc
P.O. box 354
Chase, Ks 67524

ATTN: Josh Austin

13-22-34 Finney, Ks
Garden City 2-13
Job Ticket: 61734 DST#: 1
Test Start: 2015.07.14 @ 23:00:46

GENERAL INFORMATION:


Formation: Pawnee	Test Type: Conventional Bottom Hole (Initial)
Deviated: No Whipstock: ft (KB)	Tester: Brandon Turley
Time Tool Opened: 00:59:16	Unit No: 79
Time Test Ended: 06:05:46	Reference Elevations: 2925.00 ft (KB)
Interval: 4430.00 ft (KB) To 4460.00 ft (KB) (TVD)	2912.00 ft (CF)
Total Depth: 4460.00 ft (KB) (TVD)	KB to GR/CF: 13.00 ft
Hole Diameter: 7.88 inches	Hole Condition: Good

Serial #: 8166	Outside	Capacity: 8000.00 psig
Press@RunDepth: 340.99 psig @ 4431.00 ft (KB)		Last Calib.: 2015.07.15
Start Date: 2015.07.14	End Date: 2015.07.15	Time On Btn: 2015.07.15 @ 00:58:46
Start Time: 23:00:51	End Time: 06:05:45	Time Off Btn: 2015.07.15 @ 04:00:46

TEST COMMENT: IF: 1/4 blow BOB in 5 min.
IS: No return.
FF: BOB in 10 min.
FS: No return.

Pressure vs. Time

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2315.87	113.80	Initial Hydro-static
1	51.88	112.91	Open To Flow (1)
28	201.85	116.97	Shut-In(1)
91	891.03	116.46	End Shut-In(1)
91	222.18	116.16	Open To Flow (2)
120	340.99	117.12	Shut-In(2)
181	865.57	116.82	End Shut-In(2)
182	2212.83	116.97	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
504.00	mcw 80%w 20%m	6.52
204.00	w cm oil spots 40%w 60%m	2.86

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



DRILL STEM TEST REPORT

Lebsack Oil Production Inc

13-22-34 Finney, Ks

P.O. box 354
Chase, Ks 67524

Garden City 2-13

Job Ticket: 61735

DST#: 2

ATTN: Josh Austin

Test Start: 2015.07.17 @ 01:15:37

GENERAL INFORMATION:

Formation: Miss
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 02:52:37
Time Test Ended: 08:23:37

Test Type: Conventional Bottom Hole (Reset)
Tester: Brandon Turley
Unit No: 79

Interval: 4754.00 ft (KB) To 4850.00 ft (KB) (TVD)
Total Depth: 4850.00 ft (KB) (TVD)
Hole Diameter: 7.88 inches Hole Condition: Good

Reference Elevations: 2925.00 ft (KB)
2912.00 ft (CF)
KB to GR/CF: 13.00 ft

Serial #: 8166


Outside

Press@RunDepth: 36.69 psig @ 4755.00 ft (KB)
Start Date: 2015.07.17 End Date: 2015.07.17
Start Time: 01:15:42 End Time: 08:23:36

Capacity: 8000.00 psig
Last Calib.: 2015.07.17
Time On Btm: 2015.07.17 @ 02:52:07
Time Off Btm: 2015.07.17 @ 06:23:07


TEST COMMENT: IF: 1/4 blow died in 8 min.
IS: No return.
FF: No blow.
FS: No return.

Pressure vs. Time



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2398.07	119.21	Initial Hydro-static
1	18.78	118.73	Open To Flow (1)



30	26.96	119.01	Shut-In(1)
89	527.39	119.70	End Shut-In(1)
89	32.69	119.49	Open To Flow (2)
147	36.69	119.94	Shut-In(2)
210	343.78	120.29	End Shut-In(2)
211	2320.64	120.96	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
20.00	ocm 10%o 90% m	0.10

* Recovery from multiple tests

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

ROCK TYPES

	sdymst		shale, grn		Carbon Sh		Sltst
	Lmst fw7>		shale, gry		Ss		

ACCESSORIES

MINERAL

- ▲ Chert, dark
- ∩ Glauconite
- Silty
- △ Chert White
- Mc Mica
- ∕ Euhed rhombs of dol or c

FOSSIL

- F Fossils < 20%
- ⊖ Oolite
- ⊕ Oomoldic

TEXTURE


- C Chalky
- MX Microxln

OTHER SYMBOLS

DST


- DST Int
- DST alt
- Core
- || tail pipe

Printed by GEOstrip VC Striplog version 4.0.7.0 (www.grsi.ca)



3540
3560
3580
3600
3620
3640
3660
3680
3700
3720
3740

ROP (min/ft) 6
Gamma (API) 150
Cal (in) 16





Shale; black-grey


Limestone; cream-lt. grey, fossiliferous, chalky in part, few scattered porosity, no shows


Shale; brick red-maroon, green-greyish green



Total Gas (units) 100
C1 (units) 100
C2 (units) 100
C3 (units) 100
C4 (units) 100











Limestone; cream, oolitic, chalky in part, fair oolitic type porosity, no shows

Limestone; tan-cream, fine xln, slightly fossiliferous/oolitic, dense, no porosity

black carboniferous shale

PAWNEE 4441 (-1516)

Limestone; white, oolitic, chalky, fair inter xli-oolitic porosity, brown stain, spotty SFO when sample broke, faint-fair odor

black carboniferous shale

FORT SCOTT 4474 (-1549)

Limestone; cream, fossiliferous-oolitic, chalky, trace spotty stain, trace FO, faint odor

CHEROKEE SHALE 4483 (-1558)

black carboniferous shale

Limestone; cream-tan, fine xln, chalky, slightly fossiliferous, poor porosity, no shows

Limestone; as above, highly fossiliferous, granular, no shows

black carboniferous shale

Limestone; tan-buff, fine xln, dense, cherty, plus grey Shale

Limestone; grey-tan, fine xln, fossiliferous, dense, cherty, plus Chert; tan-translucent

Sandy Limestone; grey-cream, few glauconitic pieces, plus trace Sand; grey, no shows

black carboniferous shale


Limestone; tan-buff, fine xln, dense, cherty, poor visible porosity, no shows, Chert; amber-translucent

black carboniferous shale, plus grey-dark grey shale

ATOKA

Limestone; cream-tan-buff, fine-medium xln, slightly fossiliferous in part, cherty, trace lt. brown stain, NSFO, no odor, plus Chert; cream-tan, slightly fossiliferous, boney

Shale; grey-greyish green-maroon, silty in Limestone; cream, fine-medium xln, chalky in part, finely fossiliferous, granular in part, no shows



ROTARY TOTAL DEPTH 4850 (-1925)

4860

4880

