

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1259798

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15				
Name:			Spot Description:				
Address 1:			Sec.	TwpS. R	East West		
Address 2:			Fe	eet from North /	South Line of Section		
City: S	tate: Ziŗ	D:+	Fe	eet from East /	West Line of Section		
Contact Person:			Footages Calculated from	Nearest Outside Section C	Corner:		
Phone: ()			□ NE □ NV	V □SE □SW			
CONTRACTOR: License #			GPS Location: Lat:	Lona: _			
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)		
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84			
Purchaser:			County:				
Designate Type of Completion:			Lease Name:	W	/ell #:		
	-Entry	Workover	Field Name:				
	_		Producing Formation:				
☐ Oil ☐ WSW	SWD	SIOW	Elevation: Ground: Kelly Bushing:				
☐ Gas ☐ D&A	☐ ENHR	☐ SIGW	Total Vertical Depth:	Plug Back Total C	Depth:		
☐ OG ☐ GSW ☐ Temp. Abd. ☐ CM (Coal Bed Methane)			Amount of Surface Pipe Set and Cemented at: Feet				
Cathodic Other (Con	e Expl etc.)		Multiple Stage Cementing		_		
If Workover/Re-entry: Old Well In			If yes, show depth set:				
Operator:			If Alternate II completion, o				
Well Name:			feet depth to:				
Original Comp. Date:			loot doparto.				
Deepening Re-perf.	_	NHR Conv. to SWD	5				
Plug Back	Conv. to GS		Drilling Fluid Manageme				
			Chlarida contenti	nom Fluid valums	bblo		
Commingled	Permit #:		Chloride content:	• •			
Dual Completion	Permit #:		Dewatering method used:				
SWD	Permit #:		Location of fluid disposal if	hauled offsite:			
☐ ENHR	Permit #:		Operator Name:				
☐ GSW	Permit #:		Lease Name:				
			Quarter Sec				
Spud Date or Date Recompletion Date	ached TD	Completion Date or Recompletion Date	County:				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received							
Geologist Report Received							
UIC Distribution							
ALT I III Approved by: Date:							

Page Two



Operator Name:				_ Lease I	Name: _			Well #:			
Sec Twp	S. R	East	West	County	:						
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in press o surface test, along v	ures, whe	ther shut-in pre chart(s). Attach	ssure reac extra shee	hed stati	c level, hydrosta space is neede	tic pressures, b	ottom hole temp	erature, fluid recov		
Final Radioactivity Lo files must be submitted						ogs must be ema	liled to kcc-well-	logs@kcc.ks.go	v. Digital electronic		
Drill Stem Tests Taken Yes No (Attach Additional Sheets)					J	on (Top), Depth	and Datum	Sample			
Samples Sent to Geological Survey			es No		INam	Name			Datum		
List All E. Logs Run:											
				RECORD	Ne						
	0: 11.1					ermediate, product		" 0 1	T 15		
Purpose of String	Size Hole Drilled		ze Casing t (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives		
			ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD					
Purpose: Depth Type of Cement # Sacks Used				Type and Percent Additives							
Perforate Protect Casing	Perforate					_					
Plug Back TD Plug Off Zone											
1 lug 0 li 20 lio	Flug Oil Zulle										
Did you perform a hydrau	ulic fracturing treatment	on this well	?			Yes	No (If No, s	skip questions 2 a	nd 3)		
Does the volume of the t			-		-		_ ` `	skip question 3)			
Was the hydraulic fractur	ing treatment informatio	n submitted	to the chemical of	disclosure re	gistry?	Yes	No (If No, 1	ill out Page Three	of the ACO-1)		
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Fach Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth						
	Specify Footage of Each Interval Perforated					(Automit and Auto of Material esect)					
TUBING RECORD:	Size:	Set At:		Packer A	t·	Liner Run:					
		0017111				[Yes N	o			
Date of First, Resumed	Production, SWD or EN	HR.	Producing Meth	nod:	g 🗌	Gas Lift (Other (Explain)				
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gravity		
DIODOCITI	01.05.040			4ETUOD 05	. 00145/	TION:		DDOD! ICT!			
DISPOSITION Solo	ON OF GAS: Used on Lease		N Open Hole	∥ETHOD OF Perf.	_		nmingled	PRODUCTION	ON INTERVAL:		
	bmit ACO-18.)		Other (Specify)		(Submit		mit ACO-4)				

DRILLERS LOG

Company: THOMPSON OIL Co. Contractor: EK Energy LLC

License# 33977

Farm: MONFORT County: Allen

Well No: A-2 Sec: 15 TWP: 24 Range: 18E

API: 15-001-31353-00-00 Location: 2385 FSL Surface Pipe: 21.1' Location: 2685 FEL Spot: NE-NE-SW

Thickness	Formation	Depth	Remarks
	SOIL & CLAY	9	Drilled 12.25 Hole Set 8 5/8
3	GRAVEL	12	Drilled 6.750 HOLE
35	LIME	47	
85	SHALE	132	
122	LIME	254	Started 6/30/2015
198	SHALE	452	Finished 7/1/2015
6	LIME	458	
66	SHALE	524	
31	LIME	555	T.D. Hole 886'
18	SHALE	573	T.D. PIPE 853'
27	LIME	600	
10	SHALE	610	
5	LIME	615	
9	SHALE	624	
8	SAND	632	OIL BLEED
209	SHALE	841	
13	SAND	854	
32	OIL SAND	8886	VERY GOOD BLEED



E K Energy LLC 1495 3000 St. Moran, Ks. 66755 620-496-2526/620-852-3456 License # 33977

CEMENT RECORD

Company: Thompson Oil

Date 8/7/2014

Lease: Monfort

Well: 2-DA

Hole size & depth: $6^{3}/4 - 1085^{\circ}$

Casing size & depth: ____

Remarks:

Ran I'' pipe to 1,000' Pamped 10 5x Cement Pulled to 900' pamped 35 5x Cement Pulled to 500' pamped 10 5x Cement Pulled to 500' pamped 10 5x Cement Pulled to 250' pamped 45 5x Cement

802 N. Industrial Rd. P.O. Box

CONDITIONS
Connected to the nearest accessible point over passable road, connected to be delivered to the to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum alloted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated, the ond assume responsibility for 30 charge will be added ck out.. Tow charges are

THE PARTY

Index trucks own power Dust to delivery at somer's or int index trucks can prower Dust to delivery at somer's or introducing trucks and ordering a structure or delivery or delivery or delivery or index the maximum allated time for unloading trucks is 5 these maximum allated time for unloading trucks is 5 these owners or national per made the hadding trucks ordering the strength or make indexing to onger this contents to steringth or mix indexided. We do not assistength test when water is added at outstoner's equest strength test when water is added at outstoner's equest buyers responsibility.	K. X.	K PLAN		SLUMP	4.00 in	Excessive Water is Detrimental to Concrete Pe H ₂ 0 Added By Request/Authorized B	
, W		DRIVER/TRUCK	34	WATER TRIM	0.00	Excessive	WEIGHMASTER
ducts, Inc				BATCH#	7	PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) BABE CLASIONATE for them of the TRINCH IN presenting this RELEASE to you'ld vy your signature is of the option that the size and weight of his funch may possibly custer datagethe to the pressure and or adjacent funch may possibly custer datagethe to the pressure and ordinates.	property in a places are instantial in use oder where you desire it is so that wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and
norete Pro	KS 66749	YARDS ORDERED	10.50	YARDS DEL.	10.50	TO BE SIGNED IF DELIVERY TO BE MADE INSII TO BE SIGNED IF DELIVERY TO BE MADE INSII Dear Customers The driver of units tuck in presenting you for your signature is of the opinion that the size truck may possibly cause demangle to the premise truck may possibly cause demangle to the premise	our wish to help you in every way the driver is requesting that you si
Payless Concrete Products, Inc.		LOAD SIZE	10.50	LOAD #	**	ND EYES ROLONGED CONTACT MAY ontact With Skin, In Case of	manon Persists, Get Medical
P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588 NOTICE TO OWNER THE OF THIS CONTRICT TO pay those presons supplying material or services to complete this contract can result in the filing of a mechanic silen on the property which is the subject of this contract.	THOMPSON BIL CO.	FORMULA	12:13 PM WELL		7/1/15 WELL#C3	WARNING IRRITATING TO THE SKIN AND EYES CONTAINS PORTAND CONTAINS WAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of	Contact With Skin of Eyes, Flush Thoroughly With Water, It Intration Pelsisss, Get Medical Attention, KEEP CHILDREN AWAY.
P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588 NOTICE TO OWNER In social contract to pay those preson complete this contract can result in the filling which is the subject of this contract.	11.00	TIME	12:13 p	DATE	7/1/15	IRRITATI Contains Portland Cement. N	Attention. KEEP CHILDREN AWAY.

INT/TRANSACTION #

TICKET NUMBER

erformance

NOTICE, MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE. 10,50 × are are expensional man you got me RELEASE reliefring this and this supplier from any expensibility from any damage that may occur to the permises and/or adjacent property. Indirings, sidewalks, driveware, cutre, etc., by the delivery of this material and that you also agree to help thin remove must from the where of this vertices of that he will not little the public steller. Extre, as additional consideration, that he will not little the public steller. Extre, as additional consideration, that he will not little the public steller. Extre, as additional consideration, that he will not little the public steller. Extremy, as additional consideration, that he will not little to be understood agrees to infermity and infamage to the premises and/or adjacent property which may be claimed by anyone to have asset to contribute out of delivery of this order. × CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER I/PON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

THE CHANGES THE CONTROL OF THE CANCEL AND STARTS.

THE CHANGES THE CONTROL OF THE CONTROL OF THE CANCEL AND STARTS OF THE CANCEL OF THE CA Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A 500 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. DESCRIPTION All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

CODE

Excess Delay Time Charged @ \$60/HR.

QUANTITY

EXTENDED PRICE

UNIT PRICE

ADDITIONAL CHARGE 2 GRAND TOTAL ADDITIONAL CHARGE 1 TIME ALLOWED DELAY TIME TIME DUE TRUCK BROKE DOWN
ACCIDENT
CITATION
OTHER DELAY EXPLANATION/CYLINDER TEST TAKEN JOB NOT READY
 SLOW POUR OR PUMP
 TRUCK AHED ON JOB
 CONTRACTOR BROKE DOWN
 ADDED WATER FINISH UNLOADING START UNLOADING UNLOADING TIME 500 TOTAL AT JOB ARRIVED JOB LEFT JOB RETURNED TO PLANT TOTAL ROUND TRIP LEFT PLANT