

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1260052

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15				
Name:			Spot Description:				
Address 1:			SecTwpS. R East _ West				
Address 2:			Feet from North / South Line of Section				
City:	State: Z	ip:+	Fe	eet from East /	West Line of Section		
Contact Person:			Footages Calculated from	Nearest Outside Section C	Corner:		
Phone: ()			□ NE □ NW	V □SE □SW			
CONTRACTOR: License #			GPS Location: Lat:	, Long:			
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)		
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84			
Purchaser:			County:				
Designate Type of Completion:			Lease Name:	W	ell #:		
	e-Entry	Workover	Field Name:				
	_		Producing Formation:				
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW ∏ SIGW	Elevation: Ground:	Kelly Bushing:			
	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total D	epth:		
CM (Coal Bed Methane)	dow	Temp. Abd.	Amount of Surface Pipe Se	et and Cemented at:	Feet		
Cathodic Other (Core, Expl., etc.):			Multiple Stage Cementing	Collar Used? Yes	No		
If Workover/Re-entry: Old Well I			If yes, show depth set:				
Operator:			If Alternate II completion, c	cement circulated from:			
Well Name:			feet depth to:	w/	sx cmt.		
Original Comp. Date:							
Deepening Re-perf	J	ENHR Conv. to SWD	Drilling Fluid Managemer	nt Plan			
Plug Back	Conv. to G		(Data must be collected from to				
Commingled	Permit #		Chloride content:	ppm Fluid volume	: bbls		
Dual Completion			Dewatering method used:_				
SWD			Location of fluid disposal if	hauled offsite:			
ENHR	Permit #:						
GSW	Permit #:		Operator Name:				
			Lease Name:				
Spud Date or Date R	eached TD	Completion Date or	Quarter Sec	TwpS. R	East West		
Recompletion Date		Recompletion Date	County:	Permit #:			

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received							
Geologist Report Received							
UIC Distribution							
ALT I II III Approved by: Date:							

Page Two



Operator Name:				Lease N	Name: _			Well #:		
Sec Twp	S. R	East	West	County	:					
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in pres o surface test, along	sures, whethe with final cha	er shut-in pre art(s). Attach	essure reac n extra shee	hed stati t if more	c level, hydrosta space is neede	itic pressures, bot d.	tom hole temp	erature, fluid re	ecovery,
Final Radioactivity Lo files must be submitted						ogs must be ema	ailed to kcc-well-lo	gs@kcc.ks.go	v. Digital electr	onic log
Drill Stem Tests Taker (Attach Additional		Yes	☐ No				on (Top), Depth ar		Sampl	
Samples Sent to Geo	logical Survey	Yes	□No		Nam	е		Тор	Datum	1
Cores Taken Electric Log Run	☐ No ☐ No									
List All E. Logs Run:										
				RECORD	Ne					
	2	1				ermediate, product		T	T	
Purpose of String	Size Hole Drilled		Casing n O.D.)	Weig Lbs. /		Setting Depth	Type of Cement	# Sacks Used	Type and Pe Additive	
			ADDITIONAL	CEMENTIN	NG / SQL	JEEZE RECORD				
Purpose:	Depth Top Bottom	Type of	Cement	# Sacks	Used		Type and F	ercent Additives		
Perforate Protect Casing	100 20111111									
Plug Back TD Plug Off Zone										
1 lug 0 li 20 lio										
Did you perform a hydrau	ulic fracturing treatment	on this well?				Yes	No (If No, ski	ip questions 2 ar	nd 3)	
Does the volume of the t							= :	p question 3)		
Was the hydraulic fractur	ring treatment information	on submitted to	the chemical	disclosure re	gistry?	Yes	No (If No, fill	out Page Three	of the ACO-1)	
Shots Per Foot		ION RECORD Footage of Eac					cture, Shot, Cement			epth
	open,					,,				
TUBING RECORD:	Size:	Set At:		Packer A	t:	Liner Run:				
							Yes No			
Date of First, Resumed	Production, SWD or Ef	NHR. F	Producing Met	hod: Pumpin	a	Gas Lift 0	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat			Gas-Oil Ratio	Gra	avity
	1									
	ON OF GAS:		en Hole	METHOD OF			mmingled	PRODUCTION	ON INTERVAL:	ļ
Vented Solo	I Used on Lease bmit ACO-18.)		en noie _	Perf.	(Submit		mmingled mit ACO-4)			

Lone Jack Oil Company Blue Mound, KS 1-913-756-2307 1-620-363-0492 Operator: Lone Jack Oil A

Lease		Stickney Operator:				
Contractor: Lone Jack Oil CompanyDate Started:3/24/15Date Completed:3/27/15Total Depth:692 feetWell #6Hole Size:55/8Surface Pipe:20° 7"Surface Bit:97/8Sacks of Cement:5						
Total Depth	: <u>69</u>	<u>2 feet</u> Well #	<u>6</u>	Hole Size:	<u>5 5/8</u>	
Surface Pip	e:	20' 7" Surface Bit:	9 7/8	Sacks of Cement	: 5	
Depth of Se	at Nipple:	Rag	Packer At:	•		
Length and	Size of Ca	sing: 683'-	2 7/8	Sacks of Cement:	80	
Legal Descr	Depth of Seat Nipple: Rag Packer At: ength and Size of Casing: 683'- 27/8 Sacks of Cement: 80 eegal Description: NW NE NW NW Sec: 22 Twp: 24S Range: 21E County:					
Thickness	Depth	Type of Formation	Core	Depth	County: Allen Time	
HURHOUS	Depth	1 Jpb of 1 of married	Thickness	Depen	Time	
1	1	Top Soil	THERIOS			
1	2	Clay				
2	4	Sandstone				
4	8	Sandstone & Clay	····			
69	81	Shale		 		
5	86	Lime		 	· · · · · ·	
28	114	Shale				
5	119	Lime				
5	124	Shale		 		
3	127	Lime		 		
6	133	Shale	<u> </u>			
15	148	Lime		 		
150	298	Shale				
11	309	Lime				
5	314	Shale				
1	315	Lime				
4	319	Shale		 		
10	329	Lime	,	<u> </u>		
71	406	Shale				
21	421	Lime				
5	426	Shale				
5	431	Lime				
43	474	Shale				
17	491	Lime				
6	497	Shale	······································			
6	503	Lime				
94	597	Shale	-	 		
2	599	Lime		t		
80	679	Shale				
5	684	Sandy Shale (Slight Bleed)				
7	691	Oil Sand (Good Bleed)	-			
1	692	Black Sand				
	692	TD		 		
i				 		
				 		
			<u> </u>			
			-	 	***************************************	

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted line for unloading trucks is 5 minutes per yard, Y charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

Contractor must provide place for truck to wash out. A \$30 charge will be added per truck it contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

1.0001 CONTINUE OF CO. 529 F. WALTER

NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

Stranger IT, LEASE: MIRTH DAWSON

TO SEED N 等一概要

CHALLERY MINES

■ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	BUCLER OF BUILDING CO.		. 0.21 JA 2. N. 20.2				
TIME	FORMULA	LOAD SIZE	YARDS ORDERED	and the second	DRIVER/TRUCK	The Military	PLANT/TRANSACTION #
W 2 W 3 1 1 1 1 1 1 1		97.00	0.68		10 to		
DATE	420 MUMAGE	LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	Waltshi		B. 120	3 1 2	W _a este	on Shirth	2.00000
	WARNING	<u> </u>	PROPERTY DA	MAGE RELEASE	Excessive Wate	r is Detrimental to Concr	ete Performance

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Porland Cement. Wear Rubber Boots and Glovas. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, if Imitation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks: Excess Delay Time Charged @ \$60/HR.

LEFT JOB

QUANTITY

RETURNED TO PLANT

台。海州

13 . GOD

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE). Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this ordiner is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driverneys, cuttes, etc. by the delivery of this material, and that you also agree to help him remove must from the wheels of his vicinity and held harmless the driverient in the undersigned agrees to indemnify and hold harmless the driverient in the undersigned agrees to indemnify and hold harmless the driverient in the undersigned agrees to indemnify and hold harmless the driverient in the undersigned agrees to indemnify and hold harmless the driverient in the undersigned agrees to indemnify and hold harmless the driverient in the undersigned agrees to indemnify and hold harmless the driverient in the undersigned agrees to indemnify and hold harmless the driverient in the undersigned agrees to indemnify and hold harmless the driverient in the undersigned agrees to indemnify and hold harmless the driverient in the undersigned agrees to indemnify and hold harmless the driverient in the undersigned agrees to help the second the se

WEIGHMASTER

UNIT PRICE

EXTENDED PRICE

H₂0 Added By Request/Authorized By

CODE TIM TOGETHER PER UNITE Wil. (1. OF MIZING TMD TWIR THE **国本区科书建筑** A DONE LING CONTRACT TRUKKKUM

> TIME ALLOWED DELAY EXPLANATION/CYLINDER TEST TAKEN FINISH UNLOADING 6. TRUCK BROKE DOWN JOB NOT READY

7. ACCIDENT 8. CITATION 9. OTHER 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN TIME DUE START UNLOADING ARRIVED JOB LEFT PLANT C. 85 DELAY TIME UNLOADING TIME TOTAL ROUND TRIP TOTAL AT JOB

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2

GRAND TOTAL