Confidentiality Requested: Yes No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1260165

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

### WELL COMPLETION FORM

	_				
WELL HISTORY	- D	DESCRIPTION	N OF W	/ELL &	LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	Sec TwpS. R East 🗌 West
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
	D. Abd. Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to	SWD Drilling Fluid Management Plan
Plug Back Conv. to GSW Conv. to	
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion         Permit #:           SWD         Permit #:	
ENHR Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date	Quarter Sec TwpS. R East West
Recompletion Date Recompletion D	

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

#### Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

				Page Iwo	1260 <sup>2</sup>		
Operator Na	ne:			Lease Name:		_ Well #:	
Sec	Twp	_S. R	East West	County:			

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional She	eets)	Yes No		.og Formatio	on (Top), Depth and	d Datum	Sample
Samples Sent to Geolog	,	Yes No	Nam	е		Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
		CASING Report all strings set-c	RECORD Ne		on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	JEEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and Pe	ercent Additives	
Protect Casing Plug Back TD							
Plug Off Zone							
Did you perform a hydraulic	fracturing treatment of	on this well?		Yes	No (If No. skip	o questions 2 an	d 3)
Does the volume of the total	0		ceed 350,000 gallons			o question 3)	/

-				ē		
Does	s the	volume o	of the total	base fluid of the	hydraulic fracturing treatment	exceed 350,000 gallons?
Was	the	hydraulic	fracturing	treatment inform	nation submitted to the chemic	al disclosure registry?

(If No, fill out Page Three of the ACO-1)

Shots Per Foot		PERFORATION Specify Foo		RD - Bridge Pl Each Interval P		e			ement Squeeze Record I of Material Used)	Depth
TUBING RECORD:	Siz	e:	Set At:		Packer	At:	Liner R	un:	No	
Date of First, Resumed	I Producti	on, SWD or ENHR		Producing M	ethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bbls	6.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
	I								Γ	
DISPOSITI	ON OF G	AS:			METHOD		TION:	_	PRODUCTION IN	TERVAL:
Vented Solo	d 🗌 L	Jsed on Lease		Open Hole	Perf.	Uually (Submit )		Commingled (Submit ACO-4)		
(If vented, Su	bmit ACO	-18.)		Other (Specify)				(Subinit ACO-4)		

Yes

No

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

#### Lone Jack Oil Company Blue Mound, KS 1-913-756-2307 1-620-363-0492

				1-620-363				
Lease		Stickney Operate	or: <u> </u>	one Jack O	<u>il</u> API # <u>1</u>	<u>5-001-313</u>	390-00-00	
Contractor:	Lone Jack	Oil CompanyDate Sta2 feetWell #20' 7 "Surface F	rted:	6/29/15	Date Cor	npleted: _	7/1/15	
Total Depth	.: <u>70</u>	<u>2 feet</u> Well #		8	_ Hole Size:		<u> </u>	
Surface Pip	e:	_ <u>20' 7 "</u> Surface E	Sit:	7/8	_ Sacks of C	ement:	5	<del></del>
Depth of Se	at Ninnle:	· · · ·	Rag Pa	cker At:				
Length and	Size of Ca	sing:	<u>689'- 2</u>	7/8	Sacks of Ce	ement:	<u>80</u>	
Legal Desci	npuon:	<u>SE SWINWINW</u> Sec:	<u> </u>	vp. <u>_245</u> _	$\_$ Kange: $\4$	$\underline{IL}$ U	Juniy. <u>An</u>	en
Thickness	Depth	Type of Format	ion	Core	Depth		Time	
·			· · · · · · · · · · · · · · · · · · ·	Thickness	L .			
1	1	Top Soil						
6	7	Clay						·····
6	13	Sand Rock						
1	14	Lime						
2	16	Shale						
73	89	Lime						<u></u>
6	95	Shale			_ <b>_</b> `			
2	97	Lime	·					
2	99	Shale						
20	119	Lime			·			
3	122	Shale	······································				· · ·	
4	126	Lime		· · · · · · · · · · · · · · · · · · ·				
4	130	Shale						· · · ·
4	134	Lime						
7	141	Shale						
14	155	Lime						
156	311	Shale						
13	324	Lime						
5	329	Shale			····			
	338			·				
72	410	Shale					<u></u>	
19	429	Lime			· · · · · · · · · · · · · · · · · · ·			
4	433	Shale						
5	438	Lime					·····	
43	481	Shale						
14	495	Lime Shale						<u> </u>
10	505							
5 95	510 605	Lime Shale	. <u></u>	· · · · · · · · · · · · · · · · · · ·				
2	605	Lime		<u> </u>				
75	682	Shale						<u> </u>
2	684	Oil Sand (Good Bleed)						
2	686	Shaley Sand					······	
2	688	Oil Sand (Little Bleed)					· · · · · · · · · · · · · · · · · · ·	
2	690	Oil Sand (Good Bleed)						· · · · ·
10	700	Oil Sand (Really Good I	Reed)			1		
2	700	Black Sand	5,000	· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·	,,,,,,,
	702	TD	•·····					
					-	1	· · · · · · · · · · · · · · · · · · ·	
L.,	L	I		L				

199

#### 802 N. Industrial Rd. P.O. Rox 664 Ina, Kansas 66749 Phone: (620) 365-5588

# Payless Concrete Products, Inc.

NOTICE TO OWNER Failure of this contractor to pay those persons supplying material or services to complete this contract an result in the filling of a mechanic's ilen on the property which is the subject of this contract.

## COOD LOOD L

.

LOMEITICK OIL COU 309 F. WALMUT

CERSE NORTH GAUSON.

•.

54 S. TO 4800 H & MI TO GREEDEN C

CONDITIONS Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, selier assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum altotred time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contants for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

<u>ل</u> ي الم	and mitting		56010	Ν.	<b>SC</b>	ar is in	
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
1111年前的一番 1111年前日 - 11		<u>後</u> 、現現 12	8 - 667				
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
7/1/11	5 HEALS		B. Oto	- C		作 <b>。</b> 即称 主百	39257
Contains Portland Cement CAUSE BURNS, Avoid Co	WARNING ING TO THE SKIN A Weer Rubber Boots and Gloves. Pontect With Eyes and Prolonged Ccs, S, Flush Thoroughly With Water, If it S, Flush Thoroughly With Water, If it	ROLONGED CONTACT MAY Intact With Skin, In Case of	PROPERTY DAM (TO BE SIGNED IF DELIVERY TO Dear Customer-The driver of this tru you for your signature is of the opin truck may possibly cause damage property it is plays the materiat in or	D BE MADE INSIDE CURB LINE) ick in presenting this RELEASE to ion that the size and weight of his to the promises and/or adjacent	H <sub>2</sub> 0 A GAL )	r is Detrimental to Concr dded By Request/Author K	
Attention. KEEP CHILDRE	N AWAY. COMMODITY and BECOMES the PROP HANGES OR CANCELLATION of ORIG	en statue de la seconda de Seconda de la seconda de la	property if it places the material in in our wish to help you in every way it the driver is requesting that you sig this supplier from any responsibility to the premises and/or adjacent driveways, curbs, etc., by the deliv also acreate to help him remove mut	at we can, more you desire it. It is hat we can, but in order to do this in this RELEASE relieving him and from any damage that may occur I property, buildings, sidewalks, eny of this material, and that you from the whele of his which so	WEIGHMASTER		
any sums owed. All accounts not paid within 30 ( Not Responsible for Reactive	pay all costs, including reasonable attor days of delivery will bear interest at the rate Aggregate or Cotor Quality. No Claim	of 24% per annum.	this supplier from any responsibility to the premises and/or adjacent driveveys, curbs, etc., by the deivi- also agree to help him remove mud that he will not litter the public steet tion, the undersigned agrees to inde of this truck and this supplier for an and/or adjacent property which ma- arisin out of delivery of this order. SIGNED	t. Further, as additional considera- nify and hold harmless the driver and all damage to the premises y be claimed by anyone to have	NOTICE: MY SIGNATURE BE NOTICE AND SUPPLIER W WHEN DELIVERING INSIDE C LOAD RECEIVED BY:	LOW INDICATES THAT I HAVE R ILL NOT BE RESPONSIBLE F URB LINE.	ead the health warning or any damage caused
Material is Delivered. A \$30 Service Charge and L Excess Delay Time Charged @	oss of the Cash Discount will be collec \$60/HR	ted on all Returned Checks.	X		X	<u>de la bage</u>	
QUANTITY	CODE	DESCRIPTION			ana ang ang ang ang ang ang ang ang ang	UNIT PRICE	EXTENDED PRICE
8. 1948 - 1. 52 - 8. 620	ANDLI. TRUCKIN MIXAHAU	B TPLOKIN	M SARAGIPER G CHANGE AND HEALING		eA 1 . 1949 21. 1949 21. 1949		
		3T.	icknet	Stell #	\$		
TURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CY		TIME ALLOWED	<b>1</b>	
	0		A JOB NOT READY	6. TRUCK BROKE DOWN 7. ACCIDENT			
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN	8. CITATION 9. OTHER	TIME DUE	┨ ·· · · .	
1/18	177-13	M	5. ADDED WATER	7		ADDITIONAL CHARGE 1	
TAL ROUND TRIP	TOTAL AT JOB		700 / H	New	DELAY TIME	ADDITIONAL CHARGE 2	
			LA CONTRACTOR OF A CONTRACTOR OF A CONTRACTOR A CONTRACT			ADDITIONAL CHARGE 2	· ·