

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1260166

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15				
Name:			Spot Description:				
Address 1:			Sec	Twp S. R	East _ West		
Address 2:			Fe	eet from	South Line of Section		
City:	State: Z	ip:+	Fe	eet from East / V	West Line of Section		
Contact Person:			Footages Calculated from N	Nearest Outside Section Co	orner:		
Phone: ()			□ NE □ NW	/ □SE □SW			
CONTRACTOR: License #			GPS Location: Lat:	, Long:			
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)		
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84			
Purchaser:			County:				
Designate Type of Completion:			Lease Name:	We	ell #:		
	e-Entry	Workover	Field Name:				
	_		Producing Formation:				
☐ Oil ☐ WSW ☐ SWD ☐ SIOW			Elevation: Ground: Kelly Bushing:				
∐ Gas	☐ ENHR ☐ GSW	☐ SIGW ☐ Temp. Abd.	Total Vertical Depth:	Plug Back Total De	epth:		
CM (Coal Bed Methane)	dow	Temp. Abd.	Amount of Surface Pipe Se	et and Cemented at:	Feet		
☐ Cathodic ☐ Other (Co	ore, Expl., etc.):		Multiple Stage Cementing (Collar Used? Yes	No		
If Workover/Re-entry: Old Well I			If yes, show depth set:		Feet		
Operator:			If Alternate II completion, ce	ement circulated from:			
Well Name:			feet depth to:	w/	sx cmt.		
Original Comp. Date:							
Deepening Re-perf	•	ENHR Conv. to SWD	Drilling Fluid Managemen	nt Dian			
☐ Plug Back	Conv. to G		(Data must be collected from the				
Commingled	Pormit #:		Chloride content:	ppm Fluid volume:	bbls		
Dual Completion			Dewatering method used:_				
SWD			Location of fluid disposal if	hauled offsite:			
☐ ENHR							
GSW	Permit #:		Operator Name:				
_ _			Lease Name:	License #:			
Spud Date or Date R	eached TD	Completion Date or	Quarter Sec	TwpS. R	East _ West		
Recompletion Date		Recompletion Date	County:	Permit #:			

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II Approved by: Date:						

Page Two



Operator Name:				Lease l	Name: _			Well #:		
Sec Twp	S. R	East	West	County	:					
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ing and shut-in pressu	ires, whet	her shut-in pre	ssure reac	hed stati	c level, hydrosta	tic pressures, bott			
Final Radioactivity Log files must be submitte						gs must be ema	iled to kcc-well-lo	gs@kcc.ks.go	v. Digital electr	onic log
Drill Stem Tests Taken (Attach Additional S		Ye	s No				n (Top), Depth an		Sampl	
Samples Sent to Geol	ogical Survey	☐ Ye	s No		Nam	е		Тор	Datum	1
Cores Taken Electric Log Run		☐ Ye								
List All E. Logs Run:										
			CASING	RECORD	Ne	w Used				
		Repo	rt all strings set-c	conductor, su	ırface, inte	ermediate, producti	on, etc.		I	
Purpose of String	Size Hole Drilled		e Casing (In O.D.)	Weig Lbs. /		Setting Depth	Type of Cement	# Sacks Used	Type and Pe Additive	
			ADDITIONAL	CEMENTIN	NG / SQL	JEEZE RECORD				
Purpose: Perforate Protect Casing Plug Back TD	Depth Top Bottom	Type	of Cement	# Sacks Used Type and Percent Additives						
Plug Off Zone										
Did you perform a hydrau Does the volume of the to Was the hydraulic fractur	otal base fluid of the hydra	aulic fractu	ring treatment ex	,	0	? Yes	No (If No, ski	p questions 2 ar p question 3) out Page Three		
Shots Per Foot PERFORATION RECORD - Bridge F Specify Footage of Each Interval						Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				epth
TUBING RECORD:	Size:	Set At:		Packer A	••	Liner Run:				
TOBING ALCOAD.	Oize.	Set At.		racker A	ι.	Linei Ruii.	Yes No			
Date of First, Resumed	Production, SWD or ENF	IR.	Producing Meth	nod:	g 🗌	Gas Lift C	other (Explain)			
Estimated Production Per 24 Hours	Oil B	bls.	Gas	Mcf	Wate	er Bl	ols. G	as-Oil Ratio	Gra	vity
DISPOSITIO	ON OF GAS:		N	METHOD OF	COMPLE	ETION:		PRODUCTION	ON INTERVAL:	
Vented Sold			pen Hole	Perf.	Dually	Comp. Con	nmingled			
(If vented, Sub	omit ACO-18.)		Other (Specify)		(Submit)	400-5) (Subi	mit ACO-4)			

Lone Jack Oil Company Blue Mound, KS 1-913-756-2307 1-620-363-0492

Lease		Stickney Operator:	Lone Jack Oil	L API # <u>15-001</u>	<u>-31392-00-00</u>				
Contractor: Lone Jack Oil Company Date Star			: <u>7/6/15</u>	_ Date Completed	ed: <u>7/15/15</u>				
Total Depth	i: 69%	2 feet Well #	11	Hole Size:	5 5/8				
Surface Pipe	e:	20' 7" Surface Bit:	9 7/8	Sacks of Cemen	t: <u>5</u>				
Depth of Se	Contractor: Lone Jack Oil Company Date Started: 7/6/15 Date Completed: 7/15/15 Total Depth: 692 feet Well # 11 Hole Size: 5 5/8 Surface Pipe: 20° 7 " Surface Bit: 9 7/8 Sacks of Cement: 5 Depth of Seat Nipple: Rag Packer At: Length and Size of Casing: 679°- 2 7/8 Sacks of Cement: 80								
Length and Size of Casing: 679'- 27/8 Sacks of Cement: 80									
Legal Descr	ription: 1	NW SE NW NW Sec: 22	Twp: 24S	Range: 21E	County: Allen				
Thickness	Depth	Type of Formation	Core	Depth	Time				
		<u> </u>	Thickness						
1	1	Top Soil							
6	7	Clay							
1	8	Lime							
2	10	Sand Rock			· · · · · · · · · · · · · · · · · · ·				
69	79	Lime							
6	85	Shale							
3	88	Lime			 				
1	89	Shale			· · · · · · · · · · · · · · · · · · ·				
27	116	Lime							
4	120	Shale							
4	124	Lime		 					
4	128	Shale			·······				
17	145	Lime		1					
153	298	Shale							
7	311 318	Lime Shale							
9	327	Lime							
73	400	Shale							
19	419	Lime		 					
4	423	Shale		<u> </u>					
5	428	Lime			· · · · · · · · · · · · · · · · · · ·				
43	471	Shale							
14	485	Lime							
10	495	Shale							
5	500	Lime							
95	595	Shale							
2	597	Lime							
80	677	Shale			,				
2 ½ 5	682	Oil Sand (Fair Bleed)							
10	692	Oil Sand (Good Bleed)							
	692	TD							
		,		<u> </u>	W				
	,			<u> </u>					
				<u> </u>					
				ļ					
				 					

Industrial Rd. 564

s 66749 **365-5588** Phon NOTICE TO MALER Failure of 1975 contractor to pay those persons supplying material or services to a complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible both on the property of the control of the contr

FONGI- (CO-SON EL TOPLHUT

LEASE MORTH DAWSON

54 E TO-1000 N 3 MY TO URESON E N OD

:	* (* 11)	OR MOUND !)	66010	<u> </u>		<u> </u>		
	Table 1 to 1 t	FORMULA')	LOAD SIZE	YARDS ORDERED	i		DRIVER/TRUCK	74 (152)	PLANT/TRANSACTION#
ŀ	TIME	FORMOUN	17				1.47	Z (**)	
1	A Section of the Sect	a restrict	8.70	3.02	4		14 1 34 1		- ALLCO
1	75120 AM	MELA	C) = 17.8Md					OLIMAD:	TICKET NUMBER
1	DATE	一世山石林的岛屿	LOAD#	YARDS DEL.	BATCH#	4	WATER TRIM	SLUMP	TICKET NOMBELL
t					*~	- 1			orniging the arts of
١	7/15/19	MELL#1		8,00	1	1,00° E) A	Ø. ØØ	4 200 511	39284
- 1						· 997	S. 1244 S.	A Maria Marian	-t- Darlamanaa

WARNING
IRRITATING TO THE SKIN AND EYES
Contains: Portland Cament. Wear Rubber Bools and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS, Avoid Contact With Eyes and Prolonged Coatact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Imitation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STATIS.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$30 Service Charge and Loss of the Gash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$60/HR. CODE

JELL,

QUANTITY

harma,

DESCRIPTION

MIXEMOUR OF SURVEY ON PAULING

PROPERTY DAMAGE RELEASE

(TO BE SIGNED ID ELLYERY TO BE MADE SISSE CURB LINE)

Dear Customer-The driver of this truck in presiming this RELEASE to you for your signature is of the opinion that the size and weight of his truck may floosely ouse damage to the perinses and/or adjacent property if it places the maleral in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this he driver is requesting that you sign this RELEASE relieving than and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curfs, etc., by the delivery of this materiat, and, that you also agree to help him remove much from the wheels of his vehicle so that the will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and adjudanage to the premises and/or adjacent property which may be dairned by anyone to have arisin out of delivery of this order.

WELL THE SACES PER UNIT) --

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

S. 90

H. 1913

UNIT PRICE

GRAND TOTAL

EXTENDED PRICE

				* #	With the
RETÜRNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	
		9-26	1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION	A	T/0X - 7. 75
7 77	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	TIME DUE	
	9 08	110			ADDITIONAL CHARGE 1
	TOTAL AT JOB	UNLOADING TIME	Yan ya	DELAY TIME	ADDITIONAL CHARGE 2
15.00		W S			