

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:		
Effective Date:			
District #			
SGA?	Yes No	1	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

			Spot Description:
	month day	year	Sec Twp S. R 🔲 E 🔲 V
OPERATOR: License#			feet from N / S Line of Section
			feet from E / W Line of Section
ddress 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip		County:
Contact Person:			Lease Name: Well #:
hone:			Field Name:
CONTRACTOR: License#	!		Is this a Prorated / Spaced Field?
Name:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class:	Type Equipment:	Ground Surface Elevation:feet MS
Oil Enh R	Rec Infield	Mud Rotary	Water well within one-quarter mile:
Gas Storag	• =	Air Rotary	
Dispo		Cable	,
Seismic ;# c			Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OWWO: old well	information as follows:		Surface Pipe by Alternate: II III
			Length of Surface Pipe Planned to be set:
Operator:			Length of Conductor Pipe (if any):
			Projected Total Depth:
Original Completion Da	ate: Original	Total Depth:	Formation at Total Depth:
Directional Deviated or He	orizontal wallbara?	Yes No	Water Source for Drilling Operations:
Directional, Deviated or Ho	onzoniai wellbore?		Well Farm Pond Other:
·			DWR Permit #:
			(Note: Apply for Permit with DWR)
			Will Cores be taken?
			If Yes, proposed zone:
		AF	FIDAVIT
The undersigned hereby a	affirms that the drilling, co		FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq.
	affirms that the drilling, co	ompletion and eventual pl	
It is agreed that the follow	ving minimum requiremen	ompletion and eventual plats will be met:	
t is agreed that the follow 1. Notify the appropria	ving minimum requiremen ate district office <i>prior</i> to	ompletion and eventual plats will be met: spudding of well;	ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the follow 1. Notify the appropria 2. A copy of the appropria	ving minimum requiremen ate district office prior to oved notice of intent to dri	ompletion and eventual plats will be met: spudding of well; ill shall be posted on eac	ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconsor	ving minimum requirement ate district office <i>prior</i> to so oved notice of intent to drip ount of surface pipe as special olidated materials plus a re-	ompletion and eventual plats will be met: spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hole	wing minimum requirement ate district office <i>prior</i> to a oved notice of intent to drip ount of surface pipe as spe- olidated materials plus a rolle, an agreement between	ompletion and eventual plats will be met: spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the operator and the distance.	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It trict office on plug length and placement is necessary prior to plugging;
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis	wing minimum requirement ate district office <i>prior</i> to soved notice of intent to dripunt of surface pipe as specificated materials plus a role, an agreement between strict office will be notified	ompletion and eventual plats will be met: spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the operator and the distribution to before well is either plug	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I	ving minimum requirement ate district office <i>prior</i> to soved notice of intent to dripunt of surface pipe as specificated materials plus a role, an agreement between strict office will be notified II COMPLETION, product	ompletion and eventual plats will be met: spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the operator and the distribution pipe shall be cemented.	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ving minimum requirement ate district office <i>prior</i> to soved notice of intent to dripunt of surface pipe as specificated materials plus a role, an agreement between strict office will be notified II COMPLETION, product pendix "B" - Eastern Kansa	ompletion and eventual plats will be met: spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the operator and the distribution pipe shall be cemented as surface casing order #	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ving minimum requirement ate district office <i>prior</i> to soved notice of intent to dripunt of surface pipe as specificated materials plus a role, an agreement between strict office will be notified II COMPLETION, product pendix "B" - Eastern Kansa	ompletion and eventual plats will be met: spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the operator and the distribution pipe shall be cemented as surface casing order #	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ving minimum requirement ate district office <i>prior</i> to soved notice of intent to dripunt of surface pipe as specificated materials plus a role, an agreement between strict office will be notified II COMPLETION, product pendix "B" - Eastern Kansa	ompletion and eventual plats will be met: spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the operator and the distribution pipe shall be cemented as surface casing order #	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropria 2. A copy of the appro 3. The minimum amore through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed	wing minimum requirement atte district office <i>prior</i> to soved notice of intent to dripunt of surface pipe as special olidated materials plus a role, an agreement between strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansad within 30 days of the special of the s	ompletion and eventual plats will be met: spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the operator and the distribution pipe shall be cemented as surface casing order #	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amore through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis must be completed	wing minimum requirement atte district office <i>prior</i> to soved notice of intent to dripunt of surface pipe as special olidated materials plus a role, an agreement between strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansad within 30 days of the special of the s	ompletion and eventual plats will be met: spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the operator and the distribution pipe shall be cemented as surface casing order #	an drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amore through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed	wing minimum requirement atte district office <i>prior</i> to soved notice of intent to dripunt of surface pipe as special olidated materials plus a role, an agreement between strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansad within 30 days of the special of the s	ompletion and eventual plats will be met: spudding of well; ill shall be posted on each ecified below shall be set minimum of 20 feet into the operator and the distribution pipe shall be cemented as surface casing order #	an drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; did from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amore through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis with the completed Ubmitted Electror	wing minimum requirement at a district office <i>prior</i> to soved notice of intent to drivent of surface pipe as special or of surface pipe as special or of surface pipe as special or office will be notified II COMPLETION, product bendix "B" - Eastern Kansad within 30 days of the spunically	ompletion and eventual plats will be met: spudding of well; ill shall be posted on eace edified below shall be set minimum of 20 feet into the operator and the dist before well is either plugation pipe shall be cemente as surface casing order # and date or the well shall be	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; diffrom below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 -	wing minimum requirement at a district office <i>prior</i> to soved notice of intent to dripunt of surface pipe as special olidated materials plus a role, an agreement between strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansad within 30 days of the spunically	ompletion and eventual plats will be met: spudding of well; ill shall be posted on eace edified below shall be set minimum of 20 feet into the nation the operator and the distance to the plate of the well is either plate of the plate of the well shall be plate of the	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; did from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 -	wing minimum requirement at a district office <i>prior</i> to soved notice of intent to drivent of surface pipe as special or of surface pipe as special or of surface pipe as special or office will be notified II COMPLETION, product bendix "B" - Eastern Kansad within 30 days of the spunically	ompletion and eventual plats will be met: spudding of well; ill shall be posted on eace edified below shall be set minimum of 20 feet into the nation the operator and the distance to the plate of the well is either plate of the plate of the well shall be plate of the	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; diffrom below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 - Conductor pipe required -	wing minimum requirement at a district office <i>prior</i> to soved notice of intent to dripunt of surface pipe as special olidated materials plus a role, an agreement between strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansad within 30 days of the spunically	ompletion and eventual plats will be met: spudding of well; ill shall be posted on eace edified below shall be set minimum of 20 feet into the operator and the dist before well is either plugation pipe shall be cemented as surface casing order # and date or the well shall be the operator and the distribution pipe shall be cemented as surface casing order # and date or the well shall be the operator and	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; did from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropria 2. A copy of the appro 3. The minimum amore through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis with the completed Ubmitted Electror For KCC Use ONLY API # 15 - Conductor pipe required - Minimum surface pipe recompleted	ving minimum requirement ate district office <i>prior</i> to a coved notice of intent to dripunt of surface pipe as specificated materials plus a role, an agreement between strict office will be notified II COMPLETION, product bendix "B" - Eastern Kansad within 30 days of the spunically	pempletion and eventual plats will be met: spudding of well; ill shall be posted on eace edified below shall be set minimum of 20 feet into the operator and the district before well is either plugation pipe shall be cemente as surface casing order # and date or the well shall be the plugation pipe shall be th	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; diffrom below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed wbmitted Electror For KCC Use ONLY API # 15 - Conductor pipe required - Minimum surface pipe red Approved by:	wing minimum requirement atte district office <i>prior</i> to soved notice of intent to dripunt of surface pipe as special district of surface pipe as special district office will be notified II COMPLETION, product bendix "B" - Eastern Kansad within 30 days of the spunically	pempletion and eventual plats will be met: spudding of well; ill shall be posted on eace edified below shall be set minimum of 20 feet into the operator and the district before well is either plugation pipe shall be cemente as surface casing order # and date or the well shall be the plugation pipe shall be th	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; did from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 Conductor pipe required _ Minimum surface pipe required _ Approved by: This authorization expires	wing minimum requirement atte district office <i>prior</i> to soved notice of intent to dripunt of surface pipe as special district of surface pipe as special district office will be notified II COMPLETION, product bendix "B" - Eastern Kansad within 30 days of the spunically	pempletion and eventual plats will be met: spudding of well; ill shall be posted on each ecified below shall be set into the operator and the dist before well is either plugation pipe shall be cemented as surface casing order # and date or the well shall be refer to the feet of the feet of the feet of the state of the feet of th	Additional district office of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

Side Two



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

ator:	Location of Well: County:
<u>:</u>	feet from N / S Line of Section
Number:	feet from E / W Line of Section
	SecTwpS. R E W
er of Acres attributable to well:	is Section. Regular of Tregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
•	PLAT arest lease or unit boundary line. Show the predicted locations of
	as required by the Kansas Surface Owner Notice Act (House Bill 2032). Tha separate plat if desired.
: : : :	<u> </u>
	LEGEND
	O Well Location
	Tank Battery Location
	Pipeline Location Electric Line Location
iiii	Lease Road Location
	EXAMPLE : :
· · · · · · · · · · · · · · · · · · ·	
28	
	1980' FSL
	·· . ······· . ······ r <u> </u>
	SEWARD CO. 3390' FEL
	· · · · · · · · · · · · · · · · · · ·

3465 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

262134

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Pit is: Proposed If Existing, date col Pit capacity: urea? Yes	Existing nstructed: (bbls)	SecTwp R East WestFeet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l mg/l mg/l reference from reference from mg/l mg/l mg/l reference from reference from mg/l reference from reference from mg/l reference from	
Is the bottom below ground level? Yes No			How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):Length (fee				
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining acluding any special monitoring.	
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to		Type of materia	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure:	
flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No	



Kansas Corporation Commission Oil & Gas Conservation Division

1262134


Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East _ West		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City: State: Zip:+			
the KCC with a plat showing the predicted locations of lease roads, tan are preliminary non-binding estimates. The locations may be entered of Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be I CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, a I have not provided this information to the surface owner(s). I a KCC will be required to send this information to the surface or	acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	g fee with this form. If the fee is not received with this form, the KSONA-1-1 will be returned.		
Submitted Electronically			
[



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

August 25, 2015

Jorge Ranz SCZ Resources, LLC 8614 CEDARSPUR DR HOUSTON, TX 77055

Re: Drilling Pit Application New Cannon NC-2 NE/4 Sec.28-26S-18E Allen County, Kansas

Dear Jorge Ranz:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.