

Well will not be drilled or Permit Expired Date: ___

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	month	day year	Spot Description:
	monar	day year	Sec Twp S. R
OPERATOR: License#			feet from N / S Line of Section
Name:			feet from E / W Line of Section
Address 1:			Is SECTION: Regular Irregular?
City:	State:	Zip: +	County:
			Lease Name: Well #:
Phone:			Field Name:
CONTRACTOR: License#	<u> </u>		Is this a Prorated / Spaced Field?
Name:			Target Formation(s):
Mall Drillad Fam	Mall Class.	Tuna Fausin manut	Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class:	Type Equipment:	Ground Surface Elevation:feet MSL
Oil Enh F		Mud Rotary	Water well within one-quarter mile: Yes No
Gas Stora	• =		Public water supply well within one mile: Yes No
Dispo	<u></u>	t Cable	Depth to bottom of fresh water:
Seismic ;# (Depth to bottom of resh water:
Other:			Surface Pipe by Alternate: I II
If OWWO: old well	l information as follow	ws:	
			Length of Surface Pipe Planned to be set:
·			
			Projected Total Depth:
Original Completion Da	ate: C	Original Total Depth:	
Directional, Deviated or Ho	orizontal wellhore?	Yes	Water Source for Drilling Operations:
			ven Tamirona Guier.
•			DWK Fellill #
			(Note: Apply for Fernit with DVT)
			Will Cores be taken? Yes No
			AFFIDAVIT
The undersigned hereby	affirms that the dril	lling, completion and eventu	al plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the follow	ving minimum requ	irements will be met:	
	ate district office p	rior to spudding of well;	
Notify the appropri		nt to drill shall be posted on	each drilling rig;
	oved notice of inter	as specified below shall be	e set by circulating cement to the top; in all cases surface pipe shall be set
2. A copy of the appre3. The minimum amo	ount of surface pipe		
2. A copy of the approx3. The minimum amo through all uncons	ount of surface pipe olidated materials p	plus a minimum of 20 feet ir	to the underlying formation.
 A copy of the appro The minimum amo through all uncons If the well is dry ho 	ount of surface pipe colidated materials pole, an agreement b	plus a minimum of 20 feet in petween the operator and th	to the underlying formation. e district office on plug length and placement is necessary <i>prior to plugging</i> ;
 A copy of the appro The minimum amo through all uncons If the well is dry ho The appropriate dis 	ount of surface pipe colidated materials pole, an agreement b strict office will be r	plus a minimum of 20 feet in between the operator and the notified before well is either	to the underlying formation. e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in;
 A copy of the approach The minimum amonthrough all uncons If the well is dry ho The appropriate die If an ALTERNATE 	ount of surface pipe olidated materials p ble, an agreement b strict office will be r II COMPLETION, p	plus a minimum of 20 feet in between the operator and the notified before well is either production pipe shall be cen	to the underlying formation. e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spud date.
 A copy of the approach The minimum amonthrough all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to Approach 	ount of surface pipe olidated materials p ble, an agreement b strict office will be r II COMPLETION, p pendix "B" - Easterr	plus a minimum of 20 feet in between the operator and the notified before well is either production pipe shall be cen in Kansas surface casing ord	to the underlying formation. e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in;
 A copy of the approach The minimum amonthrough all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to App 	ount of surface pipe olidated materials p ble, an agreement b strict office will be r II COMPLETION, p pendix "B" - Easterr	plus a minimum of 20 feet in between the operator and the notified before well is either production pipe shall be cen in Kansas surface casing ord	to the underlying formation. e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the approach The minimum amonthrough all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to Approach 	ount of surface pipe olidated materials p ble, an agreement b strict office will be r II COMPLETION, p pendix "B" - Easterr	plus a minimum of 20 feet in between the operator and the notified before well is either production pipe shall be cen in Kansas surface casing ord	to the underlying formation. e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the approach The minimum amothrough all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to Appmust be completed 	ount of surface pipe colidated materials pole, an agreement be strict office will be resulted in COMPLETION, poendix "B" - Eastern d within 30 days of the colidate in the color of the col	plus a minimum of 20 feet in between the operator and the notified before well is either production pipe shall be cen in Kansas surface casing ord	to the underlying formation. e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the approach The minimum amothrough all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to Appmust be completed 	ount of surface pipe colidated materials pole, an agreement be strict office will be resulted in COMPLETION, poendix "B" - Eastern d within 30 days of the colidate in the color of the col	plus a minimum of 20 feet in between the operator and the notified before well is either production pipe shall be cen in Kansas surface casing ord	to the underlying formation. e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
 A copy of the approach The minimum amothrough all uncons If the well is dry ho The appropriate die If an ALTERNATE Or pursuant to Appmust be completed 	ount of surface pipe colidated materials pole, an agreement be strict office will be resulted in COMPLETION, poendix "B" - Eastern d within 30 days of the colidate in the color of the col	plus a minimum of 20 feet in between the operator and the notified before well is either production pipe shall be cen in Kansas surface casing ord	to the underlying formation. e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; lented from below any usable water to surface within <i>120 DAYS</i> of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. Remember to:
A copy of the approach The minimum amothrough all uncons If the well is dry ho The appropriate dis If an ALTERNATE Or pursuant to Appmast be completed ubmitted Electron For KCC Use ONLY	ount of surface pipe colidated materials pole, an agreement be strict office will be restrict office will be restrict office will be restrict office will be restricted within 30 days of the nically	plus a minimum of 20 feet in between the operator and the notified before well is either production pipe shall be cen in Kansas surface casing ord the spud date or the well sh	to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
2. A copy of the approach of the minimum amosthrough all uncons 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Approach of the completed ubmitted Electroic of the control of the c	ount of surface pipe colidated materials pole, an agreement be strict office will be result to COMPLETION, poendix "B" - Easterred within 30 days of the mically	plus a minimum of 20 feet in between the operator and the notified before well is either production pipe shall be cen in Kansas surface casing ord the spud date or the well sh	to the underlying formation. e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; lented from below any usable water to surface within <i>120 DAYS</i> of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. Remember to:
2. A copy of the approach of the minimum amost through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Approach of the completed Ubmitted Electron For KCC Use ONLY API # 15 - Conductor pipe required	punt of surface pipe colidated materials pole, an agreement be strict office will be result of the complete of	plus a minimum of 20 feet in petween the operator and the notified before well is either production pipe shall be central that the spud date or the well shall be spud date or the well shall be central feet	to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
2. A copy of the approximate 3. The minimum amosthrough all uncons 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Approximate be completed ubmitted Electron For KCC Use ONLY API # 15 -	punt of surface pipe colidated materials pole, an agreement be strict office will be result of the complete of	plus a minimum of 20 feet in petween the operator and the notified before well is either production pipe shall be central that the spud date or the well shall be spud date or the well shall be central feet	to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
2. A copy of the approx 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approx must be completed Ubmitted Electroic For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe received	punt of surface pipe colidated materials pole, an agreement be strict office will be result of the complete of	plus a minimum of 20 feet in petween the operator and the notified before well is either production pipe shall be central Kansas surface casing order the spud date or the well shappen.	to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate di: 6. If an ALTERNATE Or pursuant to App must be completed Ubmitted Electroi For KCC Use ONLY API # 15 - Conductor pipe required of Minimum surface pipe recommends.	punt of surface pipe olidated materials pole, an agreement be strict office will be reflected by the strict office will be reflected by the strict office will be reflected by the strict of strict	plus a minimum of 20 feet in petween the operator and the notified before well is either production pipe shall be central Kansas surface casing order the spud date or the well shappen.	to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
2. A copy of the approx 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by: Conductor pipe required Minimum surface pipe recompleted approved by: This authorization expires	ount of surface pipe colidated materials pole, an agreement be strict office will be reflected in the completion of the	plus a minimum of 20 feet in petween the operator and the notified before well is either production pipe shall be central Kansas surface casing order the spud date or the well shappen.	to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

404 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1262697

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date colling Pit capacity:	Existing	SecTwp R East WestFeet from Bast / West Line of SectionFeet from East / West Line of Section
		(bbls)	County
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	epest point:	(feet) No Pit
If the pit is lined give a brief description of the li material, thickness and installation procedure.	illei		edures for periodic maintenance and determining ncluding any special monitoring.
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet. mation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	al utilized in drilling/workover:
Number of producing wells on lease:		Number of working pits to be utilized:	
Barrels of fluid produced daily:		Abandonment	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.	
Submitted Electronically			
	KCC	OFFICE USE O	
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No


Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form KSONA-1 January 2014 Form Must Be Typed Form must be Signed All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed:C-1 (Intent)CB-	.1 (Cathodic Protection Borehole Intent)
OPERATOR: License #	_ Well Location:
Name:	
Address 1:	_ County:
Address 2:	Lease Name: Well #:
City: State: Zip:++	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	_
Email Address:	-
Surface Owner Information:	
Name:	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	
City: State: Zip:+	_
are preliminary non-binding estimates. The locations may be entered Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice	ank batteries, pipelines, and electrical lines. The locations shown on the plated on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. E. Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form
	m being filed is a Form C-1 or Form CB-1, the plat(s) required by this
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ing fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.
Submitted Electronically	
T.	



NEW WELLS TO BE PLUMBED INTO EXISTING PRODUCTION AND ELECTRIC LINES



HAHN LEASE WELL LOCATIONS





Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

August 31, 2015

TOM CAIN JTC Oil, Inc. PO BOX 24386 STANLEY, KS 66283

Re: Drilling Pit Application API 15-121-31080-00-00 HAHN BSI-HN7 SE/4 Sec.23-18S-21E Miami County, Kansas

Dear TOM CAIN:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.

Summary of Changes

Lease Name and Number: HAHN BSI-HN7

API/Permit #: 15-121-31080-00-00

Doc ID: 1262697

Correction Number: 1

Approved By: Rick Hestermann 08/31/2015

Field Name	Previous Value	New Value
Depth Of Water Well	130	150
ElevationPDF	915 Estimated	874 Estimated
Feet to Nearest Water Well Within One-Mile of	4563	4813
Pit Ground Surface Elevation	915	874
Is Footage Measured from the East or the West Section Line	West	East
Is Footage Measured from the East or the West Section Line	West	East
Is Footage Measured from the North or the South Section Line	North	South
Is Footage Measured from the North or the South Section Line	North	South
KCC Only - Approved By	Rick Hestermann 08/06/2015	Rick Hestermann 08/31/2015
KCC Only - Approved Date	08/06/2015	08/31/2015

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value	
KCC Only - Date Received	08/05/2015	08/31/2015	
KCC Only - Lease Inspection	Yes	No	
KCC Only - Regular Section Quarter Calls	SW NW SW NE	NE SW SW SE	
LocationInfoLink	https://kolar.kgs.ku.edu/kcc/detail/locationInform	https://kolar.kgs.ku.edu/kcc/detail/locationInform	
Number of Feet East or West From Section Line	ation.cfm?section=23&t 2717	ation.cfm?section=23&t 2051	
Number of Feet East or West From Section Line	2717	2051	
Number of Feet North or South From Section	1727	404	
Line Number of Feet North or South From Section	1727	404	
Line Quarter Call 1 - Largest	NE	SE	
Quarter Call 3	NW	SW	
Quarter Call 4 - Smallest	SW	NE	
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=12 60105	//kcc/detail/operatorE ditDetail.cfm?docID=12 62697	
Subdivision1Largest	NE	SE	

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Subdivision3	NW	SW
Subdivision4Smallest	SW	NE

Summary of Attachments

Lease Name and Number: HAHN BSI-HN7
API: 15-121-31080-00-00
Doc ID: 1262697
Correction Number: 1
Approved By: Rick Hestermann 08/31/2015
Attachment Name
Мар
Мар
Fluid